ENERGY STAR Qualified Lamps Product List

List Posted on July 1, 2016

Below are currently qualified ENERGY STAR models available for sale in the U.S. and Canada.

ENERGY STAR Owner	Brand	Model Number	Retail Product Number(s)	Bulb Type	Base Type	Technology	Special Features	Light Output (lumens)	Wattage (watts)	Three-Way Wattage (watts)	Life (hours)	Color Temperature (Kelvin)	Power Factor	Warranty (years)	Date Qualified
Ace Hardware Corporation	Ace	3405065	3405065	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	9	11/21/2011
Ace Hardware Corporation	Ace	3405065		Bare-Spiral	E26	CFL		1600	23	N/A	10000	2700	0.58	9	11/21/2011
Ace Hardware Corporation	Ace	FLE15/2/A19/8K	3286358	Covered A-line	E26/24 (Medium)	CFL		825	15	N/A	10000	2700	0.53	2	1/12/2012
Ace Hardware Corporation	Ace	FLE15/2/R30	3286051	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	2700	0.56	2	1/12/2012
Ace Hardware Corporation	Ace	FLE32HT3/2/D3/SW	3286325	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	2700	0.55	2	1/4/2012
Ace Hardware Corporation	ACE	7416605		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.552	9	10/5/2010
Ace Hardware Corporation	ACE	7416647		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.542	9	10/5/2010
Ace Hardware Corporation	ACE	7416654		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100	0.575	9	10/12/2010
Ace Hardware Corporation	ACE	7416662		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100	0.598	9	10/12/2010
Ace Hardware Corporation	ACE	7416670		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.557	9	10/12/2010
Ace Hardware Corporation	ACE	FLE10HT3/2/SW	3285822; 3285939	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700	0.578	2	11/30/2010
Ace Hardware Corporation	ACE	FLE11/2/G25/8K	3286390	Covered globe	E26/24 (Medium)	CFL		500	11	N/A	8000	2700	0.561	2	12/31/2010
Ace Hardware Corporation	ACE	FLE11/2/R20/8K	3286028	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	2700	0.565	2	10/29/2010
Ace Hardware Corporation	ACE	FLE13HT3/2/SW	3285830; 3285947	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	2	11/30/2010
Ace Hardware Corporation	ACE	FLE15/2/DV/R30	3286168	Covered reflector	E26/24 (Medium)	CFL	Dimmable	740	15	N/A	6000	2700	0.68	2	12/31/2010
Ace Hardware Corporation	ACE	FLE20HT3/2/SW	3285889; 3285996	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.551	2	11/30/2010
Ace Hardware Corporation	ACE	FLE26/2/DV/R40	3286317	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1260	26	N/A	6000	2700	0.726	2	11/24/2010
Ace Hardware Corporation	ACE	FLE26/2/PAR38/8K	3286127	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700	0.562	2	12/31/2010
Ace Hardware Corporation	ACE	FLE26HT3/2/SW	3286010, 3285897	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700	0.575	2	12/31/2010
Aero-Tech Light Bulb Company	Evolution	AE4B-11W		Bare-quadruple tube	E26/24 (Medium)	CFL		580	11	N/A	15000	2700	0.55	2	9/5/2007
Aero-Tech Light Bulb Company	Evolution	AE4B-14W		Bare-quadruple tube	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.57	2	9/5/2007
Aero-Tech Light Bulb Company	Evolution	AE4B-20W		Bare-quadruple tube	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700	0.563	2	9/5/2007
Aero-Tech Light Bulb Company	Evolution	AE4B-25W		Bare-quadruple tube	E26/24 (Medium)	CFL		1600	25	N/A	8000	2700	0.539	2	9/5/2007
Aero-Tech Light Bulb Company	Evolution	AE4B/CA-11W		Bare-quadruple tube	E12 (Candelabra)	CFL		580	11	N/A	15000	2700	0.55	2	8/31/2009
Aero-Tech Light Bulb Company	Evolution	AE5B-25W	AE5B-25W	Bare-quadruple tube	E26/24 (Medium)	CFL		1600	25	N/A	15000	2700		2	7/20/2011
Aero-Tech Light Bulb Company	Evolution	FS4B-11W		Bare-quadruple tube	E26/24 (Medium)	CFL		545	11	N/A	15000	5000	0.549	2	12/21/2007
Aero-Tech Light Bulb Company	Evolution	FS4B-14W		Bare-quadruple tube	E26/24 (Medium)	CFL		800	14	N/A	15000	5000	0.586	2	9/5/2007
Aero-Tech Light Bulb Company	Evolution	FS4B-20W		Bare-quadruple tube	E26/24 (Medium)	CFL		1100	20	N/A	12000	5000	0.551	2	12/21/2007
Aero-Tech Light Bulb Company	Evolution	FS4B/CA-11W		Bare-quadruple tube	E12 (Candelabra)	CFL		545	11	N/A	15000	5000	0.549	2	9/30/2009
Ahold USA	Smart Living	31001		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	6/1/2009
Ahold USA	Smart Living	87147		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/10/2009
Ahold USA	Smart Living	87148		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/10/2009
Ahold USA	Smart Living	87149		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/10/2009
Ahold USA	Smart Living	87150		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/10/2009
Ahold USA	Smart Living	87150 (2M)		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	5/18/2010
Ahold USA	Smart Living	87151		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/10/2009
Ahold USA	Smart Living	87152		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/10/2009
Ahold USA	Smart Living	87547		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	6/10/2009
Ahold USA	Smart Living	87548		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/10/2009
AIBC International	AIBC LED Lighting	AI-ES-11P38DIM	AI-ES-11P38DIM-3000-610-111	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.8	3	10/13/2011
AIBC International	AIBC LED Lighting	AI-ES-9P30DIM	AI-ES-9P30DIM-3000-480-110	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.8	3	10/13/2011
ALDI Inc.	ON	42615		Bare-spiral	E26/24 (Medium)	CFL		950	13	N/A	12000	2700		2	7/19/2012
ALDI Inc.	ON	7830 19W		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	3/8/2010
ALDI Inc.	ON	7830 19WTT		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	8000	2700		7	6/23/2010
ALDI Inc.	ON	7830 23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/8/2010
ALDI Inc.	ON	7830 23WTT	17838	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/24/2010
ALDI Inc.	ON	9237		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/1/2010
ALDI Inc.	ON	9237WTT	19238	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700		7	5/24/2010
Alite CO., LTD.	ALITE	LED-G60-E26	LED-G60-E26	Non-standard	E26/24 (Medium)	LED	Dimmable	595	6.13	N/A	25000	3000	0.735	3	8/30/2012
Alite CO., LTD.	ALITE	LED-G70-E26	LED-G70-E26	Non-standard	E26/24 (Medium)	LED	Dimmable	730	7.87	N/A	25000	3000	0.807	3	8/30/2012
Alite CO., LTD.	ALITE	LED-PAR30-E26	LED-PAR30-E26	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	508	8.74	N/A	25000	3000	0.964	3	8/29/2012
Alite CO., LTD.	ALITE	LED-PAR38-E26	LED-PAR38-E26	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	823	13.03	N/A	25000	3000	0.981	3	8/17/2012
AM Conservation Group, Inc.	AM Conservation Group	330501		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	7/13/2007
AM Conservation Group, Inc.	AM Conservation Group	330502		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700	0.52	2	11/10/2011
AM Conservation Group, Inc.	AM Conservation Group	AM09	AM094 (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		1	6/10/2005
AM Conservation Group, Inc.	AM Conservation Group	AM09PERM	AM094PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		1	7/6/2007
AM Conservation Group, Inc.	AM Conservation Group	AM14	AM144 (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	6/23/2005
AM Conservation Group, Inc.	AM Conservation Group	AM14PERM	AM144PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	7/6/2007
AM Conservation Group, Inc.	AM Conservation Group	AM20PERM	AM204PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		1	7/6/2007
AM Conservation Group, Inc.	AM Conservation Group	AM23PERM	AM234PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	7/6/2007
AM Conservation Group, Inc.	AM Conservation Group	AM27PERM	AM274PERM (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		1	7/6/2007
AM Conservation Group, Inc.	LUMAcoil	L30109T2		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		1	9/4/2009
AM Conservation Group, Inc.	LUMAcoil	L30113M		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		1	12/11/2009
AM Conservation Group, Inc.	LUMAcoil	L30113T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.5	1	9/4/2009
AM Conservation Group, Inc.	LUMAcoil	L30114A		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/18/2012
AM Conservation Group, Inc.	LUMAcoil	L30115M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15.0	N/A	10000	2700		1	3/4/2003
AM Conservation Group, Inc.	LUMAcoil	L30118T2		Bare-ssiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.53	2	12/15/2011
AM Conservation Group, Inc.	LUMAcoil	L30119T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	12000	2700	0.5	1	9/4/2009
AM Conservation Group, Inc.	LUMAcoil	L30119T2K3S		Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		1	5/2/2011
AM Conservation Group, Inc.	LUMAcoil	L30120M		Bare-spiral	E26/24 (Medium)	CFL		1400	20	N/A	10000	2700		1	12/11/2009
AM Conservation Group, Inc.	LUMAcoil	L30123M		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	12/11/2009
AM Conservation Group, Inc.	LUMAcoil	L31114A		Covered A-line	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	10/8/2012
AM Conservation Group, Inc.	LUMAcoil	L31123T2	L31123T2	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.58	2	10/7/2011
AM Conservation Group, Inc.	LUMAcoil	L31123T2		Bare-Spiral	E26	CFL		1600	23	N/A	12000	2700	0.58	2	10/7/2011
AM Conservation Group, Inc.	LUMAcoil	L330S02		Bare-Spiral	E26	CFL		2200	30.7	N/A	10000	2700	0.52	2	11/30/2012
American-DeRosa Lamparts	Permalite	L4575	L4575, J4576	Bare-spiral	E26/24 (Medium)	CFL		1100	15.0	N/A	10000	2700		2	11/1/2002
American-DeRosa Lamparts	Siella	L30050		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30051		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30054		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30055		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30088		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30089		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30094		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.58	2	10/18/2010
American-DeRosa Lamparts	Siella	L30100		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30101		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30102		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30103		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	12/18/2009
American-DeRosa Lamparts	Siella	L30105		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700		2	12/2/2009
American-DeRosa Lamparts	Siella	L30107		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/7/2009
American-DeRosa Lamparts	Siella	L30111		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.52	2	10/18/2010
American-DeRosa Lamparts	Siella	L30113		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/10/2009

American-DeRosa Lamparts	Siella	L30141		Bare-spiral	E26/24 (Medium)	CFL		1300	23	N/A	15000	2700		2	12/8/2009
American-DeRosa Lamparts	Siella	L30164		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	8000	2700		2	6/16/2010
American-DeRosa Lamparts	Siella	L30165		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	8000	2700		2	6/16/2010
American-DeRosa Lamparts	Siella	L30168		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	6/16/2010
American-DeRosa Lamparts	Siella	L30169		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	12000	2700		2	12/29/2009
American-DeRosa Lamparts	Siella	L30173		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	4/2/2010
American-DeRosa Lamparts	Siella	L30174		Covered globe	E26/24 (Medium)	CFL		810	14	N/A	8000	2700		2	4/2/2010
American-DeRosa Lamparts	Siella	L30175		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	12/20/26	10000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30176		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2450	N/A	15/26/40	10000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30180		Covered A-line	E26/24 (Medium)	CFL		410	7	N/A	10000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30181		Covered A-line	E26/24 (Medium)	CFL		360	7	N/A	10000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30182		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	6/14/2010
American-DeRosa Lamparts	Siella	L30189		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	6000	2700		2	11/23/2010
American-DeRosa Lamparts	Siella	L30200		Bare-spiral	E26/24 (Medium)	CFL		2000	32	N/A	8000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30205		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	6/14/2010
American-DeRosa Lamparts	Siella	L30250		Bare-ssiral	E26/24 (Medium)	CFL		1710	26	N/A	10000	2700	0.59	2	10/18/2010
American-DeRosa Lamparts	Siella	L30360		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700	0.72	2	10/18/2010
American-DeRosa Lamparts	Siella	L4671		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/3/2009
AmTRAN Video Corporation	AVC	LBP30E7501U	LBP30E7501U	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	858	15.72	N/A	25000	2700	0.9635	3	8/20/2012
AmTRAN Video Corporation	AVC	LBP38E9001U	LBP38E9001U	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	1042	18.4	N/A	25000	2700	0.9512	3	8/9/2012
Anion Lighting and Electrical Company Limited	AN	LKMS15		Bare-spiral	E26/24 (Medium)	CFL		850	15	N/A	10000	3500		2	11/30/2012
Anion Lighting and Electrical Company Limited	Purelv Products/Healthv CFL	LKG R30F		Covered reflector	E26/24 (Medium)	CFL		660	15	N/A	8000	2700		2	9/3/2008
Anion Lighting and Electrical Company Limited	Purely Products/Healthy CFL	LKMS13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	9/10/2007
Anion Lighting and Electrical Company Limited	Purely Products/Healthy CFL	LKMS15		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	2700		2	9/10/2007
Anion Lighting and Electrical Company Limited	Purely Products/Healthy CFL	PA15		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	3500	0.555	2	1/13/2011
Arani Systems Corp.	Arani	AR LEDBA19-9.5W-D-WW	AR LEDBA19-9.5W-D-WW	Non-standard	E26/24 (Medium)	LED	Dimmable	913	10.8	N/A	25000	3000	0.961	3	10/18/2012
Arani Systems Corp.	Arani	AR LEDBGU10-6W-D-WW	AR LEDBGU10-6W-D-WW	Non-standard	GU10	LED	Dimmable	227	3.82	N/A	25000	3000	0.908	5	10/26/2012
Arani Systems Corp.	Arani	AR LEDBMR16-6W-D	AR LEDBMR16-6W-D	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	5/21/2012
Arani Systems Corp.	Arani	AR LEDBPAR30-10W-D	AR LEDBPAR30-10W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	4/3/2012
Arani Systems Corp.	Arani	AR LEDBPAR30-10W-D	AR LEDBPAR30-10W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	8/2/2012
Arani Systems Corp.	Arani	AR LEDBPAR38-15W-D	AR LEDBPAR38-15W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	8/2/2012
Arani Systems Corp.	Arani	AR LEDBPAR38-15W-D	AR LEDBPAR38-15W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	4/3/2012
Ascent Battery Supply	Duracell Procell	CFL10002A	694092	Covered A-line	E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.6	7	10/18/2012
Ascent Battery Supply	Duracell Procell	CFL10009A	CFL10466A	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	#ERROR		9	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10011A		Bare-Spiral	E26	CFL		900	14.0	N/A	10000	4100	0.63	9	11/28/2012
Ascent Battery Supply	Duracell Procell	CFL10013A	CFL10467A	Bare-spiral		CFL		850	14	N/A	10000	5000		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL10016A	CFL10471A	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL10017A	CFL10469A	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL10020A	CFL10474A	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR		9	11/9/2012
Ascent Battery Supply	Duracell Procell	CFL10022A	CFL10472A	Bare-spiral		CFL		1600	23	N/A	10000	2700		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL10023A	CFL10473A	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR		9	11/9/2012
Ascent Battery Supply	Duracell Procell	CFL10077A	CFL10470A	Bare-spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	4100		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL10093A		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	#ERROR		7	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10111A		Covered reflector	E26/24 (Medium)	CFL		450	14	N/A	8000	#ERROR		7	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10112A		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	800	#ERROR		7	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10115A		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	#ERROR		7	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10165A		Other	E26/24 (Medium)	CFL		750	16	N/A	8000	#ERROR		7	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10167A		Other	E26/24 (Medium)	CFL		750	16	N/A	8000	#ERROR		7	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10168A	CFL10168A	Covered reflector	E26/24 (medium)	CFL		1200	23.0	N/A	8000	2700	0.613	7	10/18/2012
Ascent Battery Supply	Duracell Procell	CFL10486A		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	#ERROR		9	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL10487A	78909DL, 78909DL3	Bare-spiral	E26/24 (medium)	CFL		450	9.0	N/A	10000	5000	0.604	3	10/18/2012
Ascent Battery Supply	Duracell Procell	CFL10490A	69027	Bare-ssiral	E26/24 (medium)	CFL		1850	27.0	N/A	10000	2700	0.574	9	10/18/2012
Ascent Battery Supply	Duracell Procell	CFL10493A	69109	Covered globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	2700	0.61	7	10/18/2012
Ascent Battery Supply	Duracell Procell	CFL10496A		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	#ERROR		7	11/9/2012
Ascent Battery Supply	Duracell Procell	CFL10507A		Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	#ERROR		9	11/14/2012
Ascent Battery Supply	Duracell Procell	CFL10510A		Bare-Ssiral	E26	CFL		2900	42.0	N/A	10000	2700	0.59	9	11/28/2012
Ascent Battery Supply	Duracell Procell	CFL11226A		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	#ERROR		9	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL11227A		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	#ERROR		9	11/2/2012
Ascent Battery Supply	Duracell Procell	CFL11228A	CFL11229A	Bare-spiral		CFL		900	14	N/A	10000	3500		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL11230A	CFL11231A	Bare-spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500		19	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL11232A	CFL11233A	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	11/7/2012
Ascent Battery Supply	Duracell Procell	CFL11236A		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	N/A	10000	#ERROR		9	11/12/2012
Ascent Battery Supply	Duracell Procell	CFL11237A		Bare-Spiral	E26	CFL		2150	32.0	N/A	10000	4100	0.59	9	11/28/2012
Ascent Battery Supply	Duracell Procell	CFL11239A	69704	Covered Torpedo	E26/24 (medium)	CFL		195	4.0	N/A	8000	2700	0.598	7	10/18/2012
Ascent Battery Supply	Duracell Procell	CFL11240A		Covered-Candle	E26/24 (Medium)	CFL		425	9	N/A	8000	#ERROR		7	11/12/2012
Ascent Battery Supply	Ultralast	CFL10490		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700		2	1/12/2011
Ascent Battery Supply	Ultralast	CFL10493		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.58	2	10/13/2010
Ascent Battery Supply	Ultralast	CFL10496		Bare-spiral	E26/24 (Medium)	CFL		810	14	N/A	10000	2700	0.58	2	10/13/2010
Ascent Battery Supply	Ultralast	CFL10508		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	8000	2700	0.62	2	10/13/2010
Ascent Battery Supply	Ultralast	CFL10510		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	10000	2700	0.56	2	10/13/2010
Ascent Battery Supply	Ultralast	TP120-11MSL 2700K	CFL10486	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700	0.56	2	5/25/2010
Ascent Battery Supply	Ultralast	TP120-11MSL 4100K	CFL10487	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	4100	0.588	2	5/26/2010
Ascent Battery Supply	Ultralast	TP120-13MSL 2700K	CFL10009; CFL10466	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.604	2	5/25/2010
Ascent Battery Supply	Ultralast	TP12013MSL 4100K	CFL10011; CFL10468	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.59	2	5/25/2010
Ascent Battery Supply	Ultralast	TP120-20MSL 2700K	CFL10017; CFL10469	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.58	2	5/25/2010
Ascent Battery Supply	Ultralast	TP120-20MSL 4100K	CFL10077; CFL10470	Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100	0.568	2	5/25/2010
Ascent Battery Supply	Ultralast	TP120-20MSL 5000K	CFL10016; CFL10471	Bare-ssiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	5000	0.569	2	5/25/2010
Ascent Battery Supply	Ultralast	TP120-23MSL 2700K	CFL10472; CFL10022	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.558	2	5/25/2010
Ascent Battery Supply	Ultralast	TP120-23MSL 4100K	CFL10473; CFL10023	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100		2	6/1/2010
Ascent Battery Supply	Ultralast	TP120-23MSL 6500K	CFL10474; CFL10020	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500	0.582	2	5/25/2010
ATG Electronics Corp.	ATG Electronics	HSL-PT15W-30120D-H1	HSL-PT15W-30120D-H1	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	3	6/21/2012
ATG Electronics Corp.	ATG Electronics	HSL-PT20W-38120D-H1	HSL-PT20W-38120D-H1	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	3	6/21/2012
AutoCell Electronics, Inc.	AutoCell Electronics	11W-CFL-27KYN		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	2700		9	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	11W-S-MCFL-27KTP		Bare-Mini-Solral	E26/24 (Medium)	CFL		700	11	N/A	12000	2700		11	9/10/2007
AutoCell Electronics, Inc.	AutoCell Electronics	13/20/25W-27KTP		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	2/26/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W/23W/32W-27KYN		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700		11	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	13W-A19-27KYN		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	13W-CFL-27KYN2		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.612	9	12/5/2011
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.584	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.587	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	7/16/2009

AutoCell Electronics, Inc.	AutoCell Electronics	13W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.583	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	13W-S-CFL-27KYN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	9/16/2008
AutoCell Electronics, Inc.	AutoCell Electronics	14W-A19-27KTP		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	2700		2	2/26/2009
AutoCell Electronics, Inc.	AutoCell Electronics	14W-CAN26-27KTP		Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	7/14/2010
AutoCell Electronics, Inc.	AutoCell Electronics	15W-G25-27KYN		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		9	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	15W-R30-27KYN		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		9	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	15W-S-CFL-27KTP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		9	9/11/2007
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-soiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-soiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.558	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-soiral	GU24	CFL		1255	17.01	N/A	10020	4100	0.553	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1312	17.56	N/A	10020	4100	0.558	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-soiral	GU24	CFL		1313	17.206	N/A	10020	4100	0.548	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	18W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.558	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	19W-CFL-27KYN		Bare-soiral	E26/24 (Medium\	CFL		1300	19	N/A	12000	2700		11	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	19W-S-CFL-27KYN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		9	9/16/2008
AutoCell Electronics, Inc.	AutoCell Electronics	23W-CFL-27KYN		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	12/29/2010
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.789	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-27KTP	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.562	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.555	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.563	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-GU24-41KTP	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.563	2	7/16/2009
AutoCell Electronics, Inc.	AutoCell Electronics	23W-S-CFL-27KYN		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/16/2008
AutoCell Electronics, Inc.	AutoCell Electronics	32W-S-CFL-27KTP		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	2/26/2009
AutoCell Electronics, Inc.	AutoCell Electronics	42W-S-CFL-27KTP		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	2/26/2009
AutoCell Electronics, Inc.	AutoCell Electronics	9W-G25-27KTP		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	12000	2700		2	2/26/2009
AW Lighting Solutions	northern stars	ESS13/41/E26		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	4100	10000		2	9/15/2010
AW Lighting Solutions	northern stars	ESS13/65/E26		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500		2	9/15/2010
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-soiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	9/30/2008
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	9/30/2008
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-soiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.558	2	9/30/2008
Bazz, Inc.	Bazz	GU24-18	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	9/30/2008
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-soiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	9/30/2008
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.789	2	9/30/2008
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-soiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	9/30/2008
Bazz, Inc.	Bazz	GU24-23	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	9/30/2008
Beauty Shadow Co., Ltd.	Sunshine	SELM-11W		Bare-soiral	E26/24 (Medium\	CFL		660	11	N/A	8000	2700	0.523	2	2/9/2010
Beauty Shadow Co., Ltd.	Sunshine	SELM-15W		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	2700	0.534	2	2/9/2010
Beauty Shadow Co., Ltd.	Sunshine	SELM-23W		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	2700	0.537	2	6/1/2010
Broada, Inc.	Broada	BAHL-14		Covered A-line	E26/24 (Medium)	CFL		850	14	N/A	10000	2700		2	2/16/2012
Broada, Inc.	Broada	BAHL-19	BAHL-19	Covered A-line	Medium E26/24	CFL		1200	19.0	N/A	10000	2700	0.58	2	2/16/2012
Broada, Inc.	Broada	BAHL-19		Covered A-line	E26	CFL		1200	20.22	N/A	10000	2700	0.58	2	2/16/2012
Broada, Inc.	Broada	BAML-13		Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700		2	12/31/2010
Broada, Inc.	Broada	BASD-15	091205	Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	8000	2700	0.946	2	1/14/2010
Broada, Inc.	Broada	BCS-11		Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	11	N/A	10000	3000		2	1/27/2009
Broada, Inc.	Broada	BCS-14		Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	14	N/A	10000	2700		2	1/27/2009
Broada, Inc.	Broada	BCS-23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	10/14/2009
Broada, Inc.	Broada	BDM-15		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	10/14/2009
Broada, Inc.	Broada	BDM-19		Bare-spiral	E26/24 (Medium)	CFL		1500	19	N/A	10000	2700		2	10/14/2009
Broada, Inc.	Broada	BDM-26		Bare-spiral	E26/24 (Medium)	CFL		1800	26	N/A	10000	2700		2	10/14/2009
Broada, Inc.	Broada	BDS-23		Bare-spiral	E26/24 (Medium)	CFL		1690	23	N/A	10000	2700	0.519	2	12/8/2008
Broada, Inc.	Broada	BGM-11		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700		2	3/21/2011
Broada, Inc.	Broada	BGM-14		Covered globe	E26/24 (Medium)	CFL		890	14	N/A	10000	2700		2	2/16/2012
Broada, Inc.	Broada	BHR-16	BHR-16	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.592	3	7/23/2012
Broada, Inc.	Broada	BHR-16		Covered Reflector	E26	CFL		750	15.08	N/A	10000	2700	0.59	3	7/23/2012
Broada, Inc.	Broada	BHR-23		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.57	2	2/14/2012
Broada, Inc.	Broada	BHS-13		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	900	N/A	N/A	10000	2700		2	4/11/2012
Broada, Inc.	Broada	BJS-13		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	12/20/2010
Broada, Inc.	Broada	BJS-18		Bare-spiral	E26/24 (Medium)	CFL		1350	18	N/A	10000	2700	0.5	2	12/20/2010
Broada, Inc.	Broada	BMR-15		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700		2	3/21/2011
Broada, Inc.	Broada	BMS-18		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.5	2	12/16/2010
Buffalo Lite	Buffalo	4438		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		2	11/30/2007
Buffalo Lite	Buffalo	P3811-23	P3811-23	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	610	11.0	N/A	25000	3000	0.785	3	3/2/2012
Buffalo Lite	Buffalo	P3811-43	P3811-43	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	610	11.0	N/A	25000	3000	0.786	3	3/2/2012
Bulbrite Industries	BULBRITE	509019	CF18WW/LM	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.565	2	1/12/2012
Bulbrite Industries	BULBRITE	509019		Bare-Mini Soiral	E26	CFL		1250	18.15	N/A	12000	2700	0.56	2	1/12/2012
Bulbrite Industries	BULBRITE	509024	CF23WW/LM	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.557	2	1/12/2012
Bulbrite Industries	BULBRITE	509024		Bare-Mini Spiral	E26	CFL		1600	23.84	N/A	12000	2700	0.56	2	1/12/2012
Bulbrite Industries	BULBRITE	CF25C/3WAY	515025	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700	0.532	2	1/5/2012
Bulbrite Industries	BULBRITE	LED11PAR38WW/FL/D	772431	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	7/26/2011
Bulbrite Industries	BULBRITE	LED11PAR38WW/NF/D	772430	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.785	3	7/26/2011
Bulbrite Industries	BULBRITE	LED12A19WW/D	774001	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	3000	0.976	3	9/21/2012
Bulbrite Industries	BULBRITE	LED15BR30WW/D	772345	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	9/12/2012
Bulbrite Industries	BULBRITE	LED15PAR30WW/FL/D	772341	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	8/9/2012
Bulbrite Industries	BULBRITE	LED20PAR38WW/FL/D	772441	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	8/9/2012
Bulbrite Industries	BULBRITE	LED5CTC/D	770407	C - Candle	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	25000	3000	0.693	3	10/16/2012
Bulbrite Industries	BULBRITE	LED6MR16GUWW/D	771170	Non-standard	GU10	LED	Dimmable	320	6.5	N/A	25000	3000	0.781	3	9/21/2012
Bulbrite Industries	BULBRITE	LED6MR16WW/D	771070	MR - Multifaceted reflector	GU5.3	LED	Dimmable	320	6.5	N/A	25000	3000	0.923	3	9/21/2012
Bulbrite Industries	BULBRITE	LED7PAR20WW/FL/D	772241	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	8/9/2012
Bulbrite Industries	BULBRITE	LED9PAR30WW/FL/D	772331	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	7/26/2011
Bulbrite Industries	BULBRITE	LED9PAR30WW/NF/D	772330	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	7/26/2011
Bulbrite Industries	Enerov Wiser	CF13CW/LM/4PK	509512	Bare-soiral	E26/24 (Medium\	CFL		900	13	N/A	10000	4100		2	8/24/2012
Bulbrite Industries	Energy Wiser	CF13C/WW/GU24	509743	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.615	3	5/18/2012
Bulbrite Industries	Energy Wiser	CF13C/WW/GU24		Bare-Mini Spiral	GU24	CFL		900	13.83	N/A	10000	2700	0.62	3	5/18/2012
Bulbrite Industries	Energy Wiser	CF13WW/4P	509413	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700		2	2/6/2008
Bulbrite Industries	Energy Wiser	CF13WW/GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	2/10/2009
Bulbrite Industries	Energy Wiser	CF13WW/GU24/DM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	1/11/2011
Bulbrite Industries	Energy Wiser	CF13WW/LM	509014	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/16/2011
Bulbrite Industries	Energy Wiser	CF13WW/LM	509014	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/24/2012
Bulbrite Industries	Energy Wiser	CF13WW/LM/4PK	509412	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/24/2012
Bulbrite Industries	Energy Wiser	CF14A/WW	512014	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		2	4/17/2008

Bulbrite Industries	Energy Wiser	CF15A/GU24	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	7/30/2009
Bulbrite Industries	Energy Wiser	CF15G25/GU24	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	3/30/2009
Bulbrite Industries	Energy Wiser	CF15PAR30WW	514305	Covered reflector	E26/24 (Medium)	CFL		670	15	N/A	8000	3000		5	8/5/2008
Bulbrite Industries	Energy Wiser	CF15R30/GU24	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	3/30/2009
Bulbrite Industries	Energy Wiser	CF18C/WW/GU24	509748	Bare-spiral	GU24	CFL		1250	18.0	N/A	10000	2700	0.56	3	5/18/2012
Bulbrite Industries	Energy Wiser	CF18C/WW/GU24		Bare-Mini Spiral	GU24	CFL		1250	18.66	N/A	10000	2700	0.56	3	5/18/2012
Bulbrite Industries	Energy Wiser	CF18T2/WW	509018	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.58	2	7/30/2009
Bulbrite Industries	Enerov Wiser	CF18WW/GU24	N/A	Bare-ssiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	2/10/2009
Bulbrite Industries	Energy Wiser	CF23C/WW/DM	514023	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	8/9/2010
Bulbrite Industries	Enerov Wiser	CF23C/WW/GU24	509749	Bare-ssiral	GU24	CFL		1600	23.0	N/A	10000	2700	0.568	3	5/18/2012
Bulbrite Industries	Energy Wiser	CF23C/WW/GU24		Bare-Mini Spiral	GU24	CFL		1600	23.76	N/A	10000	2700	0.57	3	5/18/2012
Bulbrite Industries	Enerov Wiser	CF23PAR38WW	514503	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		5	8/5/2008
Bulbrite Industries	Energy Wiser	CF23T2/WW	509023	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.559	2	7/30/2009
Bulbrite Industries	Enerov Wiser	CF23W/WGU24	N/A	Bare-ssiral	GU24	CFL		1540	22.6	N/A	10000	2700	0.567	2	8/28/2008
Bulbrite Industries	Energy Wiser	CF23WW/LM	509024	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/24/2012
Bulbrite Industries	Enerov Wiser	CF26WW/GU24	N/A	Bare-ssiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	10/7/2009
Bulbrite Industries	Energy Wiser	CF32C/3WAY	515032	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2280	N/A	12/21/32	10000	3500		2	9/15/2010
Bulbrite Industries	Energy Wiser	CF42C/WW	509542	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	8000	2700		2	8/24/2009
Bulbrite Industries	Energy Wiser	CF9A17/WW	512009	Bare-Mini-Spiral	E26/24 (Medium)	CFL		510	9	N/A	10000	2700		2	7/22/2009
Bulbrite Industries	Energy Wiser	CFL13WW/4PK	509414	Bare-spiral	Medium E26/24 (medium)	CFL		900	13.0	N/A	10000	2700	0.636	2	7/20/2012
Bulbrite Industries	Energy Wiser	CFL13WW/4PK		Bare-Mini Spiral	E26	CFL		900	13.67	N/A	10000	2700	0.64	2	7/20/2012
Bulb Star	BulbStar	BFA19W/2700K	BFA19W/2700K	Covered A-line	Medium E26/24	CFL		1200	19.0	N/A	10000	2700	0.58	2	2/16/2012
Bulb Star	BulbStar	BFA19W/2700K		Covered A-line	E26	CFL		1200	20.22	N/A	10000	2700	0.58	2	2/16/2012
Bulb Star	BulbStar	BSK13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		5	6/16/2009
Bulb Star	BulbStar	BSK13W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		5	6/16/2009
Bulb Star	BulbStar	BSK13W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		5	6/16/2009
Bulb Star	BulbStar	BSK20W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		5	6/16/2009
Bulb Star	BulbStar	BSK20W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		5	6/16/2009
Bulb Star	BulbStar	BSK23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		5	6/16/2009
Bulb Star	BulbStar	BSK23W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		5	6/16/2009
Bulb Star	BulbStar	BSK23W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		5	6/16/2009
Bulb Star	BulbStar	BSK40W/2700K	BSK40W	Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	3/16/2011
Bulb Star	BulbStar	L11F	L11F	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	550	11.0	N/A	40000	3000	0.819	3	3/26/2012
Bulb Star	BulbStar	L11S	L11S	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	550	11.0	N/A	40000	3000	0.836	3	3/26/2012
Bulb Star	BulbStar	L17F	L17F	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	845	17.0	N/A	40000	3000	0.76	3	3/26/2012
Bulb Star	BulbStar	L17S	L17S	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	920	17.0	N/A	40000	3000	0.728	3	3/26/2012
Bulb Star	BulbStar	L7FL	L7FL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.788	3	3/26/2012
Bulb Star	BulbStar	L7SP	L7SP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	340	7.0	N/A	40000	3000	0.771	3	3/26/2012
Bulb Star	BulbStar	LA07	LA07	Non-standard	E26/24 (Medium)	LED	Dimmable	395	7.0	N/A	40000	3000	0.797	3	3/26/2012
Bulb Star	BulbStar	LG08	LG08	G - Globe	E26/24 (Medium)	LED	Dimmable	400	8.0	N/A	40000	3000	0.719	3	3/26/2012
Bulb Star	BulbStar	LM4N	LM4N	MR - Multifaceted reflector	GU5.3	LED	Dimmable	170	4.0	N/A	40000	3000	1	3	3/26/2012
Bulb Star	BulbStar	T2BSK13W/2700K	896009; 896021	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/21/2009
Bulb Star	BulbStar	T2BSK13W/4100K	896008; 896020	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	5/21/2009
Bulb Star	BulbStar	T2BSK13W/5000K	896077; 896019	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	5/21/2009
Bulb Star	BulbStar	T2BSK20W/2700K	896006; 896018	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	5/21/2009
Bulb Star	BulbStar	T2BSK20W/4100K	896005; 896017	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	5/21/2009
Bulb Star	BulbStar	T2BSK20W/5000K	896001; 896013	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	5/21/2009
Bulb Star	BulbStar	T2BSK23W/2700K	896003; 896015	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/21/2009
Bulb Star	BulbStar	T2BSK23W/4100K	896002; 896014	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	5/21/2009
Bulb Star	BulbStar	T2BSK23W/5000K	896004; 896016	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	5/21/2009
Bulb Star	BulbStar	T3BSA14W/2700K	896027	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	3/9/2009
Bulb Star	BulbStar	T3BSA14W/4100K	896028	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	3/9/2009
Bulb Star	BulbStar	T3BSG14W/4100K	896032	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	3/9/2009
Bulb Star	BulbStar	T3BSK23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/18/2008
Bulb Star	BulbStar	T3BSR14W/2700K		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700		2	3/6/2009
Bulb Star	BulbStar	T3BSR23W/2700K	896033	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	3/6/2009
Camelion Lighting Co., Ltd	Camelion	CLS11-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	1/20/2011
Camelion Lighting Co., Ltd	Camelion	CLS13-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/12/2011
Camelion Lighting Co., Ltd	Camelion	CLS15-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	1/12/2011
Camelion Lighting Co., Ltd	Camelion	CLS20-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700		2	1/18/2011
Camelion Lighting Co., Ltd	Camelion	CLS23-HSS/127		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/12/2011
Canac	CANAC	109550		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/6/2008
Canac	CANAC	109552		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	10/6/2008
Canac	CANAC	109554	111132	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	10/6/2008
Canac	CANAC	112978	109546	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	10/6/2008
Canac	CANAC	115324		Bare-spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	10/8/2008
Canac	CANAC	115324		Bare-ssiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	10/8/2008
Canadian Tire	blue planet	052-0188-0	37101	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.61	6	5/8/2012
Canadian Tire	blue planet	052-0647-8	30705	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.565	6	5/8/2012
Canadian Tire	blue planet	052-5117-0		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	9/24/2008
Canadian Tire	blue planet	052-5140-2		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		2	9/24/2008
Canadian Tire	blue planet	052-5151-6		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	9/24/2008
Canadian Tire	blue planet	052-5182-2		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	1600	N/A	12/20/26	10000	2700		2	9/24/2008
Canadian Tire	blue planet	052-5183-0 (37312)	052-5183-0 (37312)	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.549	3	7/16/2012
Canadian Tire	blue planet	052-5183-0 (37312)		Bare-Mini Spiral	E26	CFL		1600	21.86	N/A	10000	2700	0.55	3	7/16/2012
Canadian Tire	blue planet	052-5192-8	30210	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100	0.542	8	9/24/2008
Canadian Tire	blue planet	052-5193-6	30211	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.582	8	9/24/2008
Canadian Tire	blue planet	052-5194-4	30212	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		6	5/14/2012
Canadian Tire	blue planet	052-5314-0	31222	Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	7/3/2012
Canadian Tire	blue planet	052-5531-2		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	6/17/2008
Canadian Tire	blue planet	052-5562-8		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/17/2008
Canadian Tire	blue planet	052-5594-2		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	6/17/2008
Canadian Tire	blue planet	SP23S	052-5510-2; 052-5121-8	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.5	6	2/22/2012
Canadian Tire	blue planet	SP59W	052-5128-4	Bare-ssiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.555	6	1/20/2012
Canadian Tire	NOMA	052-5134-8		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		5	9/15/2008
Canadian Tire	NOMA	052-5192-8		Bare-Mini-Ssiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	9/24/2008
Canadian Tire	NOMA	052-5335-0		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		5	9/15/2008
Canadian Tire	NOMA	052-5390-6		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		6	9/8/2008
Canadian Tire	NOMA	052-5395-6		Covered-Candle	E26/24 (Medium)	CFL		340	7	N/A	10000	2700		2	9/24/2008
Canadian Tire	NOMA	FLE11/2/R20/NOMA	52-5352-8	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	6000	2700		4	5/6/2005
Canadian Tire	NOMA	FLE13HT3/2/NOMA	52-5106-0; FLE13HT3/2/NOMA3, 52-5120-0; FLE13HT3/2/NOMA6, 52-5124-2	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	5	5/6/2005
Canadian Tire	NOMA	FLE15/2/R30/NOMA	52-5333-4; FLE15/2/R30/NOMA2, 52-5335-0	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	6000	2700		4	5/6/2005
Canadian Tire	NOMA	FLE26HT3/2/NOMA	52-5125-0; FLE26HT3/2/NOMA3, 52-5121-8	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700		5	5/6/2005
Canadian Tire	NOMA	FLE26PAR38/2/NOMA	52-5334-3; FLE26PAR38/2/NOMA2, 52-5357-8	Covered reflector	E26/24 (Medium)	CFL		1200	26	N/A	6000	2700		4	2/4/2010
Canarm Ltd.	Canarm	B-CFL12SC09W		Covered-Candle	E12 (Candelabra)	CFL		420	9	N/A	8000	2700		2	5/30/2012

Canarm Ltd.	Canarm	B-CFL26RO13W-D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	8000	2700		2	6/4/2012
Canarm Ltd.	Canarm	B-CFL26RO23W-D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	6/4/2012
Canarm Ltd.	Canarm	B-CFL26SA09W		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	5/30/2012
Canarm Ltd.	Canarm	B-CFL26SC09W		Covered-Candle	E26/24 (Medium)	CFL		420	9	N/A	8000	2700		2	5/30/2012
Canarm Ltd.	Canarm	B-CFL26SP09W		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		2	5/30/2012
Canarm Ltd.	Canarm	B-CFL26SR16W		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		2	5/30/2012
Canarm Ltd.	Canarm	B-GU24R013W-D	B-GU24R013W-D	Bare-spiral	GU24	CFL	Dimmable	900	13.0	N/A	8000	2700	0.699	3	6/21/2012
Canarm Ltd.	Canarm	B-GU24R013W-D		Bare-Soiral	GU24	CFL		900	13.11	N/A	8000	2700	0.7	3	6/21/2012
Canarm Ltd.	Canarm	B-GU24R023W-D	B-GU24R023W-D	Bare-spiral	GU24	CFL	Dimmable	1600	23.0	N/A	8000	2700	0.759	3	6/21/2012
Canarm Ltd.	Canarm	B-GU24R023W-D		Bare-Soiral	GU24	CFL		1600	22.91	N/A	8000	2700	0.76	3	6/21/2012
Canarm Ltd.	Canarm	B-LED16SM04W	B-LED16SM04W	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.641	3	5/18/2012
Canarm Ltd.	Canarm	B-LED26S2P07W-D	B-LED26S2P07W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	9/4/2012
Canarm Ltd.	Canarm	B-LED26SP05W-D	B-LED26SP05W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	235	5.5	N/A	40000	3000	0.712	3	5/18/2012
Canarm Ltd.	Canarm	B-LED26SP09W-D	B-LED26SP09W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	5/18/2012
Canarm Ltd.	Canarm	B-LED26SP11W-D	B-LED26SP11W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	5/18/2012
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-10WL/D)	N/A	Bare-spiral	GU24	CFL		602	9.1	N/A	10000	2700	0.534	2	9/28/2010
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-15WL/D)	N/A	Bare-spiral	GU24	CFL		941	14.4	N/A	10000	2700	0.565	2	9/28/2010
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-20WL/D)	N/A	Bare-soiral	GU24	CFL		1290	18.65	N/A	10000	2700	0.531	2	9/28/2010
Canel Lighting Co., LTD.	Hi-Lux	MAE-SGU-25WL(D)	N/A	Bare-spiral	GU24	CFL		1503	23.2	N/A	10000	2700	0.549	2	9/28/2010
Cathelle, Inc.	ECOPLUS	70952	73790	Bare-Mini-Soiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		7	8/18/2005
Cathelle, Inc.	ECOPLUS	70953	73793	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	1/3/2006
Cathelle, Inc.	ECOPLUS	70954	73794	Bare-soiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	3/15/2010
Cathelle, Inc.	ECOPLUS	70958	73808	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/27/2008
Cathelle, Inc.	ECOPLUS	70958	73808	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	3/15/2010
Cathelle, Inc.	ECOPLUS	70972	73791	Bare-Mini-Spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	2700		7	6/4/2007
Cathelle, Inc.	ECOPLUS	70973	73792	Bare-soiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		9	3/15/2010
Cathelle, Inc.	Electrimart	72220	72220	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	8.0	N/A	25000	3000	0.875	3	5/15/2012
Cathelle, Inc.	Electrimart	72230	72230	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	520	12.0	N/A	25000	3000	0.924	3	5/15/2012
Cathelle, Inc.	Electrimart	72241	72241	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	750	14.0	N/A	25000	3000	0.899	3	5/15/2012
Cefco Lamps	fusion	FCF13/A19/827		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	9/7/2012
Cefco Lamps	fusion	FCF15R30/827	0285-6048	Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	2/27/2012
Cefco Lamps	fusion	FCF23BR40/827	0269-5161	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	3/12/2012
Cefco Lamps	fusion	FE13865/T2		Bare-soiral	E26/24 (Medium)	CFL		700	13	N/A	12000	6500		11	2/29/2012
Cefco Lamps	fusion	FLED10PAR30/HO/ES/3K	0281-4834	R - Reflector	E26/24 (Medium)	LED		450	10.0	N/A	40000	3000	0.888	3	4/19/2012
Cefco Lamps	fusion	FLED10PAR30/HO/ES/DM/3K	0281-4831	R - Reflector	E26/24 (Medium)	LED	Dimmable	450	10.0	N/A	40000	3000	0.716	3	4/19/2012
Cefco Lamps	fusion	FLED17PAR38/HO/ES/3K	0281-4843	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.886	3	4/19/2012
Cefco Lamps	fusion	FLED17PAR38/HO/ES/DM/3K	0285-1146	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.729	3	4/19/2012
Cefco Lamps	fusion	FLED6PAR20/HO/ES/DM/3K	0281-4861	R - Reflector	E26/24 (Medium)	LED	Dimmable	250	6.0	N/A	40000	3000	0.703	3	4/19/2012
Cefco Lamps	fusion	FS13827/T2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		2	9/4/2012
CE Lichtino Ltd.	Landlite	15CFLPAR30	15CFLPAR30/LN/27/AR	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700	0.549	2	7/2/2009
CE Lighting Ltd.	Landlite	23CFLPAR38	23CFLPAR38/27/AR	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.55	2	7/2/2009
CE Lichtino Ltd.	Landlite	ELH-10W ES (827-08K)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		550	10	N/A	8000	2800		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-10W ES (827-10K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2800		2	4/28/2008
CE Lichtino Ltd.	Landlite	ELH-10W ES MINI 827		Bare-soiral	E26/24 (Medium)	CFL		570	10	N/A	8000	2700		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-10W ES MINI 841		Bare-spiral	E26/24 (Medium)	CFL		640	10	N/A	8000	4100		2	5/4/2009
CE Lichtino Ltd.	Landlite	ELH-10W ES MINI 865		Bare-soiral	E26/24 (Medium)	CFL		590	10	N/A	8000	6500		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-13W ES (827-10K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-13W ES Mini		Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2900		2	8/1/2002
CE Lighting Ltd.	Landlite	ELH-13W ES MINI 827		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-13W ES MINI (827-08K)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-13W ES MINI (827-10K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-13W ES MINI 841		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	8000	4100		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-13W ES MINI 865		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	8000	6500		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-15W ES Mini		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15.0	N/A	10000	2800		2	8/1/2002
CE Lighting Ltd.	Landlite	ELH-15W ES MINI 827		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-15W ES MINI 841		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	8000	4100		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-15W ES MINI 865		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	8000	6500		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-20W ES Mini		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	18	N/A	10000	2700		2	8/1/2002
CE Lighting Ltd.	Landlite	ELH-20W ES MINI 827		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	2700	0.6	2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-20W ES MINI (827-08K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-20W ES MINI (827-10K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-20W ES MINI (827-12K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-20W ES MINI 841		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	4100		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-20W ES MINI 865		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	6500		2	5/5/2009
CE Lichtino Ltd.	Landlite	ELH-23W ES Mini		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1700	23.0	N/A	10000	2700		2	4/1/2003
CE Lighting Ltd.	Landlite	ELH-23W ES MINI (827-08K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	23	N/A	8000	2700		2	4/28/2008
CE Lichtino Ltd.	Landlite	ELH-23W ES MINI (827-10K)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1400	23	N/A	10000	2700		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-26W ES MINI 827		Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	8000	2700		2	5/4/2009
CE Lichtino Ltd.	Landlite	ELH-26W ES MINI (827-08K)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2800		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-26W ES MINI (827-10K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2800		2	4/28/2008
CE Lichtino Ltd.	Landlite	ELH-26W ES MINI (827-12K)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2800		2	4/28/2008
CE Lighting Ltd.	Landlite	ELH-26W ES MINI 841		Bare-spiral	E26/24 (Medium)	CFL		1530	26	N/A	8000	4100		2	5/4/2009
CE Lighting Ltd.	Landlite	ELH-26W ES MINI 865		Bare-spiral	E26/24 (Medium)	CFL		1630	26	N/A	8000	6500		2	5/4/2009
Centrifuge Sourcing, LLC	Centrifuge	FLE10HT3/2	61464, 65196	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		2	7/13/2010
Centrifuge Sourcing, LLC	Centrifuge	FLE11A17XLBX2/OP	63528	Covered A-line	E26/24 (Medium)	CFL		450	11	N/A	10000	2700		2	8/30/2011
Centrifuge Sourcing, LLC	Centrifuge	FLE11G25XLBX2/OP	63527	Covered globe	E26/24 (Medium)	CFL		500	11	N/A	10000	2700	0.5	2	10/26/2011
Centrifuge Sourcing, LLC	Centrifuge	FLE13HT3/2	61465; 61468; 62947, 65197, 65198, 63529	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	7/13/2010
Centrifuge Sourcing, LLC	Centrifuge	FLE15R30XLBX2/OP	63526	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.5	2	10/26/2011
Centrifuge Sourcing, LLC	Centrifuge	FLE20HT3/2	61466, 65199	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	7/13/2010
Centrifuge Sourcing, LLC	Centrifuge	FLE26HT3/2	61467, 65201	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	7/13/2010
Centrifuge Sourcing, LLC	Centrifuge	FLE26HT3/2/D	61585	Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	10000	6500	0.5	2	6/3/2010
Centrifuge Sourcing, LLC	Enerov Savino CFL	FLE10HT3/2/SW	76991	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700	0.5	5	2/11/2010
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE13HT3/2/SW	76992	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.5	5	2/11/2010
Centrifuge Sourcing, LLC	Enerov Savino CFL	FLE20HT3/2/SW	76993	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.5	5	2/11/2010
Centrifuge Sourcing, LLC	Energy Saving CFL	FLE26HT3/2/SW	61586	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	2	2/11/2010
Centrifuge Sourcing, LLC	Enerov Savino CFL	FLE26HT3/2/SW	76994	Bare-soiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		5	3/24/2011
Chain Drug Consortium	Premier Value	6540002		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	12/7/2010
Chain Drug Consortium	Premier Value	6540102		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.582	9	12/16/2010
Chain Drug Consortium	Premier Value	6540202		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	12/7/2010
Chain Drug Consortium	Premier Value	6541502		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		9	12/16/2010
Chalifour Canada	Endurance	756-5328		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.55	9	10/5/2009
Chalifour Canada	Endurance	756-5385		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	4/28/2010
Chalifour Canada	Endurance	756-5385		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		9	4/28/2010
Chalifour Canada	Endurance	756-5393		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.59	9	10/5/2009
Chalifour Canada	Endurance	756-5393		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.59	9	10/5/2009
Chalifour Canada	Endurance	756-5419		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700	0.52	9	4/28/2010
Chalifour Canada	Endurance	756-5427		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700	0.52	9	4/28/2010

Challfour Canada	Endurance	756-5443		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		9	4/28/2010
Challfour Canada	Endurance	756-5443		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	4/28/2010
Challfour Canada	Endurance	756-5450		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		9	4/28/2010
Challfour Canada	Endurance	756-5450		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	4/28/2010
Challfour Canada	Endurance	756-5468		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700		11	4/28/2010
Challfour Canada	Endurance	756-5476		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700		11	4/28/2010
Challfour Canada	Endurance	756-5484		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700		11	5/11/2010
Challfour Canada	Endurance	756-5492		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	4/28/2010
Challfour Canada	Endurance	756-5500		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	4/28/2010
Challfour Canada	Endurance	756-5526		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	4/28/2010
Challfour Canada	Endurance	756-5534		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	4/28/2010
Challfour Canada	Endurance	756-5575		Bare-ssiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		9	4/28/2010
Challfour Canada	Endurance	756-5575		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	4/28/2010
CMG Energy Solutions	Duracell	DL-A19L-27K-WH	N/A	Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		483	8.0	N/A	25000	2700	0.8	3	6/19/2012
CMG Enerov Solutions	Duracell	DL-P30F-38-27K-BL	DL-P30F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	624	11.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30F-38-27K-WH	DL-P30F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	624	11.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30F-38-30K-BL	DL-P30F-38-30K-WH, DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30F-38-30K-WH	DL-P30F-38-30K-WH, DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30F-60-30K-BL	DL-P30F-38-30K-WH, DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30F-60-30K-WH	DL-P30F-38-30K-WH, DL-P30F-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	605	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-38-27K-BL	DL-P30FL-38-27K-WH, DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Enerov Solutions	Duracell	DL-P30FL-38-27K-WH	DL-P30FL-38-27K-WH, DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-38-30K-BL	DL-P30FL-38-30K-WH, DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-38-30K-WH	DL-P30FL-38-30K-WH, DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-60-27K-BL	DL-P30FL-38-27K-WH, DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-60-27K-WH	DL-P30FL-38-27K-WH, DL-P30FL-60-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	627	12.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-60-30K-BL	DL-P30FL-38-30K-WH, DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P30FL-60-30K-WH	DL-P30FL-38-30K-WH, DL-P30FL-60-30K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	626	12.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-38-27K-BL	DL-P38F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	11/10/2011
CMG Energy Solutions	Duracell	DL-P38F-38-27K-BL	DL-P38F-38-27K-WH, DL-P38F-38-27K-BL, DL-P38F-60-27K-WH, DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-38-27K-WH	DL-P38F-38-27K-WH	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	11/10/2011
CMG Energy Solutions	Duracell	DL-P38F-38-27K-WH	DL-P38F-38-27K-WH, DL-P38F-38-27K-BL, DL-P38F-60-27K-WH, DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-38-30K-BL	DL-P38F-38-30K-WH, DL-P38F-38-30K-BL, DL-P38F-60-30K-WH, DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-38-30K-WH	DL-P38F-38-30K-WH, DL-P38F-38-30K-BL, DL-P38F-60-30K-WH, DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-60-27K-BL	DL-P38F-38-27K-WH, DL-P38F-38-27K-BL, DL-P38F-60-27K-WH, DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Enerov Solutions	Duracell	DL-P38F-60-27K-WH	DL-P38F-38-27K-WH, DL-P38F-38-27K-BL, DL-P38F-60-27K-WH, DL-P38F-60-27K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	869	15.0	N/A	25000	2700	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-60-30K-BL	DL-P38F-38-30K-WH, DL-P38F-38-30K-BL, DL-P38F-60-30K-WH, DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/2012
CMG Energy Solutions	Duracell	DL-P38F-60-30K-WH	DL-P38F-38-30K-WH, DL-P38F-38-30K-BL, DL-P38F-60-30K-WH, DL-P38F-60-30K-BL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	875	15.0	N/A	25000	3000	0.8	5	1/19/2012
CNA International Ent., Inc.	CNA	EST-11W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		660	11	N/A	10000	2700		6	8/14/2007
CNA International Ent., Inc.	CNA	EST-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/6/2012
CNA International Ent., Inc.	CNA	EST-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	9/6/2012
CNA International Ent., Inc.	CNA	EST-14W		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.53	6	5/24/2007
CNA International Ent., Inc.	CNA	EST-19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700	0.53	2	9/8/2011
CNA International Ent., Inc.	CNA	EST-23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.53	6	5/19/2010
CNA International Ent., Inc.	CNA	EST23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/6/2012
CNA International Ent., Inc.	CNA	EST-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	8/28/2012
CNA International Ent., Inc.	CNA	EST-9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		6	6/21/2007
CNA International Ent., Inc.	CNA	GU24-13W 4100K	N/A	Bare-spiral	GU24	CFL		887	13.8	N/A	10000	4100	0.58	2	9/13/2012
CNA International Ent., Inc.	CNA	LED 10W PAR30LND	LED 10W PAR30LND	R - Reflector	E26/24 (Medium)	LED		450	10.0	N/A	40000	3000	0.888	3	3/15/2012
CNA International Ent., Inc.	CNA	LED 11W Par30	LED 11W Par30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	575	11.0	N/A	25000	3000	0.836	3	2/3/2012
CNA International Ent., Inc.	CNA	LED 12W A19 OMNI	LED 12W A19 OMNI	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	4/19/2012
CNA International Ent., Inc.	CNA	LED 17W Par38	LED 17W Par38	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	920	17.0	N/A	25000	3000	0.728	3	2/3/2012
CNA International Ent., Inc.	CNA	LED 6W MR16	LED 6W MR16	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	3	5/25/2012
CNA International Ent., Inc.	CNA	LED 7W A19 OMNI	LED 7W A19 OMNI	Non-standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	2700	0.784	3	4/19/2012
CNA International Ent., Inc.	CNA	LED 7W Par20	LED 7W Par20	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	335	7.0	N/A	25000	3000	0.771	3	2/3/2012
CNA International Ent., Inc.	CNA	LED 7W Par20D	LED 7W Par20D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	335	7.0	N/A	25000	3000	0.788	3	2/6/2012
CNA International Ent., Inc.	CNA	LED 8W A19	LED 8W A19	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	25000	3000	0.765	3	3/7/2012
CNA International Ent., Inc.	CNA Lighting	LED 7W A19	LED 7W A19	Non-standard	E26/24 (Medium)	LED		455	7.0	N/A	25000	3000	0.873	3	1/13/2012
CNA International Ent., Inc.	CNA Lighting	LED 7W A19ND	LED 7W A19ND	Non-standard	E26/24 (Medium)	LED		500	7.0	N/A	25000	3000	0.851	3	4/30/2012
Cnlight Co., Ltd.	Cnlight	120/14-S		Bare-spiral	E26/24 (Medium)	CFL		890	14	N/A	10000	2700	0.573	2	12/9/2009
Cnlight Co., Ltd.	Cnlight	120/23-S		Bare-spiral	E26/24 (Medium)	CFL		1460	22	N/A	10000	2700	0.571	9	12/22/2009
Conolom. Inc.	Luminus	P-17513H	999971	Bare-Mini-Spiral	Medium E26/24	CFL		900	13.0	N/A	12000	3000	0.607	3	2/22/2012
Conglom, Inc.	Luminus	P-17513H		Bare-Mini Spiral	E26	CFL		900	13.18	N/A	12000	3000	0.61	3	2/22/2012
Conolom. Inc.	Luminus	P-17516H	245484	Covered reflector	E26/E24 (Medium\	CFL		750	16.0	N/A	10000	3000	0.57	3	12/14/2011
Conglom, Inc.	Luminus	P-17516H		Covered Reflector	E26	CFL		750	15.23	N/A	10000	3000	0.57	3	12/14/2011
Conolom. Inc.	Luminus	P-17523H	999973	Bare-Mini-Soiral	Medium E26/24	CFL		1600	23.0	N/A	12000	3000	0.577	3	2/22/2012
Conglom, Inc.	Luminus	P-17523H		Bare-Mini Spiral	E26	CFL		1600	22.34	N/A	12000	3000	0.58	3	2/22/2012
Conolom. Inc.	Luminus	P-17523S	888873	Bare-ssiral	E26/24 (Medium\	CFL		1600	23	N/A	10000	2700	0.559	3	8/26/2009
Conglom, Inc.	Luminus	P-17523T	872872, P-C17623	Bare-spiral	E26/24 (Medium\	CFL		1600	23	N/A	10000	2700	0.557	3	9/17/2009
Conolom. Inc.	Luminus	P-17613A		Covered A-line	E26/24 (Medium\	CFL		800	14	N/A	8000	2700	0.576	3	9/14/2009
Conglom, Inc.	Luminus	P-17613T	200920	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.576	3	9/14/2009
Conglom, Inc.	Luminus	P-17625TR	P-17625TRT (2-pack)	Bare-spiral	E26/24 (Medium\	CFL	Three Wav	1600	N/A	13/20/25	8000	2700		3	5/17/2004
Conglom, Inc.	Luminus	P-17626DL		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		3	2/17/2010
Conglom, Inc.	Luminus	P-17713S	888871, P-C17613	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.604	3	12/18/2009
Conglom, Inc.	Luminus	P-17751	P17751T8; P-C17609; P-177612	Bare-Mini-Spiral	E26/24 (Medium\	CFL		550	9	N/A	10000	2700		3	7/26/2007
Conglom, Inc.	Luminus	P-17756T	871871, P-177624	Bare-spiral	E26/24 (Medium\	CFL		900	13	N/A	10000	2700		3	8/31/2009
Conglom, Inc.	Luminus	P-177622		Bare-spiral	E26/24 (Medium\	CFL		900	13	N/A	10000	2700		3	8/31/2009
Conglom, Inc.	Luminus	P-177632		Bare-spiral	E26/24 (Medium\	CFL		1600	23	N/A	10000	2700	0.557	3	9/17/2009
Conglom, Inc.	Luminus	P-17771S	999971	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		3	8/2/2010

Conglom, Inc.	Luminus	P-177716S	245484	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	3000		3	8/3/2010
Conglom, Inc.	Luminus	P-L1113T2	P-L1113T2	Non-standard	E26/24 (Medium)	LED	Dimmable	470	8.0	N/A	25000	3000	0.765	3	3/29/2012
Conglom, Inc.	Luminus	P-L1513DT	P-L1513DT	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	40000	3000	0.823	3	7/18/2012
Conglom. Inc.	Luminus	P-L3023DT	P-L3023DT	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	270	5.5	N/A	40000	3000	0.712	3	3/29/2012
Conglom, Inc.	Luminus	P-L4013D	P-L4013D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	8/26/2011
Conglom, Inc.	Luminus	P-L4023D	P-L4023D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	25000	3000	0.725	3	9/12/2011
Conglom, Inc.	Luminus	P-L4523D	P-L4523D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	12/5/2011
Conglom. Inc.	Luminus	P-LX3023D	306932	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	20	6/19/2012
Conglom, Inc.	Luminus	P-LX4023T	306922	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	15.0	N/A	40000	3000	0.905	20	6/19/2012
Conglom, Inc.	Luminus	P-LX4523T	306928	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	20	6/19/2012
Conglom, Inc.	Luminus	P-LX5033T	P-LX5033T	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	7/18/2012
Conglom, Inc.	Prolux	P-A277254		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	25	N/A	8000	2700		2	8/9/2004
Consultants Econo-Teck Inc.	Luciole	Luciole-A19-12D-ES	Luciole-A19-12D-ES	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.88	3	8/30/2012
Core Products Canada Ltd.	Core	LEDB11-G2-530030	LEDB11-G2-530030	C - Candle	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	25000	3000	0.693	3	11/1/2012
Core Products Canada Ltd.	Core	LEDGU10-G2-63830	LEDGU10-G2-63830	Non-standard	GU10	LED	Dimmable	320	6.5	N/A	25000	3000	0.781	3	11/1/2012
Core Products Canada Ltd.	Core	LEDMR16-G2-63830	LEDMR16-G2-63830	MR - Multifaceted reflector	GU5.3	LED	Dimmable	320	6.5	N/A	25000	3000	0.923	3	11/1/2012
Core Products Canada Ltd.	Core	LEDPAR16-G2-63830	LEDPAR16-G2-63830	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	320	6.5	N/A	25000	3000	0.795	3	11/5/2012
Core Products Canada Ltd.	Core	LEDPAR20-G2-74030	LEDPAR20-G2-74030	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	6/19/2012
Core Products Canada Ltd.	Core	LEDPAR30-G2-154030	LEDPAR30-G2-154030	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	6/19/2012
Core Products Canada Ltd.	Core	LEDPAR38-G2-204030	LEDPAR38-G2-204030	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	6/19/2012
Cree, Inc.	CREE, Inc.	LBR30A92-25D	LBR30A92-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	618	11.866	N/A	25000	2700	0.947	3	10/5/2011
Cree, Inc.	CREE, Inc.	LBR30A92-25D-GU24	LBR30A92-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	618	11.866	N/A	25000	2700	0.947	3	10/5/2011
Cree, Inc.	CREE, Inc.	LBR30A92-50D	LBR30A92-50D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	616	12.24	N/A	25000	2700	0.947	3	10/5/2011
Cree, Inc.	CREE, Inc.	LBR30A92-50D-GU24	LBR30A92-50D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	616	12.24	N/A	25000	2700	0.947	3	10/5/2011
Cree. Inc.	CREE. Inc.	LRP38-10L-27K-12D	LRP38-10L-27K-12D	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	948	11.9	N/A	50000	2700	0.932	3	1/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-12D	LRP38-10L-27K-12D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	956	12.2	N/A	25000	2700	0.936	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-12D-GU24	LRP38-10L-27K-12D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	948	11.9	N/A	50000	2700	0.932	3	1/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-12D-GU24	LRP38-10L-27K-12D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	956	12.2	N/A	25000	2700	0.936	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-25D	LRP38-10L-27K-25D	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	985	13.42	N/A	50000	2700	0.944	3	1/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-25D	LRP38-10L-27K-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	956	12.2	N/A	25000	2700	0.936	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-27K-25D-GU24	LRP38-10L-27K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	956	12.2	N/A	25000	2700	0.936	3	9/5/2012
Cree. Inc.	CREE. Inc.	LRP38-10L-27K-25D-GU24	LRP38-10L-27K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	985	13.42	N/A	50000	2700	0.944	3	1/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-12D	LRP38-10L-30K-12D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1012	12.4	N/A	25000	3000	0.937	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-12D	LRP38-10L-30K-12D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	13.77	N/A	50000	3000	0.954	3	7/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-12D-GU24	LRP38-10L-30K-12D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1012	12.4	N/A	25000	3000	0.937	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-12D-GU24	LRP38-10L-30K-12D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.954	3	7/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D	LRP38-10L-30K-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1012	12.4	N/A	25000	3000	0.937	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D	LRP38-10L-30K-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	13.77	N/A	50000	3000	0.954	3	7/10/2012
Cree. Inc.	CREE. Inc.	LRP38-10L-30K-25D	LRP38-10L-30K-25D	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.954	3	7/10/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D-GU24	LRP38-10L-30K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1012	12.4	N/A	25000	3000	0.937	3	9/5/2012
Cree, Inc.	CREE, Inc.	LRP38-10L-30K-25D-GU24	LRP38-10L-30K-25D-GU24	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1023	13.77	N/A	50000	3000	0.954	3	7/10/2012
Cree, Inc.	CREE, Inc.	LRP38A92-20D40	LRP38A92-20D40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	597	11.14	N/A	50000	2700	0.937	3	7/10/2012
Cree. Inc.	CREE. Inc.	LRP38A92-20D40-GU24	LRP38A92-20D40-GU24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	597	11.14	N/A	50000	2700	0.937	3	7/10/2012
Cyber Tech Lighting Inc.	Cyber Lamp	P14A/WW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	1/8/2010
Cvber Tech Lightino Inc.	Cvber Lamo	P14G25/WW		Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		2	2/25/2009
Cyber Tech Lighting Inc.	Cyber Lamp	P15PAR/CW		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	8000	4100		2	1/21/2010
Cvber Tech Lightino Inc.	Cvber Lamo	P18XSP/WW		Bare-Mini-Sqiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	12/16/2008
Cvber Tech Lightino Inc.	Cvber Lamo	P20SP/WW	P20SP/WW;P20SP/WW3PK;P20SP/WW/4PK;P20SP/WW/6PK	Bare-Mini-Sqiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	10/25/2007
Cyber Tech Lighting Inc.	Cyber Lamp	P23PAR/CW		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	4100		2	2/25/2009
Cvber Tech Lightino Inc.	Cvber Lamo	P23R40/WW		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	4/30/2009
Cyber Tech Lighting Inc.	Cyber Lamp	P23XSP/WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/16/2008
Cyber Tech Lighting Inc.	Cyber Lamp	P26SP/WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	4100		2	12/16/2008
Cyber Tech Lighting Inc.	Cyber Lamp	P32SP/WW		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	4/27/2009
Cyber Tech Lighting Inc.	Cyber Lamp	P42SP/WW		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	4/27/2009
Cyber Tech Lighting Inc.	Cyber Lamp	P9XSP/ WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/16/2008
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.584	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/27	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.587	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P13SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.583	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.789	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/27	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	1/30/2009
Cvber Tech Lightino Inc.	Cvber Tech Lightino	P23SP-GU24/27	N/A	Bare-sqiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.562	2	1/30/2009
Cvber Tech Lightino Inc.	Cvber Tech Lightino	P23SP-GU24/41	N/A	Bare-sqiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.555	2	1/30/2009
Cyber Tech Lighting Inc.	Cyber Tech Lighting	P23SP-GU24/41	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.563	2	1/30/2009
Cvber Tech Lightino Inc.	Cvber Tech Lightino	P23SP-GU24/41	N/A	Bare-sqiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.563	2	1/30/2009
Cyber Tech Lighting Inc.	Eco-Star	LB10PAR30/D/WW	LB10PAR30/D/WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	3	6/6/2012
Cyber Tech Lighting Inc.	Eco-Star	LB11PAR38/D/WW	LB11PAR38/D/WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	607	11.0	N/A	50000	3000	0.786	3	11/29/2011
Cyber Tech Lighting Inc.	Eco-Star	LB6PAR20/D/WW	LB6PAR20/D/WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	281	5.6	N/A	25000	3000	0.712	3	12/14/2011
Cyber Tech Lighting Inc.	Eco-Star	LB8A/D/WW	LB8A/D/WW	Non-standard	E26/24 (Medium)	LED	Dimmable	523	8.0	N/A	40000	3000	0.712	3	6/6/2012
Dauer Manufacturing	Dauer Lampen	LEDPAR30FL	LEDPAR30FL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	6/14/2012
Dauer Manufacturing	Dauer Lampen	LEDPAR30NFL	LEDPAR30NFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	4/27/2012
Dauer Manufacturing	Dauer Lampen	LEDPAR38FL	LEDPAR38FL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	4/27/2012
Dauer Manufacturing	Dauer Lampen	LEDPAR38NFL	LEDPAR38NFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	4/27/2012
Designer's Edge	The Designer's Edge	E-350-15W-CLAM	E-350-15W	Bare-sqiral	E26/24 (Medium)	CFL		900	15.0	N/A	8000	2700		5	2/1/2003
Digital Lighting, Inc.	Q-RAY	QMR16-USN-30G533	955552106211	MR - Multifaceted reflector	GU5.3	LED	Dimmable	151	3.26	N/A	50000	3000	0.661	3	3/8/2011
DLU Lighting	DLU	DLP11	FLLJD23AA-R	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	558	11.0	N/A	40000	3000	0.82	5	6/28/2012

DLU Lighting	DLU	DLP17	FILJKE3AA-R	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	819	17.0	N/A	40000	3000	0.76	5	6/28/2012
DLU Lighting	DLU	DLP7	FLLHS23AA-R	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	349	7.0	N/A	40000	3000	0.79	5	6/28/2012
DLU Lighting	DLU Lighting	DMA14	FLSX9230V	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/25/2010
DLU Lighting	DLU Lighting	DMA19		Covered A-line	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	2/28/2012
DLU Lighting	DLU Lighting	DME20		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/13/2007
DLU Lighting	DLU Lighting	DME23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/13/2007
DLU Lighting	DLU Lighting	DME27		Bare-spiral	E26/24 (Medium)	CFL		1823	27	N/A	10000	2700		2	9/13/2007
DLU Lighting	DLU Lighting	DME32		Bare-spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	9/13/2007
DLU Lighting	DLU Lighting	DMG14	FLSY9230V	Covered globe	E26/24 (Medium)	CFL		810	14	N/A	8000	2700		7	2/25/2010
DLU Lighting	DLU Lighting	DMS18	FLSHC230V	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700		7	2/23/2010
DLU Lighting	DLU Lighting	DMS23	FLSHG230V	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/23/2010
Do It Best Corporation	Doit	FE-R38-20W/2700K	500226, 500227	Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		2	8/15/2012
Do It Best Corporation	Do It	500147		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700		2	6/12/2012
Do It Best Corporation	Do It	68909DB	504262	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	6/22/2011
Do It Best Corporation	Do It	689142DB	514811	Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	7/7/2011
Do It Best Corporation	Do It	689145DB	521086	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	7/7/2011
Do It Best Corporation	Do It	68914DB	504424, 514811, 521086	Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	6/22/2011
Do It Best Corporation	Do It	68914DIMDB	521983	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700		9	6/22/2011
Do It Best Corporation	Do It	68914DL2DB	517774	Bare-ssiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	6/22/2011
Do It Best Corporation	Do It	689192DB	514820	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	7/7/2011
Do It Best Corporation	Do It	689195DB	514839	Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	7/7/2011
Do It Best Corporation	Do It	68919DB	504440, 514820, 514839	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/22/2011
Do It Best Corporation	Do It	68919DL2DB	517792	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000		9	6/24/2011
Do It Best Corporation	Do It	689232DB	514848	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/7/2011
Do It Best Corporation	Do It	689235DB	514866	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/7/2011
Do It Best Corporation	Do It	68923DB	504521, 514848, 514866	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/22/2011
Do It Best Corporation	Do It	68923DIMDB	522018	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	6/24/2011
Do It Best Corporation	Do It	68923DL2DB	517765	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	6/24/2011
Do It Best Corporation	Do It	691093DB	517783	Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		7	7/7/2011
Do It Best Corporation	Do It	69109DB	558532, 517783	Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		7	6/24/2011
Do It Best Corporation	Do It	6R3014DB	558540	Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	6/24/2011
Do It Best Corporation	Do It	6R3016DIMDB	522027	Covered reflector	E26/24 (Medium)	CFL		650	16	N/A	8000	2700		7	6/24/2011
Do It Best Corporation	Do It	7P38192DB	517809	Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	2700		2	7/7/2011
Do It Best Corporation	Do It	7P38190B	517818, 517809	Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	2700		7	6/24/2011
Do It Best Corporation	Do It	FE-G25A-9W	558532, 517783	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	4/20/2009
Do It Best Corporation	Do It	FE-IIS-23W	504521, 514866, 514848	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		7	7/31/2007
Do It Best Corporation	Do It	FE-IISB-14W/27	504424, 514811, 521086	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		7	2/19/2010
Do It Best Corporation	Do It	FE-IISB-14W/50	517774	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		7	7/3/2008
Do It Best Corporation	Do It	FE-IISB-19W	504440, 514839, 514820	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	12000	2700		7	12/11/2007
Do It Best Corporation	Do It	FE-IISB-19W/50	517792	Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000	0.56	2	7/8/2009
Do It Best Corporation	Do It	FE-IISB-23W/27	504521, 514848, 514866	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		7	2/19/2010
Do It Best Corporation	Do It	FE-IISB-23W/50	517765	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	7/8/2009
Do It Best Corporation	Do It	FE-IISB-9W	504262	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		7	7/31/2007
Do It Best Corporation	Do It	FE-ISD-15W	521983	Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	8000	2700		2	6/17/2009
Do It Best Corporation	Do It	FE-ISD-15W	521983	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700		2	6/17/2009
Do It Best Corporation	Do It	FE-ISD-20W	521992	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1200	20	N/A	10000	2700		2	6/17/2009
Do It Best Corporation	Do It	FE-ISD-23W	522018	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	6/17/2009
Do It Best Corporation	Do It	FE-R30-15W	558540	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		7	7/31/2007
Dongguan Apsun Lighting Technology Co., Ltd.	Apsun lighting	SL2325B-120		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1640	N/A	13/20/25	8000	2700	0.526	2	5/21/2010
Dongguan Apsun Lighting Technology Co., Ltd.	Apsunlighting	SL1315B-120	N/A	Bare-spiral	GU24	CFL		766	10.7	N/A	10000	2700	0.58	2	6/22/2010
Dongguan Apsun Lighting Technology Co., Ltd.	Apsunlighting	SL1315B-120	SL1315B-120 2700K	Bare-spiral	GU24	CFL		766	10.69	N/A	10000	2700	0.578	2	5/3/2012
Dongguan Apsun Lighting Technology Co., Ltd.	Apsunlightino	SL1315B-120		Bare-Mini Soiral	GU24	CFL		766	10.69	N/A	10000	2700	0.58	2	5/3/2012
Dongguan City General Success Industrial Co., Ltd.	General Success	GS-E26-13W		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.612	2	1/6/2010
Dongguan City General Success Industrial Co., Ltd.	General Success	GS-E26-26W		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.571	2	1/6/2010
Dongguan City Howin Decoration Products Co., Ltd.	Howin	HW E26 13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.604	2	7/13/2009
Dongguan City Howin Decoration Products Co., Ltd.	Howin	HW E26 26W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	10000	2700	0.573	2	7/13/2009
Dongguan Juyang Electric Appliance Co LTD	Living Style	LS-LAMP-11004	LS-LAMP-1004	Non-standard	E26/24 (Medium)	LED		640	9.47	N/A	25000	3000	0.88	3	10/9/2012
EarthLED	EarthLED	ELED-ES-PAR30INFL	13964686043	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	3/20/2012
EarthLED	EarthLED	ELED-ES-PAR30SP	13964686432	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	3/20/2012
EarthLED	EarthLED	ELED-ES-PAR38FL	13964686074	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	3/20/2012
EarthLED	EarthLED	ELED-ES-PAR38NFL	13964686067	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	3/20/2012
EarthLED	EarthLED	ELED-ES-PAR38SP	13964686449	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	3/20/2012
Earth-Line SSL	Earth-Line	EL8W-G60-WW	EL8W-G60-WW	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	25000	3000	0.765	3	5/21/2012
Earth-Line SSL	Earth-Line SSL	EL10W-PAR30V2S	EL10W-PAR30V2S	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	4/27/2012
Earth-Line SSL	Earth-Line SSL	EL10W-PAR30V40	EL10W-PAR30V40	PAR - Parabolic Aluminum Reflector,	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	5/11/2012
Earth-Line SSL	Earth-Line SSL	EL15W-BR30	EL15W-BR30	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	5	9/20/2012
Earth-Line SSL	Earth-Line SSL	EL15W-PAR30-25D	EL15W-PAR30-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	5	9/20/2012
Earth-Line SSL	Earth-Line SSL	EL15W-PAR30-40D	EL15W-PAR30-40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	5	9/20/2012
Earth-Line SSL	Earth-Line SSL	EL15W-PAR38V2S	EL15W-PAR38V2S	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	4/27/2012
Earth-Line SSL	Earth-Line SSL	EL 15W-PAR38V40	EL15W-PAR38V40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	4/27/2012
Earth-Line SSL	Earth-Line SSL	EL20W-PAR38-25D	EL20W-PAR38-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	5	9/20/2012
Earth-Line SSL	Earth-Line SSL	EL20W-PAR38-40D	EL20W-PAR38-40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	5	9/20/2012
Earth-Line SSL	Earth-Line SSL	EL5W-MR16	EL5W-MR16	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	4/27/2012
Earth-Line SSL	Earth-Line SSL	EL7W-PAR20-25D	EL7W-PAR20-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.763	5	9/20/2012
Earth-Line SSL	Earth-Line SSL	EL7W-PAR20-40D	EL7W-PAR20-40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	5	9/20/2012
Earth-Line SSL	Earth-Line SSL Inc	ELWP-PAR20-45D	ELWP-PAR20-45D	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	370	6.75	N/A	25000	3500	0.952	3	11/14/2012
Earth-Line SSL	Earth-Line SSL Inc	ELWP-PAR30-45D	ELWP-PAR30-45D	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	715	12.07	N/A	25000	3500	0.966	3	11/14/2012
Earth-Line SSL	Earth-Line SSL Inc	ELWP-PAR38-45D	ELWP-PAR38-45D	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	985	16.71	N/A	25000	3500	0.916	3	11/14/2012
Earthmate	Earthmate	E1352AK		Bare-Mini-Soiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		7	7/18/2007
Earthmate	Earthmate	E145218		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/3/2009
Earthmate	Earthmate	E145236		Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		7	4/14/2009
Earthmate	Earthmate	E1552AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		7	7/19/2007
Earthmate	Earthmate	E2052AK		Bare-spiral	E26/24 (Medium)	CFL		1295	20	N/A	10000	2700		2	11/28/2007
Earthmate	Earthmate	E2352AK		Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	10000	2700		7	7/20/2007
Earthmate	Earthmate	E3052AE		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		7	7/20/2007
Earthmate	Earthmate	E3362AN		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	11/22/33	10000	2700		7	7/20/2007
Earthmate	Earthmate	E4052AE		Bare-spiral	E26/24 (Medium)	CFL		2900	40	N/A	10000	2700		5	7/20/2007
Earthmate	Earthmate	EM1552AK4-WM		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	6/30/2009
Earthmate	Earthmate	EM2352AK3-WM		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	6/30/2009
Earthmate	Earthmate	ES1552AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		7	11/28/2007

Earthmate	Earthmate	ES20S2AK		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	11/28/2007
Earthmate	Earthmate	ES23S2AK		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	11/28/2007
Earthmate	Litetronics International	EM15S2AK4	N/A	Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	6/30/2009
Earthmate	Litetronics International	EM23S2AK3		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	6/30/2009
EarthTronics, Inc.	BioLite	SDM11MSL	057800131014	Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM13MSL	057800131021, 057800131038, 057800131045, 057800131144	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM13MSLT2	057800131120, 057800131137	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM16MRL/S	057800131274	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM16SR3DIM	057800131052	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	12/29/2008
EarthTronics, Inc.	BioLite	SDM23MSL	057800131083	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM32MSL	057800131168	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1920	32	N/A	8000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM3W25S	057800131250	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	13/20/25	8000	2700		2	10/28/2008
EarthTronics, Inc.	BioLite	SDM42MSL	057800131175	Bare-Mini-Spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	10/28/2008
EarthTronics, Inc.	BMR	BMR13MSLT2	BMRCF13SW6BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	7/20/2009
EarthTronics, Inc.	BMR	BMR13MSLT2-41	BMRCF13CW6BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		2	4/5/2010
EarthTronics, Inc.	BMR	BMR23MSLT2	BMRCF23SW4BT2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	7/27/2009
EarthTronics, Inc.	Bright Green	ET13MSLT2	CF13SW2BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	4/1/2010
EarthTronics, Inc.	Bright Green	ET23MSLT2	CF23SW2BT2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	4/1/2010
EarthTronics, Inc.	EarthBulb	CF23DL2BT2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		11	3/19/2010
EarthTronics, Inc.	EarthBulb	CF23SW2BT2E	CF23SW2BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.557	2	1/12/2012
EarthTronics, Inc.	EarthBulb	CF23SW2BT2E		Bare-Soiral	E26	CFL		1600	23.84	N/A	12000	2700	0.56	2	1/12/2012
EarthTronics, Inc.	EarthBulb	CF23SW4BT2E	CF23SW4BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.557	2	1/12/2012
EarthTronics, Inc.	EarthBulb	CF23SW4BT2E		Bare-Spiral	E26	CFL		1600	23.84	N/A	12000	2700	0.56	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET09MCL/CAN	CT09SW1B/CAN	Covered-Candle	E12 (Candelabra)	CFL		450	9.0	N/A	8000	2700	0.618	2	6/14/2012
EarthTronics, Inc.	EarthBulb	ET09MCL/CAN		Covered-Candle	E12	CFL		450	8.88	N/A	8000	2700	0.62	2	6/14/2012
EarthTronics, Inc.	EarthBulb	ET09MSLT2E	CF09SW1BT2E; CF09SW4BT2E	Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.55	2	1/4/2012
EarthTronics, Inc.	EarthBulb	ET11MSL	CF11SW1B, CF11SW2B, CF11SW4B	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	2/5/2008
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.587	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		711	10.985	N/A	10020	2700	0.584	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		721	11.17	N/A	10020	2700	0.586	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET11MSL24	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.586	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET13MSL	CF13SW1B, CF13SW2B, CF13SW4B, CF13SW6B	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/5/2008
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-soiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	12/23/2010
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-soiral	GU24	CFL		904	13.629	N/A	10020	2700	0.584	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-soiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	12/23/2010
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET13MSL24	N/A	Bare-soiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	12/23/2010
EarthTronics, Inc.	EarthBulb	ET13MSLT2	CF13SW1BT2; CF13SW2BT2; CF13SW4BT2; CF13SW6BT2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/3/2009
EarthTronics, Inc.	EarthBulb	ET13MSLT2-41	CF13CW2BT2; CF13CW4BT2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		2	4/5/2010
EarthTronics, Inc.	EarthBulb	ET13MSLT2E	CF13SW1BT2E, CF13SW2BT2E, CF13SW4BT2E, CF13SW6BT2E	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.56	2	1/4/2012
EarthTronics, Inc.	EarthBulb	ET14MAL/S	AT14SW1B, AT14SW2B	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	7/29/2009
EarthTronics, Inc.	EarthBulb	ET14MALS	AT14SW1B	Covered A-line	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.56	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET14MCL/S	CT14SW1B	Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	8/24/2010
EarthTronics, Inc.	EarthBulb	ET14MGL/S-10H	GT14SW1B-10H	Covered globe	E26/24 (Medium)	CFL		810	14	N/A	10000	2700		9	11/9/2010
EarthTronics, Inc.	EarthBulb	ET14SDIM	CF14SW1BDIM	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	12/29/2008
EarthTronics, Inc.	EarthBulb	ET15FP3/S	FP315301B	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3000		7	7/30/2010
EarthTronics, Inc.	EarthBulb	ET16MRL/S	R316SW1B; R316SW2B	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	4/3/2009
EarthTronics, Inc.	EarthBulb	ET16MRLS	R316SW1B	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.565	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET16MRL/S-12H	R316SW1B-12H	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	12000	2700		11	11/9/2010
EarthTronics, Inc.	EarthBulb	ET16SADIM	AT16SW1BDIM	Covered A-line	E26/24 (Medium)	CFL	Dimmable	800	16	N/A	8000	2700		2	12/29/2008
EarthTronics, Inc.	EarthBulb	ET16SR2DIM	R216SW1BDIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	540	16	N/A	8000	2700		2	12/29/2008
EarthTronics, Inc.	EarthBulb	ET16SR3DIM	R316SW1BDIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	12/29/2008
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.558	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET18MSL24	N/A	Bare-soiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET18MSLT2	CF18SW1BT2, CF18SW2BT2, CF18SW4BT2	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		2	7/20/2009
EarthTronics, Inc.	EarthBulb	ET18MSLT2E	CF18SW1BT2E,CF18SW2BT2E,CF18SW4BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.565	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET18MSLT2E-35	CF18351BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	3500	0.564	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET18MSLT2E-65	CF18DL1BT2E	Bare-soiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	6500	0.563	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET20MSL	CF20SW1B; CF20SW2B; CF20SW4B	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	2/6/2008
EarthTronics, Inc.	EarthBulb	ET23MPL/S	Pa23SW1B	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	2/15/2008
EarthTronics, Inc.	EarthBulb	ET23MRL/S	R423SW1B	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	2/15/2008
EarthTronics, Inc.	EarthBulb	ET23MRL/S	R423SW2B	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	4/3/2009
EarthTronics, Inc.	EarthBulb	ET23MSL	CF23SW1B, CF23SW2B, CF23SW4B	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/6/2008
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-soiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.789	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET23MSL24	N/A	Bare-soiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	2/4/2009
EarthTronics, Inc.	EarthBulb	ET23MSLT2	CF23SW4BT2; CF23SW1BT2; CF23SW2BT2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	10/29/2008
EarthTronics, Inc.	EarthBulb	ET23MSLT2-65	CF23DL2BT2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		11	7/30/2010
EarthTronics, Inc.	EarthBulb	ET23MSLT2E	CF23SW1BT2E;CF23SW2BT2E;CF23SW4BT2E	Bare-soiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.557	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET23MSLT2E-35	CF23351BT2E	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	12000	3500	0.551	2	1/12/2012
EarthTronics, Inc.	EarthBulb	ET23MSLT2E-65	CF23DL1BT2E;CF23DL2BT2E;CF23DL4BT2E	Bare-Mini-Spiral	Medium E26/24	CFL		1640	23.0	N/A	12000	6500	0.553	2	2/16/2012
EarthTronics, Inc.	EarthBulb	ET24SDIM	CF24SW1BDIM	Bare-Mini-Soiral	E26/24 (Medium)	CFL	Dimmable	1490	24	N/A	8000	2700		2	12/29/2008
EarthTronics, Inc.	EarthBulb	ET27MSL	CF27SW1B; CF27SW4B	Bare-spiral	E26/24 (Medium)	CFL		1823	27	N/A	10000	2700		2	2/6/2008
EarthTronics, Inc.	EarthBulb	ET3W25S	3W25SW1B	Bare-soiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	13/20/25	8000	2700		2	4/21/2008
EarthTronics, Inc.	EarthBulb	ET42MSL	CF42SW1B	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	2/6/2008
EarthTronics, Inc.	EarthBulb	ET9MGL/S	GT09SW1B	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	11/18/2010
EarthTronics, Inc.	EarthBulb	GT14SW1B		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/13/2010
EarthTronics, Inc.	EarthBulb	HW1R30301C	HW1R30301C	R - Reflector	Medium Based	LED		525	6.0	N/A	50000	3000	0.7	3	1/3/2012
EarthTronics, Inc.	EarthBulb	HW1R30301P	HW1R30301P	R - Reflector	Medium Based	LED		525	6.0	N/A	50000	3000	0.7	3	1/3/2012
EarthTronics, Inc.	EarthBulb	HWL1R30	HWL1R30	R - Reflector	Medium Based	LED		525	6.0	N/A	50000	3000	0.7	3	1/3/2012
EarthTronics, Inc.	EarthBulb	L18R36301B(L1R36)	L18R36301B	BR- Bulged Reflector	Medium Based	LED		525	6.0	N/A	50000	3000	0.7	3	7/20/2012
EarthTronics, Inc.	EarthBulb	L1ECOA198301BDIM	L1ECOA198301BDIM	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	25000	3000	0.765	3	4/20/2012
EarthTronics, Inc.	EarthBulb	L1FP26301BDIM	L1FP26301BDIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	270	5.5	N/A	40000	3000	0.712	3	5/18/2012
EarthTronics, Inc.	EarthBulb	L1FP3811301BDIM	L1FP3811301BDIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	5/18/2012
EarthTronics, Inc.	EarthBulb	L1FP39301BDIM	L1FP39301BDIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	5/18/2012
EarthTronics, Inc.	EarthBulb	L1MR164301B	L1MR164301B	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.641	3	5/18/2012

EarthTronics, Inc.	EarthBulb	L2A1912D	L2A19123018DIM	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	40000	3000	0.976	3	10/18/2012
EarthTronics, Inc.	EarthBulb	L2B115D	L2B115301BDIM	C - Candle	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	25000	3000	0.693	3	7/16/2012
EarthTronics, Inc.	EarthBulb	L2BR315D	L2BR315301BDIM	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	9/18/2012
EarthTronics, Inc.	EarthBulb	L2FP27D	L2FP27301BDIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	7/16/2012
EarthTronics, Inc.	EarthBulb	L2FP315D	L2FP315301BDIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	7/16/2012
EarthTronics, Inc.	EarthBulb	L2FP3820D	L2FP3820301BDIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	7/16/2012
EarthTronics, Inc.	EarthBulb	L2G258D	L2G258301BDIM	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	40000	3000	0.823	3	9/18/2012
EarthTronics, Inc.	EarthBulb	L2GU106D	L2GU106301BDIM	Non-standard	GU10	LED	Dimmable	320	6.5	N/A	40000	3000	0.781	3	10/18/2012
EarthTronics, Inc.	Honeywell	HWL1FP26D	HWL1FP26D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	270	5.5	N/A	25000	3000	0.712	3	12/5/2011
EarthTronics, Inc.	Honeywell	HWL1FP3811D	HWL1FP3811D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	25000	3000	0.786	3	7/28/2011
EarthTronics, Inc.	Honeywell	HWL1FP39D	HWL1FP39D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	25000	3000	0.725	3	7/28/2011
EarthTronics, Inc.	Honeywell	HWL1MR164	HWL1MR164	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.641	3	2/7/2012
EarthTronics, Inc.	Meijer	2884975	ET16MRLSIS	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.565	2	1/12/2012
EarthTronics, Inc.	Meijer	2885040	ET16MRLSIS	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.565	2	1/12/2012
EarthTronics, Inc.	Meijer	ET13MSL24	2885029	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.615	3	5/18/2012
EarthTronics, Inc.	Meijer	ET13MSL24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	8/3/2011
EarthTronics, Inc.	Meijer	ET13MSL24		Bare-Mini Spiral	GU24	CFL		900	13.83	N/A	10000	2700	0.62	3	5/18/2012
EcoSafe Nuovoled	Eco Safe Nuovoled	EST A8	EST-A19-8-30k-120	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.765	3	9/12/2012
EcoSafe Nuovoled	Eco Safe Nuovoled	EST-B11	EST-B11-5-30k-300	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	15000	3000	0.693	3	9/12/2012
EcoSafe Nuovoled	Eco Safe Nuovoled	EST BR30	EST-BR30-15-30k-120	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	9/12/2012
EcoSafe Nuovoled	Eco Safe Nuovoled	EST P20	EST-P20-7-30k-40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	9/12/2012
EcoSafe Nuovoled	Eco Safe Nuovoled	EST P30	EST-P30-15-30k-40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	9/12/2012
EcoSafe Nuovoled	Eco Safe Nuovoled	EST P38	EST-P38-20-30k-40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	9/12/2012
Eco-story, LLC	Eco-story,LLC	ECO-MR16-5-27K-40	ECO-MR16-5-27K-40	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	10/30/2012
Eco-story, LLC	Eco-story,LLC	ECO-PAR30-DIM-10-27K-50	ECO-PAR30-DIM-10-27K-50	PAR - Parabolic Aluminum Reflector,	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	10/30/2012
Eco-storv, LLC	Eco-storv,LLC	ECO-PAR38-DIM-15-27K-50	ECO-PAR38-DIM-15-27K-50	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	10/30/2012
eDVA Tech	eDVA Tech	IR30TF30ES	IR30tf30ES	R - Reflector	E26/E24 (Medium)	LED		525	6.0	N/A	50000	3000	0.7	3	10/18/2011
Efficient Lighting	Efficient Lighting	EL11EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	5/2/2008
Efficient Lighting	Efficient Lighting	EL13EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/2/2008
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.584	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL13GU27	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL13GU27T2	N/A	Bare-spiral	GU24	CFL		969	13.8	N/A	10000	2700	0.58	2	8/25/2010
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.587	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL13GU41	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.583	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL13GU41T2	N/A	Bare-spiral	GU24	CFL		945	14.2	N/A	10000	4100	0.58	2	8/25/2010
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.558	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL18GU27	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1255	17.01	N/A	10020	4100	0.553	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1312	17.56	N/A	10020	4100	0.558	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1313	17.206	N/A	10020	4100	0.548	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL18GU41	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.558	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL20EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	5/2/2008
Efficient Lighting	Efficient Lighting	EL23EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/18/2008
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.789	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL23GU27	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	10/1/2008
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.562	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.555	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.563	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL23GU41	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.563	2	12/23/2008
Efficient Lighting	Efficient Lighting	EL59GL27		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	2/16/2010
Efficient Lighting	Efficient Lighting	ELT213EB27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/18/2009
Efficient Lighting	Efficient Lighting	ELT223EB27		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/23/2009
EIKO Ltd.	Eiko	LEDP-11WPAR38/FL/830-DIM	LEDP-11WPAR38/FL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.786	3	10/26/2011
EIKO Ltd.	Eiko	LEDP-11WPAR38/SP/830-DIM	LEDP-11WPAR38/SP/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.785	3	10/26/2011
EIKO Ltd.	Eiko	LEDP-13WPAR30/FL/830-DIM	LEDP-13WPAR30/FL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	717	13.0	N/A	25000	3000	0.773	3	10/1/2012
EIKO Ltd.	Eiko	LEDP-20WPAR38/FL/830-DIM	LEDP-PAR38/FL830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1216	20.0	N/A	25000	3000	0.781	3	10/1/2012
EIKO Ltd.	Eiko	LEDP-SPAR20/SP/830-DIM	LEDP-SPAR20/SP/830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	235	5.5	N/A	25000	3000	0.712	3	3/15/2012
EIKO Ltd.	Eiko	LEDP-8WA19/830-DIM3	LEDP-8WA19/830-DIM3	Non-standard	E26/24 (Medium)	LED	Dimmable	472	8.0	N/A	25000	3000	0.728	3	10/2/2012
EIKO Ltd.	Eiko	LEDP-8WG25/830-DIM	LEDP-8WG25/830-DIM	Globe	E26/24 (Medium)	LED	Dimmable	449	8.0	N/A	15000	3000	0.728	3	10/1/2012
EIKO Ltd.	Eiko	LEDP-9WPAR30/FL/830-DIM	LEDP-9WPAR30/FL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.725	3	10/26/2011
EIKO Ltd.	Eiko	LEDP-9WPAR30/SP/830-DIM	LEDP-9WPAR30/SP/830-DIM	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.725	3	10/26/2011
EIKO Ltd.	Eiko	PAR20/9/30K		Covered reflector	E26/24 (Medium)	CFL		280	9	N/A	8000	3000		2	6/2/2010
EIKO Ltd.	Eiko	PAR20/9/41K		Covered reflector	E26/24 (Medium)	CFL		270	9	N/A	8000	4100		2	6/2/2010
EIKO Ltd.	Eiko	PAR30LN/15/35K	PAR30LN/15/35K	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3500	0.5	2	6/16/2010
EIKO Ltd.	Eiko	PAR30LN/15/41K		Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100	0.533	2	6/3/2010
EIKO Ltd.	Eiko	PAR30LN/15/50K		Covered reflector	E26/24 (Medium)	CFL		745	15	N/A	8000	5000		2	6/8/2010
EIKO Ltd.	Eiko	PAR38/23/30	PAR38/23/30	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		2	12/21/2010
EIKO Ltd.	Eiko	PAR38/23/35		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3500	0.579	2	9/27/2011
EIKO Ltd.	Eiko	PAR38/23/41K		Covered reflector	E26/24 (Medium)	CFL		1210	23	N/A	8000	4100	0.561	2	8/3/2009
EIKO Ltd.	Eiko	SP10T2/27K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	12/15/2011
EIKO Ltd.	Eiko	SP11A/27K-GU24	N/A	Covered	GU24	CFL		601	10.93	N/A	10000	2700	0.584	2	7/26/2011
EIKO Ltd.	Eiko	SP13/27-GU24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	9/24/2009
EIKO Ltd.	Eiko	SP13/27-GU24	N/A	Bare-ssiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.592	2	6/20/2012
EIKO Ltd.	Eiko	SP13/27K	88DN, 38XC	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/9/2006
EIKO Ltd.	Eiko	SP13/27K-GU24-DIM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	7/26/2011
EIKO Ltd.	Eiko	SP13/41K		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		2	10/29/2009
EIKO Ltd.	Eiko	SP13A19/27K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	9/1/2009
EIKO Ltd.	Eiko	SP14/R20/27K		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	3/25/2011
EIKO Ltd.	Eiko	SP15G25/27K		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700	0.56	2	6/28/2012
EIKO Ltd.	Eiko	SP15R30/27K		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.58	2	3/25/2010
EIKO Ltd.	Eiko	SP18/27-GU24	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	8/24/2010
EIKO Ltd.	Eiko	SP18/27-GU24	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	6/20/2012
EIKO Ltd.	Eiko	SP19/27K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	1/9/2006
EIKO Ltd.	Eiko	SP19/50K		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	5000		2	4/8/2010

EiKO Ltd.	Eiko	SP23/27-GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	4/29/2008
EiKO Ltd.	Eiko	SP23/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/9/2006
EiKO Ltd.	Eiko	SP23T2/41K/CG	SP23T2/41K/CG	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	8/23/2010
EiKO Ltd.	Eiko	SP26/27-GU24	N/A	Bare-spiral	GU24	CFL		1904	25.09	N/A	10000	2700	0.582	2	3/10/2011
EiKO Ltd.	Eiko	SP27/27K		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		2	5/27/2009
EiKO Ltd.	EiKO Ltd.	LEDP-3W/MR16/830	LEDP-3W/MR16/830	MR - Multifaceted Reflector	GU5.3	LED		170	3.0	N/A	40000	3000	0.64	3	2/9/2012
EiKO Ltd.	EiKO Ltd.	LEDP-5PAR20/FL830-DIM	LEDP-5PAR20/FL830-DIM	PAR - Parabolic Aluminum Reflector	E26 (Medium)	LED	Dimmable	235	5.0	N/A	40000	3000	0.71	3	2/9/2012
EiKO Ltd.	EiKO Ltd.	LEDP-5PAR20/SP/830-DIM	LEDP-5PAR20/SP/930-DIM	PAR - Parabolic Aluminum Reflector	E26 (Medium)	LED	Dimmable	235	5.0	N/A	40000	3000	0.71	3	2/9/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-15WBR30/830-DIM	LEDP-15WBR30/830-DIM	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	957	14.94	N/A	40000	3000	0.904	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-15WPAR30/FL830-DIM	LEDP-15WPAR30/FL830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	880	14.85	N/A	40000	3000	0.905	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-15WPAR30/NFL/830-DIM	LEDP-15WPAR30/NFL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	795	14.96	N/A	40000	3000	0.907	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-20WPAR38/FL830-DIM	LEDP-20WPAR38/FL830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1315	19.36	N/A	40000	3000	0.939	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-20WPAR38/NFL/830-DIM	LEDP-20WPAR38/NFL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1206	19.61	N/A	40000	3000	0.939	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-7WPAR20/FL/830-DIM	LEDP-7WPAR20/FL830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	410	7.0	N/A	40000	3000	0.764	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-7WPAR20/NFL/830-DIM	LEDP-7WPAR20/NFL/830-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	379	7.18	N/A	40000	3000	0.763	3	7/24/2012
EiKO Ltd.	EiKO, Ltd.	LEDP-8WG25/830-DIM	LEDP-8WG25/830-DIM	G - Globe	E26/24 (Medium)	LED	Dimmable	546	7.59	N/A	40000	3000	0.823	3	7/24/2012
Eisenberg Lighting Ltd.	Eisenberg	EBPAR30-10W-LN-ES	EBPAR30-10W-LN-ES	R - Reflector	E26/24 (Medium)	LED		450	10.0	N/A	40000	3000	0.888	3	5/24/2012
Eisenberg Lichtino Ltd.	Eisenberg	EBPAR38-17W-ES	EBPAR38-17W-ES	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.886	3	5/24/2012
Energetic Lighting Inc.	Energetic	E101-11SW-B1		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	2700		1	7/9/2012
Eneroatic Lichtino Inc.	Eneroatic	E117-10GW-B1		Covered globe	E26/24 (Medium)	CFL		500	10	N/A	10000	2700		2	1/6/2011
Energetic Lighting Inc.	Energetic	E117-15GW-B1	E117-15GW-V1; E117Q-15GW-B1	Covered globe	E26/24 (Medium)	CFL		815	15	N/A	10000	2700		2	1/12/2010
Energetic Lighting Inc.	Energetic	E151-19SC-B1	FE151C-19-VP1	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	4100		2	9/10/2009
Energetic Lighting Inc.	Energetic	E151-19SD-B1		Bare-spiral	E26/24 (Medium)	CFL		1240	19	N/A	10000	6500		2	5/17/2012
Energetic Lighting Inc.	Energetic	E151-23SC-B1	FE151C-23-VP1; FE151C-23-VP2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	9/15/2009
Eneroatic Lichtino Inc.	Eneroatic	E151-23SD-B2/E151-23SD-B1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	6/1/2012
Energetic Lighting Inc.	Energetic	E151-27SW-B1	FE151-S-27 2700K	Bare-spiral	E26/24 (Medium)	CFL		2000	27	N/A	10000	2700		2	10/21/2009
Eneroatic Lichtino Inc.	Eneroatic	E151M-23SW-B1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/11/2012
Energetic Lighting Inc.	Energetic	E151M-23SW-B4		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.566	2	7/3/2012
Eneroatic Lichtino Inc.	Eneroatic	E151M-23SW-B6		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/29/2011
Energetic Lighting Inc.	Energetic	E151X-19SW-B1		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.55	2	11/28/2011
Eneroatic Lichtino Inc.	Eneroatic	E152-15RW-B1	E152O-15RW-B1	Covered reflector	E26/24 (Medium)	CFL		820	15	N/A	10000	2700	0.58	2	9/18/2009
Energetic Lighting Inc.	Energetic	E152-23RW-B1		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.59	2	9/18/2009
Energetic Lighting Inc.	Energetic	E152-23RW-B1		Covered reflector	E26/24 (Medium)	CFL		1320	23	N/A	10000	2700	0.56	2	9/18/2009
Energetic Lighting Inc.	Energetic	E153-13SN-B1		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000		2	12/31/2010
Energetic Lighting Inc.	Energetic	E153-7SW-B1		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	8/20/2009
Energetic Lighting Inc.	Energetic	E172-7SW-B1		Bare-spiral	E26/24 (Medium)	CFL		375	7	N/A	12000	2700		2	1/20/2011
Energetic Lighting Inc.	Energetic	E172-7SW-B1		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	7/11/2012
Energetic Lighting Inc.	Energetic	E213-13SW-B2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		2	3/24/2011
Energetic Lighting Inc.	Energetic	E231C-11AW-B1	FE231C-11-VP1; FE231C-11-VP2	Covered A-line	E12 (Candelabra)	CFL		600	11	N/A	10000	2700		2	10/15/2009
Eneroatic Lichtino Inc.	Eneroatic	E242-23PW-B1		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.56	2	9/18/2009
Energetic Lighting Inc.	Energetic	E247-23SW-B2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/24/2011
Energetic Lighting Inc.	Energetic	E275-14CW-B1	E275-14CW-B1	Bare-spiral	Medium E26/24	CFL		800	14.0	N/A	10000	2700	0.642	2	4/23/2012
Energetic Lighting Inc.	Energetic	E275-14CW-B1		Covered-Candle	E26	CFL		800	14.06	N/A	10000	2700	0.64	2	4/23/2012
Energetic Lighting Inc.	Energetic	E275C-13AW-B1	FE275C-13-VP1; FE275C-13-VP2	Covered A-line	E12 (Candelabra)	CFL		850	13	N/A	10000	2700		2	10/15/2009
Energetic Lighting Inc.	Energetic	E501-10SW-B1		Bare-spiral	E26/24 (Medium)	CFL		660	10	N/A	10000	2700		2	8/6/2010
Energetic Lighting Inc.	Energetic	E501-13SW-B1		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	7/23/2010
Energetic Lighting Inc.	Energetic	E502-20SW-B1	E502-20SW-VP1	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	7/23/2010
Energetic Lighting Inc.	Energetic	E502-20SW-B2		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	3/24/2011
Energetic Lighting Inc.	Energetic	E502-23SW-B1	E502-23SW-VP1	Bare-spiral	E26/24 (Medium)	CFL		1620	23	N/A	10000	2700		2	6/17/2010
Energetic Lighting Inc.	Energetic	E508T-32SW-B1		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700		2	7/30/2010
Energetic Lighting Inc.	Energetic	E509D-13SW-B1		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	12000	2700		2	8/19/2010
Energetic Lighting Inc.	Energetic	E509D-23SW-B1		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	12000	2700		2	1/20/2011
Energetic Lighting Inc.	Eneroatic	E511-13SD-B1		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.545	2	5/14/2012
Energetic Lighting Inc.	Energetic	E511-13SW-B1		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/29/2011
Energetic Lighting Inc.	Energetic	E511-13SW-B6		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.612	2	7/3/2012
Energetic Lighting Inc.	Energetic	E511-13SW-VB10		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/29/2011
Energetic Lighting Inc.	Energetic	E512-23SN-B1	E512-23SN-B1	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	10000	5000	0.574	3	8/22/2012
Energetic Lighting Inc.	Energetic	E512-23SN-B1		Bare-Spiral	E26	CFL		1600	22.38	N/A	10000	5000	0.57	3	8/22/2012
Energetic Lighting Inc.	Energetic	E514C-10SW-B1	E514C-10SW-B1	Bare-spiral	E12 (Candelabra)	CFL		600	10.0	N/A	10000	2700	0.578	2	8/27/2012
Energetic Lighting Inc.	Energetic	E514C-10SW-B1		Bare-Spiral	E12	CFL		600	10.3	N/A	10000	2700	0.58	2	8/27/2012
Energetic Lighting Inc.	Energetic	E514C-13SW-B1	E514C-13SW-B1	Bare-spiral	E12 (Candelabra)	CFL		800	13.0	N/A	10000	2700	0.608	2	8/30/2012
Energetic Lighting Inc.	Energetic	E514C-13SW-B1		Bare-Spiral	E12	CFL		800	13.69	N/A	10000	2700	0.61	2	8/30/2012
Energetic Lighting Inc.	Energetic	E517-23PW-B1	E517-23PW-B1	Covered reflector	Medium E26/24 (medium)	CFL		1250	23.0	N/A	10000	2700	0.585	3	8/9/2012
Eneroatic Lichtino Inc.	Eneroatic	E517-23PW-B1		Covered Reflector	E26	CFL		1250	24.03	N/A	10000	2700	0.58	3	8/9/2012
Energetic Lighting Inc.	Energetic	E517-23RW-B1	E517-23RW-B1	Covered reflector	Medium E26/24 (medium)	CFL		1250	23.0	N/A	10000	2700	0.58	3	8/3/2012
Energetic Lighting Inc.	Energetic	E517-23RW-B1		Covered Reflector	E26	CFL		1250	22.81	N/A	10000	2700	0.58	3	8/3/2012
Energetic Lighting Inc.	Energetic	E518-7CW-B1	E518-7CW-B1	Covered-Candle	E12 (Candelabra)	CFL		350	7.0	N/A	10000	2700	0.58	2	2/13/2012
Energetic Lighting Inc.	Energetic	E518-7CW-B1		Covered-Candle	E12	CFL		350	7.21	N/A	10000	2700	0.58	2	2/13/2012
Energetic Lighting Inc.	Energetic	E518-9CW-B1	E518-9CW-B1	Covered-Candle	E26/24 (medium)	CFL		450	9.0	N/A	10000	2700	0.573	2	8/22/2012
Energetic Lighting Inc.	Energetic	E518-9CW-B1		Covered-Candle	E26	CFL		450	9.5	N/A	10000	2700	0.57	2	8/22/2012
Energetic Lighting Inc.	Energetic	ELE03CWC-VB	ELE03CWC-VB	C - Candle	E12 (Candelabra)	LED		120	2.65	N/A	40000	3000	0.545	3	10/5/2011
Energetic Lighting Inc.	Energetic	ELE03GWF-VB	ELE03GWF-VB	G - Globe	E12 (Candelabra)	LED		119	2.74	N/A	40000	3000	0.551	3	9/27/2011
Eneroatic Lichtino Inc.	Eneroatic	ELE04MR5.3W-VB	ELE04MR5.3W-VB	MR - Multifaceted reflector	GU5.3	LED		169	3.78	N/A	40000	3000	1	3	12/15/2011
Energetic Lighting Inc.	Energetic	ELE06D-RW25-VB	ELE06D-RW25-VB	R - Reflector	E26/E24 (Medium)	LED	Dimmable	250	5.13	N/A	40000	3000	0.703	3	10/20/2011
Energetic Lighting Inc.	Eneroatic	ELE07D-AWF-BP2	ELE07D-AWF-BP2	Non-standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	2700	0.784	3	3/20/2012
Energetic Lighting Inc.	Energetic	ELE07D-AWF-VB	ELE07D-AWF-VB	Non-standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	2700	0.784	3	3/20/2012
Eneroatic Lichtino Inc.	Eneroatic	ELE08D-AWF-VB	ELE08D-AWF-VB	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	40000	3000	0.737	3	2/23/2012
Energetic Lighting Inc.	Energetic	ELE10D-PLW25-VB	ELE10D-PLW25-VB	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.716	3	12/20/2011
Eneroatic Lichtino Inc.	Eneroatic	ELE10D-PLW35-VB	ELE10D-PLW35-VB	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.716	3	12/20/2011
Energetic Lighting Inc.	Energetic	ELE10PLW25-VB	ELE10PLW25-VB	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.888	3	12/20/2011
Energetic Lighting Inc.	Energetic	ELE10PLW35-VB	ELE10PLW35-VB	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.888	3	12/20/2011
Energetic Lighting Inc.	Energetic	ELE12D-AWF-BP2	ELE12D-AWF-BP2	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	3/20/2012
Energetic Lighting Inc.	Energetic	ELE12D-AWF-VB	ELE12D-AWF-VB	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	3/20/2012
Energetic Lighting Inc.	Energetic	ELE17D-PW25-VB	ELE17D-PW25-VB	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	745	16.21	N/A	40000	3000	0.729	3	12/20/2011
Energetic Lighting Inc.	Energetic	ELE17D-PW40-VB	ELE17D-PW40-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.897	3	1/10/2012
Energetic Lighting Inc.	Energetic	ELE17PW25-VB	ELE17PW25-VB	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED		775	15.78	N/A	40000	3000	0.886	3	12/1/2011
Energetic Lighting Inc.	Energetic	ELE17PW40-VB	ELE17PW40-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.743	3	1/10/2012
Energetic Lighting Inc.	Energetic	ELH10D-PLW35-VB	ELH10D-PLW35-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	600	10.0	N/A	40000	3000	0.719	3	7/23/2012
Energetic Lighting Inc.	Energetic	ELH10PLW35-VB	ELH10PLW35-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		600	10.0	N/A	40000	3000	0.913	3	7/23/2012
Energetic Lighting Inc.	Energetic	ELH17D-PW35-VB	ELH17D-PW35-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	980	17.0	N/A	40000	3000	0.8	3	7/23/2012
Energetic Lighting Inc.	Energetic	ELH17PW35-VB	ELH17PW35-VB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		980	17.0	N/A	40000	3000	0.867	3	9/4/2012

Energetic Lighting Inc.	Energetic	FE101-11W 2700K	E101-11SW-B1	Bare-spiral	E26/24 (Medium)	CFL		650	11	N/A	10000	2700		2	7/20/2009
Energetic Lighting Inc.	Energetic	FE101 15W 2700K	E101-15SW-B1	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	7/20/2009
Energetic Lighting Inc.	Energetic	FE127 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	9/15/2009
Energetic Lighting Inc.	Energetic	FE151A 19S	FE151-S-19; E151-19SW-B1	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	7/15/2009
Energetic Lighting Inc.	Energetic	FE151D-19-VP1		Bare-spiral	E26/24 (Medium)	CFL		1240	19	N/A	10000	6500		2	8/3/2009
Energetic Lighting Inc.	Energetic	FE151-S-23W 2700K	E151-23SW-B1	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/15/2009
Energetic Lighting Inc.	Energetic	FE152-40-19		Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	6000	2700		5	7/14/2006
Energetic Lighting Inc.	Energetic	FE153-13D-VP1	FE153-13D-VP2, FE153-13D-VP4, E153-13SD-B1; E153-13SD-B10; E153-13SD-B6	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500		2	8/3/2009
Energetic Lighting Inc.	Energetic	FE153-13S	FE 153 13W, FE 153-13s VP1, FE 153-13s VP2, FE 153-13s VP4, FE153-13S-VP6, FE153-13S-VP10, FE153-13S-10BX, FE153-13SP-VP1, FE153-13SP-VP2; E153-13SW B6; E153-13SW-V4; E153-13SW-V3; WP5153 13W	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/24/2008
Energetic Lighting Inc.	Energetic	FE213 13W	FE213-13-VP2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/3/2008
Energetic Lighting Inc.	Energetic	FE231-11-VP1	FE231-11-VP2; E231-11AW-B1	Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	9/30/2009
Energetic Lighting Inc.	Energetic	FE247-19-VP1	E247-19SW-B1	Bare-spiral	E26/24 (Medium)	CFL		1180	19	N/A	10000	2700		2	10/6/2009
Energetic Lighting Inc.	Energetic	FE247-23-VP1	E247-23SW-B1; E247-23SW-V3	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/5/2009
Energetic Lighting Inc.	Energetic	FE275-13-VP1	FE275-13-VP2; E275-13AW-B1; E275-13AW-V2	Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	9/30/2009
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-19SC	N/A	Bare-spiral	GU24	CFL		1265	18.1	N/A	10000	4100	0.54	2	2/15/2010
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-19SW	N/A	Bare-spiral	GU24	CFL		1297	18.5	N/A	10000	2700	0.54	2	2/15/2010
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-23SC	N/A	Bare-spiral	GU24	CFL		1678	21.5	N/A	10000	4100	0.56	2	1/5/2010
Energetic Lighting Inc.	Energetic Lighting Inc.	E151GU-23SW	N/A	Bare-spiral	GU24	CFL		1580	21.4	N/A	10000	2700	0.56	2	1/19/2010
Energetic Lighting Inc.	Energetic Lighting Inc.	E153GU-13SC	N/A	Bare-spiral	GU24	CFL		899	12.3	N/A	10000	4100	0.55	2	7/26/2010
Energetic Lighting Inc.	Energetic Lighting Inc.	E153GU-13SW	N/A	Bare-spiral	GU24	CFL		939	13.2	N/A	10000	2700	0.59	2	6/22/2010
Energetic Lighting Inc.	Energetic Yankon	FE151-S-19		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000	0.63	7	12/17/2007
Energetic Lighting Inc.	Energetic Yankon	FE151-S-19 (3S2)		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3500	0.56	7	12/17/2007
Energetic Lighting Inc.	Energetic Yankon	FE151S-19-VP1		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	10/2/2008
Energetic Lighting Inc.	Energetic Yankon	FE151-S-23	FE151S-23-VP1, FE151S-23-VP2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000	0.64	7	12/17/2007
Energetic Lighting Inc.	Energetic Yankon	FE151-S-23 (3S2)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.57	7	12/17/2007
Energetic Lighting Inc.	Energetic Yankon	FE151S-23-VP1	FE151S-23-VP1	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000	0.64	7	12/17/2007
Energetic Lighting Inc.	Energetic Yankon	FE213-13-VP2	E213-13SW-B1; E213-13SW-B6	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		2	10/2/2008
Energetic Lighting Inc.	ON	9237		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.59	2	9/18/2009
Energy Mad Ltd	Ecospiral	15WUSHPF27		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	15000	2700	0.983	2	4/30/2009
Energy Mad Ltd	Ecospiral	20WUSHPF27		Bare-spiral	E26/24 (Medium)	CFL		1400	20	N/A	15000	2700	0.889	2	4/30/2009
Energy Mad Ltd	Ecospiral	23WUSHPF27		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	15000	2700	0.881	2	4/30/2009
Enerov Mad Ltd	Ecosoiral	3760	143426	Covered A-line	Medium E26/24 (medium)	CFL		894	14.0	N/A	10000	2700	0.56	3	8/14/2012
Energy Mad Ltd	Ecospiral	3762	3762	Covered reflector	Medium E26/24 (medium)	CFL		816	16.0	N/A	12000	2700	0.56	3	8/14/2012
Energy Mad Ltd	Ecospiral	3762		Covered Reflector	E26	CFL		816	15.11	N/A	12000	2700	0.56	3	8/14/2012
Energy Mad Ltd	Ology	3790	3790	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	15000	2700	0.578	2	7/3/2012
Energy Mad Ltd	Ology	3790-243	3790-243	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	15000	2700	0.578	2	7/3/2012
Energy Mad Ltd	Ology	3791	3791	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700	0.56	2	7/3/2012
Energy Mad Ltd	Ology	3791-243	3791-243	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700	0.56	2	7/3/2012
Enerov Mad Ltd	Oloov	3794	3794	Covered A-line	Medium E26/24 (medium)	CFL		800	14.0	N/A	10000	2700	0.56	3	8/9/2012
Energy Mad Ltd	Ology	3794		Covered A-line	E26	CFL		800	14.69	N/A	10000	2700	0.56	3	8/9/2012
Enerov Mad Ltd	Quality Choice	OC-96726	OC-96726	Bare-soiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.6	2	10/17/2011
Energy Mad Ltd	Quality Choice	OC-96727	143426	Covered A-line	E26/E24 (Medium)	CFL		894	14.0	N/A	10000	2700	0.56	3	9/29/2011
Enerov Mad Ltd	Quality Choice	OC-96728	OC-96728	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	10/5/2011
Espen Technology Inc.	Espen	VE11AGU27	N/A	Covered	GU24	CFL		620	10.6	N/A	10000	2700	0.59	2	10/29/2008
Espen Technology Inc.	Espen	VE13SGUX27	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	2700	0.53	2	10/29/2008
Espen Technology Inc.	Espen	VE13SGUX41	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	4100	0.53	2	10/29/2008
Espen Technology Inc.	Espen	VE18SGUX27	N/A	Bare-spiral	GU24	CFL		1355	20.2	N/A	10000	2700	0.55	2	10/29/2008
Espen Technology Inc.	Espen	VE26SGUX27	N/A	Bare-spiral	GU24	CFL		1760	24.9	N/A	10000	2700	0.52	2	10/29/2008
Everbright Lights Inc.	Everbright	E160550WW	20001 60020 S0	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	5/21/2012
Everbright Lights Inc.	Everbright	E301110WW	E301110WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	5/25/2012
Everbright Lights Inc.	Everbright	E381510WW	E381510WW	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	5/25/2012
Everlight Electronics Co. Ltd.	Everlight	SL-PAR30C-L/HP10/25/E30/TD/26/L	SL-PAR30C-L/HP10/25/E30/TD/26/LAC	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	581	10.61	N/A	25000	3000	0.796	5	7/10/2012
Everlight Electronics Co. Ltd.	Everlight	SL-PAR30C-L/HP10/50/E30/TD/26/L	SL-PAR30C-L/HP10/50/E30/TD/26/LAC	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	545	10.44	N/A	25000	3000	0.79	5	7/10/2012
Everlight Electronics Co. Ltd.	Everlight	SL-PAR30C-S/HP10/25/E30/TD/26/L	SL-PAR30C-S/HP10/25/E30/TD/26/LAC	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	584	10.6	N/A	25000	3000	0.794	5	7/10/2012
Everlight Electronics Co. Ltd.	Everlight	SL-PAR30C-S/HP10/50/E30/TD/26/L	SL-PAR30C-S/HP10/50/E30/TD/26/LAC	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	543	10.42	N/A	25000	3000	0.793	5	7/10/2012
Everlight Electronics Co. Ltd.	Everlight	SL-PAR38C/HP16/25/E30/TD/26/LA	SL-PAR38C/HP16/25/E30/TD/26/LAC	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	891	16.16	N/A	25000	3000	0.732	5	7/10/2012
Everlight Electronics Co. Ltd.	Everlight	SL-PAR38C/HP16/50/E30/TD/26/LA	SL-PAR38C/HP16/50/E30/TD/26/LAC	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	805	15.78	N/A	25000	3000	0.738	5	7/10/2012
Everlight Electronics Co. Ltd.	ZENARO	RSL60T-12W-2700K-TD-OM	RSL60T-12W-2700K-TD-OM	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	7/23/2012
Everlight Electronics Co. Ltd.	ZENARO	RSL60T-8W-2700K-TD-OM	RSL60T-8W-2700K-TD-OM	Non-standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	2700	0.784	3	7/23/2012
Everlight Electronics Co. Ltd.	ZENARO	SL-PAR30C-L/HP10/25/E30/TD/26/L	RSLPAR30C-L-10W-3000K-TD-25	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	581	10.61	N/A	25000	3000	0.796	5	7/10/2012
Everlight Electronics Co. Ltd.	ZENARO	SL-PAR30C-L/HP10/50/E30/TD/26/L	RSLPAR30C-L-10W-3000K-TD-50	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	545	10.44	N/A	25000	3000	0.79	5	7/10/2012
Everlight Electronics Co. Ltd.	ZENARO	SL-PAR30C-S/HP10/25/E30/TD/26/L	RSLPAR30C-S-10W-3000K-TD-25	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	584	10.6	N/A	25000	3000	0.794	5	7/10/2012
Everlight Electronics Co. Ltd.	ZENARO	SL-PAR30C-S/HP10/50/E30/TD/26/L	RSLPAR30C-L-10W-3000K-TD-50	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	543	10.42	N/A	25000	3000	0.793	5	7/10/2012
Everlight Electronics Co. Ltd.	ZENARO	SL-PAR38C/HP16/25/E30/TD/26/LA	RSLPAR38C-16W-3000K-TD-25	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	891	16.16	N/A	25000	3000	0.732	5	7/10/2012
Everlight Electronics Co. Ltd.	ZENARO	SL-PAR38C/HP16/50/E30/TD/26/LA	RSLPAR38C-16W-3000K-TD-50	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	805	15.78	N/A	25000	3000	0.738	5	7/10/2012
Exceedlite Ltd.	Exceedlite	EL 13W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	6/16/2011
Exceedlite Ltd.	Exceedlite	EL 18W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	6/16/2011
Exceedlite Ltd.	Exceedlite	EL 23W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	6/16/2011
Exceedlite Ltd.	Exceedlite	EL 27W/MSL/GU24	N/A	Bare-spiral	GU24	CFL		1904	25.09	N/A	10000	2700	0.582	2	6/16/2011
Feit Electric	APS	ESL18TM/APS		Bare-soiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	9/1/2011
Feit Electric	Conserv-Energy	BPCE11G/3		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	8000	2700		2	3/13/2006
Feit Electric	Conserv-Enerov	BPCE11G/4	BPCE11G/4	Covered globe	E26/24 (Medium)	CFL		550	11	N/A	8000	2700		2	1/2/2007
Feit Electric	Conserv-Energy	BPCE13T/8		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/18/2002
Feit Electric	Conserv-Enerov	BPCE15A/4		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	3/13/2006
Feit Electric	Conserv-Energy	BPCE18PAR38/DIM/LED	18PAR38/DIM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	25000	3000	0.853	3	2/8/2011
Feit Electric	Conserv-Energy	BPCE18TM/D/6	BPCE18TM/D/6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	6500		2	1/2/2007
Feit Electric	Conserv-Energy	BPCE23TM/4		Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	12/12/2002
Feit Electric	Conserv-Energy	CE11G/4		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	8000	2700		2	12/17/2007
Feit Electric	Conserv-Energy	CE13T	BPCE13T/5	Bare-spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2700	0.57	2	3/9/2009
Feit Electric	Conserv-Energy	CE13T/10	877205	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/24/2007
Feit Electric	Conserv-Energy	CE13T/10(N)	877205	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.579	2	9/30/2009
Feit Electric	Conserv-Energy	CE13T/4	440075	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	8/25/2009
Feit Electric	Conserv-Energy	CE13T/4(N)	440075	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.579	2	9/30/2009
Feit Electric	Conserv-Energy	CE15BR30		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	3/9/2009
Feit Electric	Conserv-Enerov	CE15BR30/4	440076	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.54	2	8/25/2009
Feit Electric	Conserv-Energy	CE15BR30/4 (G)		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	4/29/2011
Feit Electric	Conserv-Enerov	CE15BR30/6		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	3/11/2008

Feit Electric	Conserv-Energy	CE15R30DM/3		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.667	2	3/25/2009
Feit Electric	Conserv-Energy	CE18T/D/6		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500		2	3/9/2011
Feit Electric	Conserv-Energy	CE18TM/D/6	238653	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	6500		2	12/17/2007
Feit Electric	Conserv-Energy	CE22TM/4		Bare-spiral	E26/24 (Medium)	CFL		1485	22	N/A	10000	2700		2	12/10/2010
Feit Electric	Conserv-Energy	CE23R40/4	877541	Covered reflector	E26/24 (Medium)	CFL		1300	23.0	N/A	10000	2700		2	3/9/2009
Feit Electric	Conserv-Energy	CE23T2/4		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/17/2011
Feit Electric	Conserv-Energy	CE23TM/4	440078	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.58	2	8/25/2009
Feit Electric	Conserv-Enerov	CE23TM/4/N	440078	Bare-ssiral	E26/24 (Medium)	CFL		1644	23	N/A	10000	2700	0.566	2	10/6/2009
Feit Electric	Conserv-Energy	CE23TM/6	877665	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	7/31/2007
Feit Electric	Conserv-Enerov	CE23TM/6/N	877665	Bare-ssiral	E26/24 (Medium)	CFL		1644	23	N/A	10000	2700	0.566	2	10/6/2009
Feit Electric	Conserv-Energy	ESL13T/N	BPESL13T/N	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.579	2	9/30/2009
Feit Electric	ECObulb	BPESL12GTMM		Covered globe	E26/24 (Medium)	CFL		640	12	N/A	8000	2700		2	6/1/2007
Feit Electric	ECObulb	BPESL13TC/2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.58	2	10/7/2009
Feit Electric	ECObulb	BPESL14T2/2 /G)		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	1/26/2009
Feit Electric	ECObulb	BPESL15ATMM	BPESL15A/4	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	2/16/2005
Feit Electric	ECObulb	BPESL15T/DIM		Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.973	7	5/27/2010
Feit Electric	ECObulb	BPESL15T/DIM/CAN		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700		2	1/6/2011
Feit Electric	ECObulb	BPESL15T/DM /U)		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.9	2	2/17/2010
Feit Electric	ECObulb	BPESL23T2/2(N)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/31/2008
Feit Electric	ECObulb	BPESL23T/DIM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700	0.979	2	5/27/2010
Feit Electric	ECObulb	BPESL23T/DIM/CAN		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	1/6/2011
Feit Electric	ECObulb	BPESL9/A		Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.574	2	9/14/2009
Feit Electric	ECObulb	ESL13T/2(N)	ESL13T/4(N)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	7/1/2008
Feit Electric	ECObulb	ESL13T/4/BGL /N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.579	2	12/8/2009
Feit Electric	ECObulb	ESL15T	BPESL15T(A)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		975	15	N/A	8000	2700	0.578	2	6/29/2009
Feit Electric	ECObulb	ESL18TM/2(N)	ESL18TM/4(N)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	7/1/2008
Feit Electric	ECObulb	ESL23TM/2(N)	ESL23TM/4(N)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	7/1/2008
Feit Electric	ECObulb	ESL9A/ECO		Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.574	2	9/14/2009
Feit Electric	ECObulb	ESL9ATM	BPESL9ATM	Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		2	12/16/2004
Feit Electric	ecobulbPLUS	BPESL11GT/2		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	7/26/2010
Feit Electric	ecobulbPLUS	BPESL13T/D/3	ESL13T/D/3	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	6/14/2010
Feit Electric	ecobulbPLUS	BPESL14T2/2/RP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	4/15/2010
Feit Electric	ecobulbPLUS	BPESL14T2/2(Y)		Bare-ssiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700	0.555	2	10/8/2009
Feit Electric	ecobulbPLUS	BPESL15A (H)		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	6/10/2011
Feit Electric	ecobulbPLUS	BPESL15BR30/2		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700	0.587	2	5/27/2010
Feit Electric	ecobulbPLUS	BPESL16AT/2		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	7/26/2010
Feit Electric	ecobulbPLUS	BPESL16AT/2/RP		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.604	2	6/4/2010
Feit Electric	ecobulbPLUS	BPESL18T/2/2/RP		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700	0.52	2	4/15/2010
Feit Electric	ecobulbPLUS	BPESL18T/2/2(Y)		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700	0.52	2	10/8/2009
Feit Electric	ecobulbPLUS	BPESL23T/2/RP		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	4/15/2010
Feit Electric	ecobulbPLUS	BPESL23T/2/2(Y)	ESL23T2/4(Y)	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.545	2	10/8/2009
Feit Electric	ecobulbPLUS	ESL11GTMM/2/ECO		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	6/22/2010
Feit Electric	ecobulbPLUS	ESL13T2/6/Y)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	3/22/2010
Feit Electric	ecobulbPLUS	ESL13T/2/CAN		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/22/2010
Feit Electric	ecobulbPLUS	ESL13T/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.58	2	8/27/2009
Feit Electric	ecobulbPLUS	ESL13T/6(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.579	2	9/30/2009
Feit Electric	ecobulbPLUS	ESL13T/BW	BPESL13T/BW/6; ESL13T/BW/4	Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	8000	3500	0.578	2	10/8/2009
Feit Electric	ecobulbPLUS	ESL13T/BW	BPESL13T/BW/6; ESL13T/BW/4; ESL13T/BW/6; BPESL13T/BW	Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.578	2	10/8/2009
Feit Electric	ecobulbPLUS	ESL13T/D/2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	6/14/2010
Feit Electric	ecobulbPLUS	ESL13T/ECO/41K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.58	2	8/27/2009
Feit Electric	ecobulbPLUS	ESL13T/ECO (E)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.591	2	3/31/2010
Feit Electric	ecobulbPLUS	ESL13T/ECO (G)	ESL13T/5/ECO (G); ESL13T/3/ECO (G); ESL13T/4 (G)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/6/2008
Feit Electric	ecobulbPLUS	ESL13T/ECO/N)	ESL13T/5/ECO/N); ESL13T/3/ECO/N)	Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/30/2010
Feit Electric	ecobulbPLUS	ESL15A/ECO (H)	ESL15A/3/ECO (H)	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	6/10/2011
Feit Electric	ecobulbPLUS	ESL15BR30/BW	BPESL15BR30/BW/2	Covered reflector	E26/24 (Medium)	CFL		640	13	N/A	8000	3500	0.53	2	10/1/2009
Feit Electric	ecobulbPLUS	ESL15BR30/BW		Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	3500	0.531	2	1/19/2011
Feit Electric	ecobulbPLUS	ESL15BR30/ECO/6		Covered reflector	E26/24 (Medium)	CFL		695	15	N/A	8000	2700		2	3/24/2011
Feit Electric	ecobulbPLUS	ESL15BR30/ECO (G)		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.5	2	8/25/2009
Feit Electric	ecobulbPLUS	ESL18R40/T/6SK		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	6500	0.565	2	10/7/2009
Feit Electric	ecobulbPLUS	ESL18TM/ECO/41K		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	4100		2	8/20/2010
Feit Electric	ecobulbPLUS	ESL23TM/2/CAN		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/22/2010
Feit Electric	ecobulbPLUS	ESL23TM/BW	BPESL23TM/BW/6; ESL23TM/BW/4; BPESL23TM/BW	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.585	2	12/22/2009
Feit Electric	ecobulbPLUS	ESL23TM/D/2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	6/22/2010
Feit Electric	ecobulbPLUS	ESL23TM/ECO/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	8/20/2010
Feit Electric	ecobulbPLUS	ESL23TM/ECO (G)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/6/2008
Feit Electric	ecobulbPLUS	ESL23TM/ECO/N)	BPESL23TM/ECO(N); BPESL23TM/3/ECO/N)	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/22/2010
Feit Electric	ecobulbPLUS	ESL40T/ECO (G)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	10/6/2008
Feit Electric	ecobulbPLUS	ESL50/150T/D/E)		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	2150	N/A	12/21/32	10000	6500		2	3/16/2011
Feit Electric	ecobulbPLUS	ESL9TM/3/ECO/N)		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.544	2	10/1/2009
Feit Electric	ecobulbPLUS	ESL9TMM/2/CAN		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	1/6/2011
Feit Electric	Feit Electric	7PAR20/DM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.845	3	2/8/2011
Feit Electric	Feit Electric	BP7PAR20/DM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.845	5	8/29/2011
Feit Electric	Feit Electric	BPESL11GT/6		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	11/15/2012
Feit Electric	Feit Electric	BPESL11GTMM	ESL11GTMM/3/ECO, ESL11GTMM/ECO	Covered globe	E26/24 (Medium)	CFL		560	11	N/A	8000	2700	0.6	2	2/16/2005
Feit Electric	Feit Electric	BPESL11GTMM/2		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700		2	4/28/2010
Feit Electric	Feit Electric	BPESL13T/3/ECO	ESL13T/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL13T/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL13TC/BW/2		Bare-ssiral	E12 (Candelabra)	CFL		900	13	N/A	8000	3500	0.578	2	10/15/2009
Feit Electric	Feit Electric	BPESL13TC/BW/2		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.578	2	10/15/2009
Feit Electric	Feit Electric	BPESL13TC/CW/2		Bare-ssiral	E12 (Candelabra)	CFL		800	13	N/A	8000	4100	0.611	2	10/15/2009
Feit Electric	Feit Electric	BPESL13TC/CW/2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.611	2	10/15/2009
Feit Electric	Feit Electric	BPESL13TC/D/2		Bare-ssiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500	0.58	2	10/15/2009
Feit Electric	Feit Electric	BPESL13TC/D/2		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.58	2	10/15/2009
Feit Electric	Feit Electric	BPESL13T/E\	BPESL13T/2/E); BPESL13T/3/E); ESL13T/4/E), ESL13T(E)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3000		2	5/1/2006
Feit Electric	Feit Electric	BPESL13T/TAR		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/19/2011
Feit Electric	Feit Electric	BPESL14T2	ESL14t2/CAN, BPESL14T2/2, ESL14T2, ESL14T2/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.57	2	11/30/2007
Feit Electric	Feit Electric	BPESL14T2/D/2/RP	BPESL14T2/D/2 (Y)	Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	12000	6500		2	4/2/2012
Feit Electric	Feit Electric	BPESL15R30TMM		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	2/23/2006
Feit Electric	Feit Electric	BPESL18PAR38T	ESL18PAR38T	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	7/15/2009
Feit Electric	Feit Electric	BPESL18TM	ESL18TM, ESL18TM/4	Bare-spiral	E26/24 (Medium)	CFL		1100	18.0	N/A	10000	2700		2	4/18/2002
Feit Electric	Feit Electric	BPESL18TM-20		Bare-spiral	E26/24 (Medium)	CFL		1200	20.0	N/A	8000	2700		1	6/16/2003
Feit Electric	Feit Electric	BPESL 18TM/35K	ESL18TM/BW, ESL18TM/BW/4	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500		2	5/21/2010
Feit Electric	Feit Electric	BPESL18TM/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL18TM/BW		Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	10000	#ERROR	0.552	2	11/16/2012
Feit Electric	Feit Electric	BPESL18TM/ECO	BPESL18TM/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL234		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.57	2	7/28/2009

Feit Electric	Feit Electric	BPESL234		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700	0.63	2	7/28/2009
Feit Electric	Feit Electric	BPESL23PAR38T(G)		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/12/2011
Feit Electric	Feit Electric	BPESL23R40T /G\		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/12/2011
Feit Electric	Feit Electric	BPESL23T2/RP		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/9/2010
Feit Electric	Feit Electric	BPESL23T/DM/U	ESL23T/DM/2/U); ESL23T/DM/4/U); ESL23T/DM/6/U)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.979	2	8/3/2009
Feit Electric	Feit Electric	BPESL23TM	BPESL23TM/2, ESL23TM, ESL23TM/4, ESL23TM/4/RP, BPESL23TM/3	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	4/18/2002
Feit Electric	Feit Electric	BPESL23TM/3/ECO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL23TM/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL23TM/E\	BPESL23TM/3(E); ESL23TM/4(E), L23TM/4(E)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/1/2006
Feit Electric	Feit Electric	BPESL30T/CAN		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	9/13/2012
Feit Electric	Feit Electric	BPESL50/150T (E1)	BPESL50/150T/2 (E1), ESL50/150T/ECO (E1)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/21/32	10000	2700		2	2/13/2009
Feit Electric	Feit Electric	BPESL7F		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	7/7/2009
Feit Electric	Feit Electric	BPESL9TM/3/ECO	ESL9TM/ECO, ESL9TM/3/ECO, CBESL9TM/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL9TM/3/ES		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	9/12/2006
Feit Electric	Feit Electric	BPESL9TM/MCAN(N)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	2700		2	10/2/2009
Feit Electric	Feit Electric	CE13T/G\	CE13T/PGE(G)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/22/2008
Feit Electric	Feit Electric	CE18PAR38/DIM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	25000	3000	0.853	3	8/24/2011
Feit Electric	Feit Electric	CE18TM		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	10/13/2006
Feit Electric	Feit Electric	CE23R40/4 /G\		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		6	7/19/2011
Feit Electric	Feit Electric	CE23TM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/13/2006
Feit Electric	Feit Electric	D15R303		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3000		2	3/23/2006
Feit Electric	Feit Electric	D18TM3		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	3/7/2007
Feit Electric	Feit Electric	D23R403		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	3/9/2009
Feit Electric	Feit Electric	D9A3		Covered A-line	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		2	9/23/2005
Feit Electric	Feit Electric	ES13		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.557	2	3/23/2010
Feit Electric	Feit Electric	ESL11R20/DM	BPESL11R20/DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	380	11	N/A	8000	2700	0.55	2	6/29/2009
Feit Electric	Feit Electric	ESL11R20TM/3SK	ESL11R20TM/BW	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500	0.57	2	4/3/2009
Feit Electric	Feit Electric	ESL11R20TM/6SK		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	6500	0.57	2	4/3/2009
Feit Electric	Feit Electric	ESL11R20TMD		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	6500	0.57	2	4/3/2009
Feit Electric	Feit Electric	ESL12GT		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700	0.569	2	4/28/2010
Feit Electric	Feit Electric	ESL12GTM		Covered globe	E26/24 (Medium)	CFL		600	12	N/A	10000	2700	0.588	2	1/21/2011
Feit Electric	Feit Electric	ESL12GTM/35K		Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500	0.6	2	10/5/2009
Feit Electric	Feit Electric	ESL12GTMM/ECO		Covered globe	E26/24 (Medium)	CFL		640	12	N/A	8000	2700		2	11/13/2007
Feit Electric	Feit Electric	ESL13T	BPESL13T, BPESL13T/2, ESL13T/2, ESL13T/4, BPESL13T/4	Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700	0.58	2	3/9/2009
Feit Electric	Feit Electric	ESL13T2C	BPESL13T2C/2	Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13	N/A	8000	2700	0.58	2	6/29/2009
Feit Electric	Feit Electric	ESL13T2C	BPESL13T2C/2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700	0.58	2	6/29/2009
Feit Electric	Feit Electric	ESL13T/35K		Bare-ssiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500	0.574	2	9/30/2009
Feit Electric	Feit Electric	ESL13T4 (H)	ESL13T6 (H)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.574	2	10/18/2011
Feit Electric	Feit Electric	ESL13T6/6K		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.609	2	6/11/2010
Feit Electric	Feit Electric	ESL13T6/ECO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/13/2007
Feit Electric	Feit Electric	ESL13T/APS/N		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/16/2011
Feit Electric	Feit Electric	ESL13T/BW/6(E)		Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	3500		2	4/26/2010
Feit Electric	Feit Electric	ESL13T/BW/E\		Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	3500		2	4/26/2010
Feit Electric	Feit Electric	ESL13T/BW(N)	BPESL13T/BW/6(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.574	2	10/5/2009
Feit Electric	Feit Electric	ESL13T/CW	BPESL13T/CW, ESL13T/CW/6, ESL13T/CW/MP/12	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	4100	0.611	2	3/9/2009
Feit Electric	Feit Electric	ESL13T/CW	BPESL13T/CW, ESL13T/CW/6, ESL13T/CW/MP/12	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.611	2	3/9/2009
Feit Electric	Feit Electric	ESL13T/CW(N)	ESL13T/CW/6(N)	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	8000	4100	0.551	2	10/6/2009
Feit Electric	Feit Electric	ESL13T/D	BPESL13T/D, ESL13T/D/4, ESL13T/D/3, BPESL13T/D/3, BPESL13T/D/4	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500		2	10/30/2003
Feit Electric	Feit Electric	ESL13T/D	BPESL13T/D, ESL13T/D/4, ESL13T/D/3, BPESL13T/D/3, BPESL13T/D/4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	10/30/2003
Feit Electric	Feit Electric	ESL13T/D(N)	BPESL13T/D(N), BPESL13T/D/3(N), BPESL13T/D/4(N), ESL13T/D/3(N), ESL13T/D/4(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.573	2	10/1/2009
Feit Electric	Feit Electric	ESL13T/ECO	BPESL13T/ECO, BPESL13T/2/ECO, BPESL13T/3/ECO, BPESL13T/4/ECO, ESL13T/3/ECO, ESL13T/6/ECO, CBPESL13T/ECO	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.57	2	3/9/2009
Feit Electric	Feit Electric	ESL13T/ECO(H)	ESL13T/3/ECO (H), BPESL13T/ECO(H)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.574	2	10/18/2011
Feit Electric	Feit Electric	ESL13T/ES	BPESL13T/ES, BPESL13T/3/ES	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/12/2009
Feit Electric	Feit Electric	ESL13TM		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/10/2010
Feit Electric	Feit Electric	ESL14TM		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.582	2	3/6/2009
Feit Electric	Feit Electric	ESL15A	BPESL15A	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	4/28/2010
Feit Electric	Feit Electric	ESL15A/4		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.604	2	5/26/2010
Feit Electric	Feit Electric	ESL15A4/ECO/CAN		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	1/11/2008
Feit Electric	Feit Electric	ESL15BR30	BPESL15BR30, BPESL15BR30/3/RP	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	4/14/2008
Feit Electric	Feit Electric	ESL15BR30/35K		Covered reflector	E26/24 (Medium)	CFL		640	15	N/A	8000	3500	0.53	2	9/30/2009
Feit Electric	Feit Electric	ESL15BR30/3/ECO		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	#ERROR	0.552	2	10/24/2012
Feit Electric	Feit Electric	ESL15BR30/65K		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500	0.545	2	10/2/2009
Feit Electric	Feit Electric	ESL15BR30/BW/3		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	#ERROR	0.531	2	10/24/2012
Feit Electric	Feit Electric	ESL15BR30/ECO	ESL15BR30/D/3 ESL15BR30/HECO; ESL15R30/HECO); ESL15R30/ECO/CAN; ESL15BR30/HECO;	Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	10000	#ERROR	0.545	2	10/24/2012
Feit Electric	Feit Electric	ESL15GT	BPESL15GT, ESL15GT/ECO	Covered globe	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.54	2	3/9/2009
Feit Electric	Feit Electric	ESL15R30DM(A)	BPESL15R30/DM, ESL15BR30/DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.68	2	7/24/2009
Feit Electric	Feit Electric	ESL15R30H/DM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700	0.667	2	3/25/2009
Feit Electric	Feit Electric	ESL16AT(E)	BPESL16AT(E), ESL16A/T(E), BPESL16AT/2(E)	Covered A-line	E26/24 (Medium)	CFL		800	15.0	N/A	8000	2700		2	3/11/2009
Feit Electric	Feit Electric	ESL18BR40/ECO		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	10000	#ERROR	0.557	2	10/19/2012
Feit Electric	Feit Electric	ESL18PAR38H	BPESL18PAR38H	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700	0.67	2	7/15/2009
Feit Electric	Feit Electric	ESL18R40H		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	10000	2700	0.6	2	6/29/2009
Feit Electric	Feit Electric	ESL18R40H/35K		Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500	0.6	2	4/3/2009
Feit Electric	Feit Electric	ESL18R40T	BPESL18R40T	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	6/29/2009
Feit Electric	Feit Electric	ESL18T	BPESL18TM/ECO, ESL18TM/3/ECO. ESL18TM/4/ECO	Bare-ssiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.55	2	6/29/2009
Feit Electric	Feit Electric	ESL18T/65K		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500	0.572	2	10/18/2010
Feit Electric	Feit Electric	ESL18TM	ESL18TM/4, ESL18TM/2, BPESL18TM/2/RP, ESL18TM/4/RP	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.58	2	6/29/2009
Feit Electric	Feit Electric	ESL18TMA		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700	0.55	2	7/28/2009
Feit Electric	Feit Electric	ESL18TM/BW	ESL18TM/BW/3	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	10000	#ERROR	0.552	2	10/24/2012
Feit Electric	Feit Electric	ESL18TM/CW	BPESL18TM/CW, ESL18TM/CW/4	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	4100		2	10/30/2003
Feit Electric	Feit Electric	ESL18TM/D	BPESL18TM/D, ESL18TM/D/3, ESL18TM/D/4,	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	6500		2	3/11/2009
Feit Electric	Feit Electric	ESL18TM/D/N)	ESL18TM/D/4(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	6500		2	10/2/2009
Feit Electric	Feit Electric	ESL18TM/ECO	BPESL18TM/2/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	10/29/2007
Feit Electric	Feit Electric	ESL18TM/ECO(N)	ESL18TM/3/ECO(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.582	2	10/6/2009
Feit Electric	Feit Electric	ESL18TMM		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700	0.6	2	7/28/2009

Feit Electric	Feit Electric	ESL22TM		Bare-spiral	E26/24 (Medium)	CFL		1485	22	N/A	10000	2700	0.56	2	11/22/2010
Feit Electric	Feit Electric	ESL22TM/4/SCE	ESL22TM/3/SCE	Bare-spiral	E26/24 (Medium)	CFL		1485	22	N/A	10000	2700		2	5/12/2011
Feit Electric	Feit Electric	ESL23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.556	2	10/8/2010
Feit Electric	Feit Electric	ESL23PAR38H	BPCE23PAR/3, BPESL23PAR38T, BPESL23PAR38H, BPEL23PAR38T/2 , ESL23PAR38T	Covered reflector	E26/24 (Medium)	CFL		1300	23.0	N/A	8000	2700	0.59	2	3/9/2009
Feit Electric	Feit Electric	ESL23PAR38H/ECO	ESL23PAR38H2/ECO	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	3/9/2009
Feit Electric	Feit Electric	ESL23R40	BPESL23R40T, ESL23R40H	Covered reflector	E26/24 (Medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	3/9/2009
Feit Electric	Feit Electric	ESL23R40H/ECO	ESL23R40H2/ECO	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	3/9/2009
Feit Electric	Feit Electric	ESL23R40H/ECO(G)	ESL23R40H 2 ECO(G)	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/12/2011
Feit Electric	Feit Electric	ESL23TA		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	11/22/2011
Feit Electric	Feit Electric	ESL23TM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.577	2	8/3/2009
Feit Electric	Feit Electric	ESL23TM/12		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.55	2	11/22/2011
Feit Electric	Feit Electric	ESL23TM/35K		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.595	2	9/30/2009
Feit Electric	Feit Electric	ESL23TM 6500K		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500	0.567	2	6/22/2010
Feit Electric	Feit Electric	ESL23TM/APS(N)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/16/2011
Feit Electric	Feit Electric	ESL23TM/BW/3		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR	0.585	2	10/19/2012
Feit Electric	Feit Electric	ESL23TM/D	BPESL23TM/D, BPESL23TM/D3/RP, ESL23TM/D/4, BPESL23TM/D/3	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	10/2/2007
Feit Electric	Feit Electric	ESL23TM/ECO	BPESL23TM/ECO, ESL23TM/3/ECO	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/29/2007
Feit Electric	Feit Electric	ESL23TM/G		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/22/2008
Feit Electric	Feit Electric	ESL23TMM/CW	BPESL23TMM/CW, ESL23TM/CW/4	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100		2	8/15/2005
Feit Electric	Feit Electric	ESL23TMM/CW(N)	ESL23TM/CW/4(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100	0.57	2	10/1/2009
Feit Electric	Feit Electric	ESL23TM(N)	BPESL23TM(N), ESL23TM/2(N), ESL23TM/4(N), ESL23TM/12(N); ESL23TM/12/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		1644	23	N/A	10000	2700	0.566	2	10/6/2009
Feit Electric	Feit Electric	ESL25T	BPESL25T	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700	0.621	2	6/29/2009
Feit Electric	Feit Electric	ESL25TM	BPESL25TM, BPESL25TA, ESL25TA	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	8000	2700		2	7/22/2009
Feit Electric	Feit Electric	ESL25TM/ECO	BPESL25TM/ECO	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700		2	6/22/2009
Feit Electric	Feit Electric	ESL30/100T	BPESL30/100T, ESL30/100T/ECO	Bare-soiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700	0.57	2	6/29/2009
Feit Electric	Feit Electric	ESL30T		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.549	2	3/6/2009
Feit Electric	Feit Electric	ESL30T/ECO		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	7/20/2009
Feit Electric	Feit Electric	ESL30TM	BPESL30T/3, BPESL30T, ESL30T/ECO	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	7/21/2009
Feit Electric	Feit Electric	ESL315	BPESL315	Bare-Triple Tube	E26/24 (Medium)	CFL		1000	15	N/A	8000	2700	0.53	2	3/25/2009
Feit Electric	Feit Electric	ESL320	BPESL320	Bare-Triple Tube	E26/24 (Medium)	CFL		1430	22.0	N/A	8000	2700		2	6/29/2009
Feit Electric	Feit Electric	ESL325	BPESL325	Bare-Triple Tube	E26/24 (Medium)	CFL		1600	24	N/A	8000	2700	0.59	2	6/29/2009
Feit Electric	Feit Electric	ESL3C	BPESL3C	Covered-Candle	E12 (Candelabra)	CFL		120	3	N/A	8000	2700	0.54	2	9/15/2009
Feit Electric	Feit Electric	ESL3C	BPESL3C	Covered-Candle	E26/24 (Medium)	CFL		120	3	N/A	8000	2700	0.54	2	9/15/2009
Feit Electric	Feit Electric	ESL40T	BPESL40T	Bare-soiral	E26/24 (Medium)	CFL		2650	40	N/A	8000	2700	0.58	2	12/17/2007
Feit Electric	Feit Electric	ESL7C	ESL7C, BPESL7C, BPESL7C/2, BPESL7C/5	Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	4/7/2009
Feit Electric	Feit Electric	ESL7C	ESL7C, BPESL7C, BPESL7C/2, BPESL7C/5	Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	2700	0.55	2	4/7/2009
Feit Electric	Feit Electric	ESL7C/35K		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	3500	0.52	2	10/1/2009
Feit Electric	Feit Electric	ESL7C/35K		Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	3500	0.52	2	10/1/2009
Feit Electric	Feit Electric	ESL9T		Bare-soiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700	0.588	2	1/6/2011
Feit Electric	Feit Electric	ESL9TM	BPESL9TM	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700	0.545	2	4/28/2010
Feit Electric	Feit Electric	ESL9TM/4(H)		Bare-soiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.546	2	10/18/2011
Feit Electric	Feit Electric	ESL9TM/ECO (H)	ESL9TM/3/ECO (H)	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.546	2	10/18/2011
Feit Electric	Feit Electric	ESL9TMM		Bare-Mini-Soiral	E26/24 (Medium)	CFL		650	9	N/A	8000	2700		2	5/10/2005
Feit Electric	Feit Electric	L23TM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.59	2	4/15/2010
Feit Electric	Feit Electric	PAR20/HP/DIM/LED		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.845	3	2/8/2011
Feit Electric	Feit Electric	PAR38/HP/DIM/LED	18PAR38/DIM/LED, BPCE18PAR38/DIM/LED, CE18P/PAR38/DIM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	885	18	N/A	50000	3000	0.853	3	2/8/2011
Feit Electric	FEIT ELECTRIC	11R20T	BPESL11R20	Covered reflector	E26/E24 (Medium)	CFL		430	11.0	N/A	8000	2700	0.553	2	3/1/2011
Feit Electric	FEIT ELECTRIC	11R20T	ESL11R20/ECO	Covered reflector	E26/E24 (Medium)	CFL		430	11.0	N/A	8000	2700	0.553	2	3/1/2011
Feit Electric	FEIT ELECTRIC	11R20T		Covered Reflector	E26	CFL		430	11	N/A	8000	2700	0.55	2	3/1/2011
Feit Electric	FEIT ELECTRIC	13PAR30L/DIM/LED	13PAR30L/DIM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	50000	3000	0.938	3	12/7/2011
Feit Electric	FEIT ELECTRIC	17BR40/DM/LED	17BR40/DM/LED	BR - Bulged Reflector	E26/24 (Medium)	LED		1065	16.55	N/A	25000	2700	0.734	3	8/24/2012
Feit Electric	FEIT ELECTRIC	A15/CL/LED/150	BPA15/CL/LED/RP	G - Globe	E26/24 (Medium)	LED		170	2.0	N/A	25000	3000	0.218	3	4/19/2012
Feit Electric	FEIT ELECTRIC	A15/LED/150	BPA15/LED/RP	G - Globe	E26/24 (Medium)	LED		160	2.0	N/A	25000	3000	0.218	3	4/19/2012
Feit Electric	FEIT ELECTRIC	A19800/OMNI/LED	BPCEA19/OM800/LED	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	5	5/4/2012
Feit Electric	FEIT ELECTRIC	A19/DM/LED	A19/DM/LED	Non-Standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	3000	0.703	3	7/19/2012
Feit Electric	FEIT ELECTRIC	A19DN/LED/RP/CAN	A19DN/LED/RP/CAN	Non-Standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	3000	0.703	3	7/19/2012
Feit Electric	FEIT ELECTRIC	A19/OM450/LED	A19/OM450/LED	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	3000	0.706	3	9/28/2012
Feit Electric	FEIT ELECTRIC	A19/OM450/LED	A19/OM450/LED	OMNIDIRECTIONAL--, A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		450	7.5	N/A	25000	3000	0.706	3	5/25/2012
Feit Electric	FEIT ELECTRIC	A19/OM800/LED	A19/OM800/LED	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	5	5/4/2012
Feit Electric	FEIT ELECTRIC	A19/OM800/LED/CAN	A19/OM800/LED/CAN	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	5	5/4/2012
Feit Electric	FEIT ELECTRIC	BPA19/OM800/LED	BPA19/OM800/LED	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	5	5/4/2012
Feit Electric	FEIT ELECTRIC	BPCE13PAR30/DIM/LED	BPCE13PAR30L/DM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	50000	3000	0.938	3	12/7/2011
Feit Electric	FEIT ELECTRIC	BPCEA19/OM800/LED	BPCEA19/OM800/LED	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	5	5/4/2012
Feit Electric	FEIT ELECTRIC	BPCEA19/OM800/LED/CAN	BPCEA19/OM800/LED/CAN	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	3	8/10/2012
Feit Electric	FEIT ELECTRIC	BPCEBR30/DM/LED	BPCEBR30/DM/LED	BR - Bulged Reflector	E26/24 (Medium)	LED		750	12.47	N/A	25000	2700	0.756	3	8/24/2012
Feit Electric	FEIT ELECTRIC	BPCEBR40/DM/LED	BPCEBR40/DM/LED	BR - Bulged Reflector	E26/24 (Medium)	LED		1065	16.55	N/A	25000	2700	0.734	3	8/24/2012
Feit Electric	FEIT ELECTRIC	BPCER20/DM/LED	BPCER20/DM/LED	R - Reflector	E26/24 (Medium)	LED		450	7.93	N/A	25000	2700	0.757	3	8/24/2012
Feit Electric	FEIT ELECTRIC	BPESL13T/GU24/4	N/A	Bare-soiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	6/9/2010
Feit Electric	FEIT ELECTRIC	BPESL13T/GU24/CAN	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	11/3/2010
Feit Electric	FEIT ELECTRIC	BPESL18TM/GU24	N/A	Bare-spiral	GU24	CFL		1112	16.5	N/A	10000	2700	0.59	2	1/26/2009
Feit Electric	FEIT ELECTRIC	BPESL23BR40(G)	ESL23BR40/ECO(G), ESL23BR40/2/ECO(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.559	2	1/12/2012
Feit Electric	FEIT ELECTRIC	BPESL23PAR/2/RP(G)	ESL23PAR/2/ECO(G), BPESL23PAR/G, CE23PAR38/4(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	BPESL23PAR/G	ESL23PAR/2/ECO(G), BPESL23PAR/2/RP(G), CE23PAR38/4/GI	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	BPESL23TM/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	1/26/2009
Feit Electric	FEIT ELECTRIC	BPESL23TM/GU24/CAN	N/A	Bare-soiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	11/3/2010
Feit Electric	FEIT ELECTRIC	BR30/DM/LED	BR30/DM/LED	BR - Bulged Reflector	E26/24 (Medium)	LED		750	12.47	N/A	25000	2700	0.756	3	8/24/2012
Feit Electric	FEIT ELECTRIC	BR30/DM/LED/CAN	BR30/DM/LED/CAN	BR - Bulged Reflector	E26/24 (Medium)	LED		750	12.47	N/A	25000	2700	0.756	3	8/24/2012
Feit Electric	FEIT ELECTRIC	CE11GT/4	N/A	Covered globe	E26/E24 (Medium)	CFL		550	11.81	N/A	8000	2700	0.569	2	3/18/2011
Feit Electric	FEIT ELECTRIC	CE11GT/4		Covered Globe	E26	CFL		550	11.81	N/A	8000	2700	0.57	2	3/18/2011
Feit Electric	FEIT ELECTRIC	CE13PAR30/DIM/LED	CE13PAR30/DIM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	50000	3000	0.938	5	12/7/2011
Feit Electric	FEIT ELECTRIC	CE23PAR38/4(G)	ESL23PAR/2/ECO(G), BPESL23PAR/G), BPESL23PAR/2/RP(G),	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	CFC/LED/150	BPCFC/LED/RP	CA - Candle with angular tip	E12 (Candelabra)	LED		160	2.0	N/A	25000	3000	0.218	3	4/19/2012
Feit Electric	FEIT ELECTRIC	EFC/LED/150	BPEFC/LED/RP	C - Candle	E26/24 (Medium)	LED		160	2.0	N/A	25000	3000	0.219	3	4/19/2012

Feit Electric	FEIT ELECTRIC	ES16A	ESL15A/ECO	Covered A-line	E26/E24 (Medium)	CFL		800	14.3	N/A	8000	2700	0.533	2	6/27/2011
Feit Electric	FEIT ELECTRIC	ESL13T/12/CAN(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.579	2	2/13/2012
Feit Electric	FEIT ELECTRIC	ESL13T2	CE13T2/4	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	10000	2700	0.58	2	3/1/2011
Feit Electric	FEIT ELECTRIC	ESL13T2		Bare-Spiral	E26	CFL		900	13	N/A	10000	2700	0.58	2	3/1/2011
Feit Electric	FEIT ELECTRIC	ESL13T/D/12/CAN (N)		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.573	2	2/13/2012
Feit Electric	FEIT ELECTRIC	ESL13T/GU24	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	8/28/2008
Feit Electric	FEIT ELECTRIC	ESL13T/GU24 30K	N/A	Bare-spiral	GU24	CFL		923	12.88	N/A	10000	3000	0.581	2	12/18/2009
Feit Electric	FEIT ELECTRIC	ESL15BR30/6/CAN		Covered reflector	E26/24 (Medium)	CFL		695	15	N/A	8000	2700		2	9/13/2012
Feit Electric	FEIT ELECTRIC	ESL15BR30T	ESL15BR30T	Covered reflector	E26/E24 (Medium)	CFL		750	15.0	N/A	10000	2700	0.53	2	4/14/2011
Feit Electric	FEIT ELECTRIC	ESL15BR30T		Covered Reflector	E26	CFL		750	15	N/A	10000	2700	0.53	2	4/14/2011
Feit Electric	FEIT ELECTRIC	ESL18T/GU24	N/A	Bare-spiral	GU24	CFL		1112	16.5	N/A	10000	2700	0.59	2	8/28/2008
Feit Electric	FEIT ELECTRIC	ESL18TM/GU24	N/A	Bare-spiral	GU24	CFL		1112	16.5	N/A	10000	2700	0.59	2	1/26/2009
Feit Electric	FEIT ELECTRIC	ESL23BR40/2/ECO(G)	ESL23BR40/ECO(G), BPESL23BR40(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.559	2	1/12/2012
Feit Electric	FEIT ELECTRIC	ESL23BR40/ECO(G)	ESL23BR40/ECO(G), BPESL23BR40(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.559	2	1/12/2012
Feit Electric	FEIT ELECTRIC	ESL23BR40/ECO/G\		Covered Reflector	E26	CFL		1300	22.84	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	ESL23PAR/2/ECO/G\	ESL23PAR/2/ECO(G), BPESL23PAR(G), BPESL23PAR/2/RP(G), CE23PAR38/4(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	ESL23PAR/ECO(G)	ESL23PAR/2/ECO(G), BPESL23PAR(G), BPESL23PAR/2/RP(G), CE23PAR38/4(G)	Covered reflector	Medium E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	ESL23PAR/ECO/G\		Covered Reflector	E26	CFL		1300	22.84	N/A	10000	2700	0.56	2	1/12/2012
Feit Electric	FEIT ELECTRIC	ESL23T/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	8/28/2008
Feit Electric	FEIT ELECTRIC	ESL23TM/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	1/26/2009
Feit Electric	FEIT ELECTRIC	ESL23TM/GU24 30K	N/A	Bare-spiral	GU24	CFL		1611	22.78	N/A	10000	3000	0.568	2	12/18/2009
Feit Electric	FEIT ELECTRIC	ESL27TM/GU24 30K	N/A	Bare-spiral	GU24	CFL		1814	25.35	N/A	10000	3000	0.578	2	12/18/2009
Feit Electric	FEIT ELECTRIC	G161/2/CL/LED/150	BPG161/2/CL/LED/RP	G - Globe	E12 (Candelabra)	LED		165	2.0	N/A	25000	3000	0.218	3	4/19/2012
Feit Electric	FEIT ELECTRIC	G25/DIM/LED	10G25/DIM/LED	G - Globe	E26/24 (Medium)	LED		440	10.0	N/A	35000	3000	0.726	3	9/12/2012
Feit Electric	FEIT ELECTRIC	G25/DIM/LED	BP10G25/DIM/LED	G - Globe	E26/24 (Medium)	LED		440	10.0	N/A	35000	3000	0.726	3	9/12/2012
Feit Electric	FEIT ELECTRIC	LBP13T/GU24	N/A	Bare-spiral	GU24	CFL		945	13.2	N/A	10000	2700	0.57	2	4/15/2011
Feit Electric	FEIT ELECTRIC	LBP23TM/GU24	N/A	Bare-spiral	GU24	CFL		1633	22.7	N/A	10000	2700	0.59	2	4/15/2011
Feit Electric	FEIT ELECTRIC	R20/DM/LED	R20/DM/LED	R - Reflector	E26/24 (Medium)	LED		450	7.93	N/A	25000	2700	0.757	3	8/24/2012
Feit Electric	FEIT ELECTRIC	R20/DM/LED/CAN	R20/DM/LED/CAN	R - Reflector	E26/24 (Medium)	LED		450	7.93	N/A	25000	2700	0.757	3	8/24/2012
Feit Electric	Feit Electric Comapny	BPESL23T2/D/2/RP	BPESL23T2/D/2 (Y)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		2	4/3/2012
Feit Electric	Feit Electric Comoanv	BPESL18T2/D/2/RP	BPESL18T2/D/2 (Y)	Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	6500		1	4/9/2012
Feit Electric	Feit Electric Company	ESL13T/BW/3		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	#ERROR	0.578	2	10/19/2012
Feit Electric	Fine Livino	BPESL13T/RY		Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	4/1/2008
Feit Electric	Fine Living	BPESL18TM/RY		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	2700	0.6	2	8/12/2009
Feit Electric	Fine Livino	BPESL23TM/RY		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	4/1/2008
Feit Electric	Fine Living	BPESL9TM/RY		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	4/1/2008
Feit Electric	Hawaii Enerov	ESL13T/15A/HE		Bare-soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.577	2	5/27/2010
Feit Electric	Hawaii Energy	ESL13T/15A/HE		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.604	2	5/27/2010
Feit Electric	HomeBrite	ESL11GTMM2/HBR		Covered globe	E26/24 (Medium)	CFL		555	11	N/A	8000	2700	0.569	2	5/3/2010
Feit Electric	HomeBrite	ESL13T/6/HBR		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/11/2010
Feit Electric	HomeBrite	ESL15BR30/HBR		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.587	2	5/20/2010
Feit Electric	HomeBrite	ESL16AT/HBR		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.6	2	4/28/2010
Feit Electric	HomeBrite	ESL18TM/4/HBR		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.58	2	4/28/2010
Feit Electric	HomeBrite	ESL23T/DM/HBR		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700	0.979	2	4/28/2010
Feit Electric	HomeBrite	ESL23TM/6/HBR		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.548	2	5/20/2010
Feit Electric	HomeBrite	ESL9TM/4/HBR		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	4/28/2010
Feit Electric	ProValue	PV55988		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	2	7/28/2008
Firefly Lighting Co., Ltd.	Firefly	BH4-11D E26		Bare-spiral	E26/24 (Medium)	CFL		580	11	N/A	12000	2700	0.56	9	4/30/2009
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/2700K E12	BX4	Bare-spiral	E12 (Candelabra)	CFL		580	11	N/A	15000	2700		2	3/23/2007
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/2700K E26	BX4	Bare-quadruple tube	E26/24 (Medium)	CFL		580	11	N/A	15000	2700		2	3/23/2007
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		578	11	N/A	15000	5000		2	12/21/2007
Firefly Lighting Co., Ltd.	Firefly	BH4-11X/5000K E12		Bare-quadruple tube	E12 (Candelabra)	CFL		545	11	N/A	15000	5000	0.549	2	9/30/2009
Firefly Lighting Co., Ltd.	Firefly	BU4-14D E26		Bare-spiral	E26/24 (Medium)	CFL		860	14	N/A	15000	2700	0.57	9	4/30/2009
Firefly Lighting Co., Ltd.	Firefly	BU4-14W/2700K		Bare-quadruple tube	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	8/24/2007
Firefly Lighting Co., Ltd.	Firefly	BU4-14W/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		840	14	N/A	15000	5000		2	8/24/2007
Firefly Lighting Co., Ltd.	Firefly	BU4-20D 2700K		Bare-spiral	E26/24 (Medium)	CFL		1150	20	N/A	15000	2700	0.565	2	1/19/2010
Firefly Lighting Co., Ltd.	Firefly	BU4-20W/2700K	BU4	Bare-quadruple tube	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700		2	9/4/2007
Firefly Lighting Co., Ltd.	Firefly	BU4-20W/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		1115	20	N/A	12000	5000		2	12/21/2007
Firefly Lighting Co., Ltd.	Firefly	BU5-25D (E26/E12)		Bare-spiral	E26/24 (Medium)	CFL		1630	25	N/A	15000	2700	0.557	9	7/17/2009
Firefly Lighting Co., Ltd.	Firefly	BU5-25W/2700K		Bare-quadruple tube	E26/24 (Medium)	CFL		1600	25	N/A	15000	2700		2	8/24/2007
Firefly Lighting Co., Ltd.	Firefly	BU5-25W/5000K		Bare-quadruple tube	E26/24 (Medium)	CFL		1430	25	N/A	15000	5000		2	7/17/2008
Firefly Lighting Co., Ltd.	Firefly	FLCD-A4 E12 3000K	FLCD-A4 E12 3000K	C-Candle	E12 (Candelabra)	LED		219	3.62	N/A	15000	3000	0.554	3	1/12/2012
Firefly Lighting Co., Ltd.	Firefly	FLCD-B4-T-4W E12 3000K	FLCD-B4-T-4W E12 3000K	C - Candle	E12 (Candelabra)	LED		220	4.0	N/A	25000	3000	0.593	3	4/19/2012
Firefly Lighting Co., Ltd.	Firefly	FLCD-DB4-F-4W E12 3000K	FLCD-DB4-F-4W E12 3000K	CA - Candle with angular tip	E12	LED	Dimmable	240	4.0	N/A	25000	3000	0.696	3	5/10/2012
Firefly Lighting Co., Ltd.	Firefly	FLGL-A3.5 E26 3000K	FLGL-A3.5 E26 3000K	Non-standard	E26/24 (Medium)	LED		220	3.5	N/A	25000	3000	0.48	3	12/20/2011
Firefly Lighting Co., Ltd.	Firefly	FLGL-A7 E26 3000K	FLGL-A7 E26 3000K	Non-standard	E26/24 (Medium)	LED		455	7.0	N/A	25000	3000	0.873	3	12/20/2011
Firefly Lighting Co., Ltd.	Firefly	FLGL-B3.5-A55-3.5W E26 3000K	FLGL-B3.5-A55-3.5W E26 3000K	Non-standard	E26	LED		300	3.5	N/A	25000	3000	0.539	3	8/17/2012
Firefly Lighting Co., Ltd.	Firefly	FLGL-B3.5-A55-3.5W E26 3000K	FLGL-B3.5-A55-3.5W E26 3000K	Non-standard	E26/24 (Medium)	LED		318	3.4	N/A	25000	3000	0.539	3	4/12/2012
Firefly Lighting Co., Ltd.	Firefly	FLGL-B7-A60-7W E26 3000K	FLGL-B7-A60-7W E26 3000K	Non-standard	E26	LED		500	7.0	N/A	25000	3000	0.856	3	9/4/2012
Firefly Lighting Co., Ltd.	Firefly	FLGL-B7-A60-7W E26 3000K	FLGL-B7-A60-7W E26 3000K	Non-standard	E26/24 (Medium)	LED		534	6.3	N/A	25000	3000	0.851	3	4/12/2012
Firefly Lighting Co., Ltd.	Firefly	FLGL-DB7-A60-7W E26 3000K	FLGL-DB7-A60-7W E26 3000K	Non-standard	E26	LED	Dimmable	470	7.0	N/A	25000	3000	0.788	3	7/5/2012
Firefly Lighting Co., Ltd.	Firefly	FLM16-A4 GU10 3000K	FLM16-A4 GU10 3000K	Non-standard	GU10	LED		208	4.0	N/A	25000	3000	0.569	3	1/13/2012
Firefly Lighting Co., Ltd.	Firefly	FLM16-C4-4W GU10 3000K	FLM16-C4-4W GU10 3000K	Non-standard	GU10	LED		220	4.0	N/A	25000	3000	0.605	3	5/25/2012
Firefly Lighting Co., Ltd.	Firefly	FLP20-DB9-9W E26 3000K	FLP20-DB9-9W E26 3000K	Non-standard	E26	LED	Dimmable	580	9.0	N/A	25000	3000	0.738	3	10/18/2012
Firefly Lighting Co., Ltd.	Firefly	FLP30-DB12-12W E26 3000K	FLP30-DB12-12W E26 3000K	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	835	12.0	N/A	25000	3000	0.832	3	10/18/2012
Firefly Lighting Co., Ltd.	Firefly	FLP38-A12 12W E26 3000K	FLP38-A12 12W E26 3000K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		685	11.7	N/A	25000	3000	0.897	3	10/31/2011
Firefly Lighting Co., Ltd.	Firefly	FLP38-C12-12W E26 3000K	FLP38-C12-12W E26 3000K	PAR-Parabolic Aluminum	E26	LED		801	12.0	N/A	25000	3000	0.9	3	6/13/2012
Firefly Lighting Co., Ltd.	Firefly	FPA30-15W 2700K		Covered reflector	E26/24 (Medium)	CFL		500	15	N/A	10000	2700	0.566	2	10/21/2010
Firefly Lighting Co., Ltd.	Firefly	FPA30-15W 4100K		Covered reflector	E26/24 (Medium)	CFL		500	15	N/A	10000	4100	0.562	2	10/21/2010
Firefly Lighting Co., Ltd.	Firefly	FST2-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.557	2	12/18/2009
Firefly Lighting Co., Ltd.	Firefly	FST2-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	15000	4100	0.553	2	5/27/2010
Firefly Lighting Co., Ltd.	Firefly	FST2-18W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1206	18	N/A	12000	2700	0.547	2	12/18/2009
Firefly Lighting Co., Ltd.	Firefly	FST2-18W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	15000	4100	0.545	2	5/27/2010
Firefly Lighting Co., Ltd.	Firefly	FST2-23W 2700K		Bare-soiral	E26/24 (Medium)	CFL		1610	23	N/A	15000	2700	0.553	2	12/10/2009
Firefly Lighting Co., Ltd.	Firefly	FST2-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	15000	4100	0.555	2	5/27/2010
Firefly Lighting Co., Ltd.	Firefly	FST2-9W 2700K		Bare-soiral	E26/24 (Medium)	CFL		500	9	N/A	12000	2700	0.547	2	12/10/2009
Firefly Lighting Co., Ltd.	Firefly	FST2-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		480	9	N/A	15000	4100	0.551	2	5/27/2010
Firefly Lighting Co., Ltd.	Firefly	XEU23-11T 2700K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		668	11	N/A	15000	2700		2	7/17/2008
Firefly Lighting Co., Ltd.	Firefly	XEU23-14T 2700K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	15000	2700	0.543	2	8/3/2009
Firefly Lighting Co., Ltd.	Firefly	XEU23-15T 2700K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		953	15	N/A	15000	2700		2	7/17/2008
Firefly Lighting Co., Ltd.	Firefly	XEU23-9T 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		582	9	N/A	15000	2700		2	7/17/2008
Firefly Lighting Co., Ltd.	Firefly	XEU38-18T 2700K		Bare-soiral	E26/24 (Medium)	CFL		1200	18	N/A	15000	2700	0.554	2	7/31/2009
Firefly Lighting Co., Ltd.	Firefly	XEU38-20T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	15000	2700	0.555	2	7/31/2009
Firefly Lighting Co., Ltd.	Firefly	XEU38-24T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1500	24	N/A	15000	2700	0.547	2	8/3/2009
Firefly Lighting Co., Ltd.	Firefly	XEU38-26T 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	15000	2700	0.554	2	8/3/2009

Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M13		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.54	5	7/14/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M13/CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.562	5	7/23/2008
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M18		Bare-ssiral	E26/24 (Medium)	CFL		1150	18	N/A	15000	2700	0.556	13	8/31/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M18/CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	4100	0.562	5	7/23/2008
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M22		Bare-spiral	E26/24 (Medium)	CFL		1450	22	N/A	10000	2700	0.571	9	9/21/2009
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M23		Bare-ssiral	E26/24 (Medium)	CFL		1500	23	N/A	15000	2700	0.556	13	6/14/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M23/CW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	5	7/23/2008
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-M9 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	9	N/A	8000	2700	0.565	7	11/30/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2413	N/A	Bare-spiral	GU24	CFL		876	11.9	N/A	10000	2700	0.56	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2413/CW	N/A	Bare-ssiral	GU24	CFL		855	11.8	N/A	10000	4100	0.56	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2415	N/A	Bare-spiral	GU24	CFL		1084	14.2	N/A	10000	2700	0.58	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2415/CW	N/A	Bare-spiral	GU24	CFL		1094	14.3	N/A	10000	4100	0.58	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2418	N/A	Bare-spiral	GU24	CFL		1199	16.4	N/A	10000	2700	0.58	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2418/CW	N/A	Bare-spiral	GU24	CFL		1235	16.7	N/A	10000	4100	0.59	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2423	N/A	Bare-spiral	GU24	CFL		1641	22.1	N/A	10000	2700	0.6	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-MGU2423/CW	N/A	Bare-spiral	GU24	CFL		1600	22.0	N/A	10000	4100	0.6	2	10/29/2010
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-SS209		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.575	7	11/30/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	ELS-SS211		Bare-Mini-Spiral	E26/24 (Medium)	CFL		560	11	N/A	10000	2700	0.5	7	11/30/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	F613(F614)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	2700		5	3/9/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	F618		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1150	18	N/A	8000	2700		5	3/5/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	F624		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	24	N/A	8000	2700		5	3/5/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M11 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	11	N/A	8000	2700	0.589	7	11/30/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M15 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700	0.565	7	11/30/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M20 E26		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1290	20	N/A	10000	2700	0.566	7	11/30/2007
Foshan Electrical and Lighting Co.,Ltd.	FSL	T3 ELS-M7 E26		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	7	N/A	8000	2700	0.538	7	11/30/2007
Fred's Inc.	FRED'S	12101	12101	Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.585	9	9/29/2009
Fred's Inc.	FRED'S	12144	12144	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.535	9	9/29/2009
Fred's Inc.	FRED'S	12169	12169	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.535	9	9/29/2009
Fred's Inc.	FRED'S	12172	12172	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.535	9	9/29/2009
Fred's Inc.	FRED'S	12286	12287, 12288	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.55	2	3/23/2010
Fred's Inc.	FRED'S	FRD689144		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/17/2011
Fred's Inc.	FRED'S	FRD689194		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/17/2011
Fred's Inc.	FRED'S	FRD689234		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/17/2011
Fred's Inc.	FRED'S	FRD694142		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/17/2011
Fred's Inc.	FRED'S	FRD7P3823		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	2/17/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Eiko	SP15A/27K-GU24	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	7/26/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Eiko	SP15G25/27K-GU24	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	7/26/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Eiko	SP15/R30/27K-GU24	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	7/26/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	3-WAY T4S 15W/26W/40W		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		2	12/5/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE GU24 15W	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	6/12/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 11W	N/A	Covered-A-line	Medium E26/24 (medium)	CFL		630	11.0	N/A	15000	2700	0.588	2	8/10/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 15W	A-TYPE T2S 15W	Covered A-line	E26	CFL		800	15.0	N/A	10000	2700	0.591	2	6/21/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 15W	A-TYPE T2S 15W	Covered A-line	E26/24 (medium)	CFL		810	14.14	N/A	10000	2700	0.591	2	12/20/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 15W		Covered A-line	E26	CFL		800	15	N/A	10000	2700	0.59	2	6/21/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 18W	A-TYPE T2S 18W	Covered A-line	E26/24 (Medium)	CFL		1200	18.0	N/A	10000	2700	0.591	2	9/20/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 18W		Covered A-line	E26	CFL		1200	18	N/A	10000	2700	0.59	2	9/20/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 7W		Covered A-line	E12 (Candelabra)	CFL		450	7	N/A	12000	2700		2	12/18/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 7W		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	12000	2700		2	12/18/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 7W 4100K		Covered A-line	E12 (Candelabra)	CFL		450	7	N/A	10000	4100	0.581	2	9/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 7W 4100K		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	4100	0.581	2	9/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S 9W	N/A	Covered-A-line	Medium E26/24 (medium)	CFL		520	9.0	N/A	15000	2700	0.576	2	8/10/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T2S GU24 11W	N/A	Covered	GU24	CFL		601	10.93	N/A	10000	2700	0.584	2	10/25/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-TYPE T3S 15W		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	2/4/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	A-Type T3S 15W 4100K		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100	0.57	2	7/6/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	GLOBE GU24 15W	GLOBE GU24 15W	Covered Globe	GU24	CFL		830	15.0	N/A	10000	2700	0.57	2	6/12/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	GLOBE GU24 15W	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	10/6/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	GLOBE GU24 15W		Covered Globe	GU24	CFL		830	15	N/A	10000	2700	0.57	2	6/12/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	GLOBE T3S 9W		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	2700		2	12/18/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	GLOBE T3S I 15W		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	15000	2700	0.568	2	12/24/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLAL-DIM-II-8	JLAL-DIM-II-8	Non-standard	E26/24 (Medium)	LED	Dimmable	472	8.0	N/A	25000	3000	0.728	3	4/9/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 A-TYPE 11W		Covered A-line	E26/24 (Medium)	CFL		500	11.0	N/A	10000	2700		2	12/30/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 A-TYPE 15W		Covered A-line	E26/24 (Medium)	CFL		720	15.0	N/A	6000	2700		1	6/13/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 A-TYPE 9W		Covered A-line	E26/24 (Medium)	CFL		425	9.0	N/A	6000	2700		2	10/14/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 Dimmable Reflector 15W		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15.0	N/A	10000	2700		2	4/14/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 GLOBE 15W		Covered globe	E26/24 (Medium)	CFL		720	15.0	N/A	10000	2700		2	1/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 GLOBE 9W		Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		2	1/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLC7-18 Reflector 23W		Covered reflector	E26/24 (Medium)	CFL		1040	23.0	N/A	10000	2700		2	4/8/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLGL-DIM-8	JLGL-DIM-8	Globe	E26/24 (Medium)	LED	Dimmable	449	8.0	N/A	25000	3000	0.728	3	4/19/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLPAR20-DIM-8	JLPAR20-DIM-8	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	8.0	N/A	25000	3000	0.727	3	9/13/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLPAR30-DIM-13	JLPAR30-DIM-13	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	717	13.0	N/A	35000	3000	0.773	3	6/13/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLPAR38-DIM-16	JLPAR38-DIM-16	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1004	16.0	N/A	35000	3000	0.792	3	6/13/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLPAR38-DIM-20	JLPAR38-DIM-20	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1216	20.0	N/A	35000	3000	0.781	3	6/13/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS 32W		Bare-spiral	E26/24 (Medium)	CFL		2000	32	N/A	10000	2700	0.532	2	11/16/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS 3-WAY		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	10/4/2001
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS 40W		Bare-spiral	E26/24 (Medium)	CFL		2600	40.0	N/A	10000	2700	0.509	2	12/30/2002

Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS A-TYPE 7W		Covered A-line	E12 (Candelabra)	CFL		450	7.0	N/A	10000	2700		2	6/13/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS A-TYPE 7W		Covered A-line	E26/24 (Medium)	CFL		450	7.0	N/A	10000	2700		2	6/13/2002
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS DIMMABLE 26W		Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	1560	26.0	N/A	10000	2700		2	12/6/2001
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS DIMMABLE MINI 20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1300	20	N/A	10000	2700		2	8/25/2004
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS DIMMABLE MINI GU24 13W	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	10/29/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS DIMMABLE MINI I 23W		Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	5/6/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI 13W 4100K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13.0	N/A	10000	4100		2	12/22/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI 13W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	4100		2	12/22/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI 14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		2	11/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI-A 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		850	13.0	N/A	12000	2700		2	11/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI-A 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13.0	N/A	12000	2700		2	11/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI-A 15W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15.0	N/A	12000	2700		2	11/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI-A 9W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		540	9	N/A	10000	2700		2	6/10/2004
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI-A 9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	6/10/2004
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI GU24 18W	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	6/18/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI GU24 23W	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	8/13/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI GU24 26W	JLS MINI GU24 26W	Bare-Mini-Spiral	GU24	CFL		1840	26.0	N/A	10000	2700	0.58	3	8/22/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI GU24 26W	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	12/11/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI GU24 26W		Bare-Mini Spiral	GU24	CFL		1840	25	N/A	10000	2700	0.58	3	8/22/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI I 20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1350	20	N/A	11000	2700		2	11/1/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI I 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	11/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI I 23W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1450	23	N/A	10000	4100		2	6/10/2007
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS MINI I 26W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	11000	2700		2	11/10/2003
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS-S MINI 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		830	13.0	N/A	10000	2700		2	6/10/2004
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS-S MINI 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13.0	N/A	10000	2700		2	6/10/2004
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS-S MINI 18W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	11000	2700		2	12/3/2004
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS-S MINI 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/30/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 11W		Bare-ssiral	E12 (Candelabra)	CFL		730	11	N/A	10000	2700		2	1/10/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 11W		Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	2700		2	1/10/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13	N/A	12000	2700		2	7/11/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	7/11/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 3500K		Bare-spiral	E12 (Candelabra)	CFL		850	13	N/A	12000	3500	0.595	2	8/24/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	3500	0.595	2	8/24/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 4100K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13.0	N/A	10000	4100		2	11/7/2006
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	4100		2	11/7/2006
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 5000K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		890	13	N/A	15000	5000		2	7/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		890	13	N/A	15000	5000		2	7/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 6500K		Bare-spiral	E12 (Candelabra)	CFL		860	13	N/A	15000	6500	0.582	2	12/30/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	15000	6500	0.582	2	12/30/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 15W		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700	0.583	2	10/29/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	4100	0.586	2	11/30/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 18W		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1140	18	N/A	15000	2700		2	6/10/2007
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 18W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	3500	0.594	2	10/12/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 18W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	4100		2	6/11/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 18W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	5000	0.578	2	8/21/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 18W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	15000	6500		2	5/6/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 20W		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	12000	2700	0.593	2	6/16/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	5/6/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 23W 3500K		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	3500	0.587	2	9/27/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 23W 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1630	23	N/A	12000	4100		2	3/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	5000	0.576	2	7/15/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	6500	0.572	2	2/9/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 26W		Bare-ssiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	8/16/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 26W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100	0.597	2	1/10/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 5W		Bare-spiral	E12 (Candelabra)	CFL		300	5	N/A	10000	2700	0.54	2	10/20/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 5W		Bare-ssiral	E26/24 (Medium)	CFL		300	5	N/A	10000	2700	0.54	2	10/20/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 9W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	3/30/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	3/30/2005
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 9W 4100K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	12/10/2006
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 9W 4100K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	12/10/2006
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 9W 5000K		Bare-spiral	E12 (Candelabra)	CFL		570	9	N/A	12000	5000	0.59	2	8/25/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	12000	5000	0.59	2	8/25/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 13W	JLS T2 GU24 13W	Bare-Mini-Spiral	GU24	CFL		840	13.0	N/A	10000	2700	0.61	2	5/24/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 13W	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	4/29/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 13W		Bare-Mini Spiral	GU24	CFL		840	13	N/A	10000	2700	0.61	2	5/24/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 13W 3500K	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.583	2	7/28/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 13W 4100K	N/A	Bare-ssiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	5/13/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 18W	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.592	2	1/28/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 18W	JLS T2 GU24 18W	Bare-Mini-Spiral	GU24	CFL		1200	18.0	N/A	10000	2700	0.63	2	6/5/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 18W		Bare-Mini Spiral	GU24	CFL		1200	18	N/A	10000	2700	0.63	2	6/5/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 18W 4100K	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.605	2	12/20/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 23W	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	1/28/2010

Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 23W	JLS T2 GU24 23W	Bare-Mini-Spiral	GU24	CFL		1680	23.0	N/A	10000	2700	0.59	3	8/17/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 23W		Bare-Mini-Spiral	GU24	CFL		1680	24	N/A	10000	2700	0.59	3	8/17/2012
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 23W 4100K	N/A	Bare-ssiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.599	2	12/20/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 GU24 26W	N/A	Bare-spiral	GU24	CFL		1637	23.43	N/A	10000	2700	0.587	2	6/22/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 I 18W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	6/16/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 I GU24 13W	N/A	Bare-ssiral	GU24	CFL		898	12.85	N/A	10000	2700	0.587	2	8/31/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 I GU24 18W	N/A	Bare-spiral	GU24	CFL		1182	17.23	N/A	10000	2700	0.594	2	1/19/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 13W		Bare-Mini-Spiral	E12 (Candelabra)	CFL		840	13	N/A	15000	2700		2	2/5/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		840	13	N/A	15000	2700		2	2/5/2008
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 13W 4100K		Bare-ssiral	E12 (Candelabra)	CFL		880	13	N/A	15000	4100	0.58	2	1/22/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	15000	4100	0.58	2	1/22/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 18W		Bare-spiral	E26/24 (Medium)	CFL		1230	18	N/A	12000	2700	0.589	2	11/3/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	4/23/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 9W		Bare-spiral	E12 (Candelabra)	CFL		570	9	N/A	12000	2700	0.59	2	11/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 9W		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	12000	2700	0.59	2	11/2/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 9W 4100K		Bare-spiral	E12 (Candelabra)	CFL		600	9	N/A	15000	4100	0.542	2	1/22/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II 9W 4100K		Bare-ssiral	E26/24 (Medium)	CFL		600	9	N/A	15000	4100	0.542	2	1/22/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	JLS T2 II GU24 13W	N/A	Bare-spiral	GU24	CFL		804	12.32	N/A	10000	2700	0.604	2	12/28/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	PAR30 T3S 15W		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.565	2	9/21/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	PAR30 T3S 15W 4100K		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100	0.579	2	8/31/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	PAR38 T4S 23W 4100K		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	4100	0.595	2	5/28/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	PAR38 T4S II 23W 4100K		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	4100	0.584	2	7/20/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R20 T2S 11W		Covered reflector	E26/24 (Medium)	CFL		365	11	N/A	10000	2700	0.58	2	10/26/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R20 T2S 13W		Covered reflector	E26/24 (Medium)	CFL		430	13	N/A	10000	2700	0.584	2	11/30/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R30 GU24 15W	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	3/30/2009
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R30 T3S 15W		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.579	2	11/17/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R30 T3S 15W 4100K		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100	0.58	2	9/21/2010
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R30 T3S II 15W	R30 T3S II 15W	Covered reflector	E26/24 (medium	CFL		783	14.6	N/A	10000	2700	0.568	2	12/20/2011
Fujian Jointuck Electronic Enterprise Co., Ltd.	Jointuck	R40 T4S 23W		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	6/30/2009
Fujian YDJ-Light Company	YDJ	10005-27		Bare-spiral	E26/24 (Medium)	CFL		300	5	N/A	10000	2700	0.563	2	9/14/2010
Fujian YDJ-Light Company	YDJ	10010		Bare-Mini-Spiral	E26/24 (Medium)	CFL		640	10	N/A	10000	2700		2	11/16/2006
Fujian YDJ-Light Company	YDJ	10010-27		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	2700	0.556	2	12/15/2010
Fujian YDJ-Light Company	YDJ	10010-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	3500	0.554	2	6/14/2010
Fujian YDJ-Light Company	YDJ	10010-65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	6500	0.558	2	6/15/2010
Fujian YDJ-Light Company	YDJ	10013-35		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500	0.577	2	6/14/2010
Fujian YDJ-Light Company	YDJ	10013-65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.595	2	7/1/2010
Fujian YDJ-Light Company	YDJ	10015-27		Bare-spiral	E26/24 (Medium)	CFL		935	15	N/A	10000	2700	0.578	2	10/6/2010
Fujian YDJ-Light Company	YDJ	10020-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	3500	0.574	2	7/1/2010
Fujian YDJ-Light Company	YDJ	10023-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.557	2	6/14/2010
Fujian YDJ-Light Company	YDJ	10023-65		Bare-spiral	E26/24 (Medium)	CFL		1450	23	N/A	10000	6500	0.554	2	7/15/2010
Fujian YDJ-Light Company	YDJ	10026-27		Bare-spiral	E26/24 (Medium)	CFL		1720	26	N/A	10000	2700	0.566	2	6/1/2010
Fujian YDJ-Light Company	YDJ	10026-35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1670	26	N/A	10000	3500	0.561	2	6/15/2010
Fujian YDJ-Light Company	YDJ	100401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		616	10	N/A	8000	2700		2	3/6/2006
Fujian YDJ-Light Company	YDJ	101101		Bare-spiral	E26/24 (Medium)	CFL		700	10	N/A	12000	2700	0.565	2	9/22/2009
Fujian YDJ-Light Company	YDJ	12005-27		Bare-ssiral	E26/24 (Medium)	CFL		300	5	N/A	12000	2700	0.563	2	9/7/2010
Fujian YDJ-Light Company	YDJ	12010-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		685	10	N/A	12000	2700	0.56	11	6/24/2009
Fujian YDJ-Light Company	YDJ	12010-35		Bare-ssiral	E26/24 (Medium)	CFL		650	10	N/A	12000	3500		11	9/15/2009
Fujian YDJ-Light Company	YDJ	12010-65		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	6500	0.558	2	9/14/2010
Fujian YDJ-Light Company	YDJ	12013	12013	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		820	13	N/A	12000	2700		2	5/18/2007
Fujian YDJ-Light Company	YDJ	12013-27		Bare-spiral	E26/24 (Medium)	CFL		935	13	N/A	12000	2700	0.578	2	11/19/2010
Fujian YDJ-Light Company	YDJ	12013-30		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		785	13	N/A	12000	3000	0.57	11	6/24/2009
Fujian YDJ-Light Company	YDJ	12013-35		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	3500	0.577	2	10/22/2009
Fujian YDJ-Light Company	YDJ	12013-65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	6500	0.595	2	8/4/2010
Fujian YDJ-Light Company	YDJ	12015-27		Bare-spiral	E26/24 (Medium)	CFL		935	15	N/A	12000	2700	0.578	2	1/13/2011
Fujian YDJ-Light Company	YDJ	12015-35		Bare-spiral	E26/24 (Medium)	CFL		940	15	N/A	12000	3500		11	9/15/2009
Fujian YDJ-Light Company	YDJ	12020	12020	Bare-spiral	E26/24 (Medium)	CFL		1290	20	N/A	12000	2700		2	5/18/2007
Fujian YDJ-Light Company	YDJ	12020-30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1332	20	N/A	12000	3000	0.57	11	6/24/2009
Fujian YDJ-Light Company	YDJ	12020-35		Bare-spiral	E26/24 (Medium)	CFL		1360	20	N/A	12000	3500		11	7/8/2009
Fujian YDJ-Light Company	YDJ	12023	12023	Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	12000	2700	0.54	2	5/5/2007
Fujian YDJ-Light Company	YDJ	12023-27		Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700	0.56	2	1/10/2011
Fujian YDJ-Light Company	YDJ	12023-30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1598	23	N/A	12000	3000	0.56	11	6/24/2009
Fujian YDJ-Light Company	YDJ	12023-35		Bare-spiral	E26/24 (Medium)	CFL		1585	23	N/A	12000	3500		11	7/8/2009
Fujian YDJ-Light Company	YDJ	12023-65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1416	23	N/A	12000	6500	0.55	11	6/24/2009
Fujian YDJ-Light Company	YDJ	12026-27		Bare-spiral	E26/24 (Medium)	CFL		1720	26	N/A	12000	2700	0.566	11	8/14/2009
Fujian YDJ-Light Company	YDJ	12026-30		Bare-spiral	E26/24 (Medium)	CFL		1663	26	N/A	12000	3000	0.566	11	8/14/2009
Fujian YDJ-Light Company	YDJ	12026-35		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	12000	3500	0.561	2	9/14/2010
Fujian YDJ-Light Company	YDJ	12030-35		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	12000	3500	0.532	2	10/6/2010
Fujian YDJ-Light Company	YDJ	12040-30		Bare-ssiral	E26/24 (Medium)	CFL		2700	40	N/A	12000	3000	0.521	2	10/6/2010
Fujian YDJ-Light Company	YDJ	12110-65		Bare-spiral	E26/24 (Medium)	CFL		650	10	N/A	12000	6500	0.563	2	1/10/2011
Fujian YDJ-Light Company	YDJ	12113-27		Bare-ssiral	E26/24 (Medium)	CFL		820	13	N/A	12000	2700	0.586	2	12/8/2010
Fujian YDJ-Light Company	YDJ	12113-65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	6500	0.582	2	1/10/2011
Fujian YDJ-Light Company	YDJ	12120-65		Bare-ssiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	6500	0.58	2	1/10/2011
Fujian YDJ-Light Company	YDJ	12123-65		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500	0.562	2	1/10/2011
Fujian YDJ-Light Company	YDJ	12126-65		Bare-ssiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	6500	0.573	2	1/10/2011
Fujian YDJ-Light Company	YDJ	13010		Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	2700		2	11/16/2006
Fujian YDJ-Light Company	YDJ	130401		Bare-ssiral	E26/24 (Medium)	CFL		830	13	N/A	8000	2700	0.589	7	4/29/2009
Fujian YDJ-Light Company	YDJ	131001	12013	Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	2700		2	5/13/2009
Fujian YDJ-Light Company	YDJ	140701	140701	Covered A-line	E26/24 (Medium)	CFL		855	14	N/A	10000	2700		2	10/6/2006
Fujian YDJ-Light Company	YDJ	15010		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	11/16/2006
Fujian YDJ-Light Company	YDJ	15010-27		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700	0.556	2	8/4/2010
Fujian YDJ-Light Company	YDJ	15013		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700	0.983	2	9/22/2009
Fujian YDJ-Light Company	YDJ	15013-27		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	15000	2700	0.586	2	8/24/2010
Fujian YDJ-Light Company	YDJ	15013-65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	15000	6500	0.595	2	10/25/2010
Fujian YDJ-Light Company	YDJ	15015-27		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	15000	2700	0.578	2	1/13/2011
Fujian YDJ-Light Company	YDJ	15020-30		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	15000	3000		2	9/14/2010
Fujian YDJ-Light Company	YDJ	15023-30		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	3000		2	9/14/2010
Fujian YDJ-Light Company	YDJ	15023-35		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	3500	0.557	2	8/4/2010
Fujian YDJ-Light Company	YDJ	15023-65		Bare-spiral	E26/24 (Medium)	CFL		1450	23	N/A	15000	6500	0.554	2	8/18/2010
Fujian YDJ-Light Company	YDJ	15026-27		Bare-spiral	E26/24 (Medium)	CFL		1720	26	N/A	15000	2700	0.566	2	8/4/2010

Fujian YDJ-Light Company	YDJ	15026-30		Bare-spiral	E26/24 (Medium)	CFL		1660	26	N/A	15000	3000	0.566	2	9/14/2010
Fujian YDJ-Light Company	YDJ	15030-35		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	15000	3500	0.532	2	10/25/2010
Fujian YDJ-Light Company	YDJ	150401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		958	15	N/A	8000	2700		2	3/6/2006
Fujian YDJ-Light Company	YDJ	150901/HPF		Bare-spiral	E26/24 (Medium)	CFL		957	15	N/A	15000	2700	0.98	11	4/15/2009
Fujian YDJ-Light Company	YDJ	15126-27		Bare-spiral	E26/24 (Medium)	CFL		1796	26	N/A	15000	2700	0.584	2	1/13/2011
Fujian YDJ-Light Company	YDJ	20010		Bare-spiral	E26/24 (Medium)	CFL		1290	20	N/A	10000	2700		2	11/16/2006
Fujian YDJ-Light Company	YDJ	200201/HPF		Bare-spiral	E26/24 (Medium)	CFL		1427	20	N/A	15000	2700	0.89	11	4/13/2009
Fujian YDJ-Light Company	YDJ	201201		Bare-spiral	E26/24 (Medium)	CFL		1451	20	N/A	15000	2700	0.58	11	3/12/2009
Fujian YDJ-Light Company	YDJ	23010	23010	Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	10000	2700		2	12/11/2006
Fujian YDJ-Light Company	YDJ	230101		Bare-spiral	E26/24 (Medium)	CFL		1674	23	N/A	10000	2700	0.57	9	9/8/2009
Fujian YDJ-Light Company	YDJ	230201/HPF		Bare-spiral	E26/24 (Medium)	CFL		1686	23	N/A	15000	2700	0.88	11	4/13/2009
Fujian YDJ-Light Company	YDJ	231201		Bare-spiral	E26/24 (Medium)	CFL		1678	23	N/A	15000	2700	0.56	11	3/12/2009
Fujian YDJ-Light Company	YDJ	250101		Bare-spiral	E26/24 (Medium)	CFL		1725	25	N/A	10000	2700	0.57	2	4/15/2009
Fujian YDJ-Light Company	YDJ	260101		Bare-spiral	E26/24 (Medium)	CFL		1655	26	N/A	10000	2700		2	4/20/2005
Fujian YDJ-Light Company	YDJ	330501	330501	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2225	N/A	12/22/33	10000	2700		2	12/11/2006
Fujian YDJ-Light Company	YDJ	330502-30		Bare-ssiral	E26/24 (Medium)	CFL	Three Wav	2150	N/A	12/22/33	10000	3000	0.531	2	12/15/2010
Fujian YDJ-Light Company	YDJ	330503		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	3000	0.534	9	8/10/2009
Fujian YDJ-Light Company	YDJ	400501		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	2650	N/A	20/30/40	10000	2700	0.53	2	10/22/2009
Fujian YDJ-Light Company	YDJ	650601		Bare-spiral	E26/24 (Medium)	CFL		4450	65	N/A	12000	4100	0.549	2	9/22/2009
Fujian YDJ-Light Company	YDJ	SSS30-27		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	15000	2700		2	7/29/2009
Fujian YDJ-Light Company	YDJ	SSS30-30		Bare-spiral	E26/24 (Medium)	CFL		2080	30	N/A	10000	3000		9	7/7/2009
Fujian YDJ-Light Company	YDJ	SSS30-35		Bare-spiral	E26/24 (Medium)	CFL		1950	30	N/A	10000	3500	0.532	2	9/23/2009
Fujian YDJ-Light Company	YDJ	SSS30/50K		Bare-spiral	E26/24 (Medium)	CFL		2039	30	N/A	10000	5000	0.53	9	4/28/2009
Fujian YDJ-Light Company	YDJ	SSS40-27		Bare-spiral	E26/24 (Medium)	CFL		2820	40	N/A	10000	2700	0.553	9	8/5/2009
Fujian YDJ-Light Company	YDJ	SSS40-30		Bare-spiral	E26/24 (Medium)	CFL		2640	40	N/A	10000	3000		2	9/15/2009
Fujian YDJ-Light Company	YDJ	T21001		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	8000	2700	0.54	2	7/17/2006
Fujian YDJ-Light Company	YDJ	T21301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.56	2	7/17/2006
Fujian YDJ-Light Company	YDJ	T21501	T21501	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700	0.53	2	9/20/2006
Fujian YDJ-Light Company	YDJ	T22001		Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	8000	2700	0.52	2	7/17/2006
Fujian YDJ-Light Company	YDJ	T22301	T22301	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.55	2	9/20/2006
Fujian YDJ-Light Company	YDJ	YDJ-15E		Bare-spiral	E26/24 (Medium)	CFL		900	15.0	N/A	10000	2700		2	6/1/2002
Fujian YDJ-Light Company	YDJ	YDJ-20D/1		Bare-spiral	E26/24 (Medium)	CFL		1230	20.0	N/A	10000	2700		2	4/22/2002
Fujian YDJ-Light Company	YDJ	YDJ-25D/1		Bare-ssiral	E26/24 (Medium)	CFL		1750	25.0	N/A	10000	2700		2	7/14/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL09		Bare-spiral	E26/24 (Medium)	CFL		530	9	N/A	8000	2700	0.56	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL09T2		Bare-spiral	E26/24 (Medium)	CFL		560	9	N/A	10000	2700	0.57	9	4/24/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL09T3		Bare-ssiral	E26/24 (Medium)	CFL		530	9	N/A	12000	2700	0.56	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL11		Bare-spiral	E26/24 (Medium)	CFL		740	11	N/A	8000	2700	0.55	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL11T2		Bare-spiral	E26/24 (Medium)	CFL		610	11	N/A	10000	2700	0.55	9	4/27/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL11T3		Bare-spiral	E26/24 (Medium)	CFL		740	11	N/A	12000	2700	0.55	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL13		Bare-ssiral	E26/24 (Medium)	CFL		840	13	N/A	8000	2700	0.56	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL13T3		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.56	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL14T2		Bare-spiral	E26/24 (Medium)	CFL		730	14	N/A	10000	2700	0.56	9	4/24/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL15		Bare-spiral	E26/24 (Medium)	CFL		890	15	N/A	8000	2700	0.57	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL15T3		Bare-spiral	E26/24 (Medium)	CFL		890	15	N/A	12000	2700	0.57	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL18		Bare-spiral	E26/24 (Medium)	CFL		1240	18	N/A	8000	2700	0.54	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL18T2		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700	0.55	9	4/24/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL18T3		Bare-ssiral	E26/24 (Medium)	CFL		1240	18	N/A	12000	2700	0.54	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL20		Bare-spiral	E26/24 (Medium)	CFL		1390	20	N/A	8000	2700	0.56	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL20T2		Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700	0.56	9	4/24/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL20T3		Bare-spiral	E26/24 (Medium)	CFL		1390	20	N/A	12000	2700	0.56	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.532	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL23T2		Bare-spiral	E26/24 (Medium)	CFL		1350	23	N/A	10000	2700	0.53	9	4/24/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL23T3		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.54	7	1/7/2009
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL26		Bare-ssiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	2700	0.54	7	10/6/2008
Fuzhou Sunlight Lighting Electrical Appliance Co Ltd	JIH KUANG	SL26T3		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	12000	2700	0.54	7	1/7/2009
Galaxia Electronics Co., Ltd.	Galaxia	GL16S27K20	GL1510-004	MR - Multifaceted reflector	GU5.3	LED		201	4.0	N/A	25000	2700	1	3	11/21/2012
GBL LED Lighting Inc	ALEDECO	ALED-A19-12W	ALED-A19-12W	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	9/4/2012
GBL LED Lighting Inc	ALEDECO	ALED-MR16-5W	20001 60020 S0	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	5/25/2012
GBL LED Lighting Inc	ALEDECO	ALED-PAR30D-10W	890016002045	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	4/2/2012
GBL LED Lighting Inc	ALEDECO	ALED-PAR30D-10W	890016002045	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	8/2/2012
GBL LED Lighting Inc	ALEDECO	ALED-PAR38D-15W	890016002047	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	8/2/2012
GBL LED Lighting Inc	ALEDECO	ALED-PAR38D-15W	890016002047	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	4/2/2012
GBL LED Lighting Inc	ALEDECO	ALED-R20-6W	ALED-R20-6W	R - Reflector	E26/24 (Medium)	LED	Dimmable	250	6.0	N/A	40000	3000	0.703	3	8/2/2012
GE Lighting	GE	LED9A19/830	62181, 62180, 01396, 64018	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		472	8.1	N/A	25000	3000	0.99	10	11/18/2010
GE Lighting	GE Lighting	61921 LED7DP20S830/20	61921	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	361	7.0	N/A	25000	3000	0.9	3	4/14/2011
GE Lighting	GE Lighting	LED10DP30S827/20	61923, 64326	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	497	10.0	N/A	50000	2700	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED10DP30S830/20	61922	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	517	10.0	N/A	50000	3000	0.98	3	4/21/2011
GE Lighting	GE Lighting	LED10DP3LS827/20	61925	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	499	10.0	N/A	50000	2700	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED10DP3LS830/20	61924	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	534	10.0	N/A	50000	3000	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED12DBR30/827	65389	BR - Bulged Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	2700	0.73	3	12/19/2011
GE Lighting	GE Lighting	LED12DBR30/830	65388, 65390, 66516	BR - Bulged Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.73	3	12/19/2011
GE Lighting	GE Lighting	LED12DP30B827_25	65987	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP30R927/15	67925	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	12.0	N/A	25000	2700	0.898	3	10/12/2012
GE Lighting	GE Lighting	LED12DP30R927/25	67926	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	12.0	N/A	25000	2700	0.899	3	10/12/2012
GE Lighting	GE Lighting	LED12DP30R927/40	67927	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	12.0	N/A	25000	2700	0.899	3	10/12/2012
GE Lighting	GE Lighting	LED12DP30R930/15	67922	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	860	12.0	N/A	25000	3000	0.898	3	10/12/2012
GE Lighting	GE Lighting	LED12DP30R930/25	67923	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	860	12.0	N/A	25000	3000	0.898	3	10/12/2012
GE Lighting	GE Lighting	LED12DP30R930/40	67924	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	860	12.0	N/A	25000	3000	0.898	3	10/12/2012
GE Lighting	GE Lighting	LED12DP30S827_20	65137	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP30S827_25	65985	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP30S827_35	65138, 65133	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP30S830_20	65135	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP30S830_35	65136	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/2011

GE Lighting	GE Lighting	LED12DP30S840 20	67256	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	840	12.0	N/A	25000	4100	0.92	3	8/31/2012
GE Lighting	GE Lighting	LED12DP30S840 35	67257	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	840	12.0	N/A	25000	4100	0.92	3	8/31/2012
GE Lighting	GE Lighting	LED12DP30W827 25	65986	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP38/FL/TP-S	68012	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	3000	0.98	5	6/29/2012
GE Lighting	GE Lighting	LED12DP38S827/12	66114	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	660	12.0	N/A	25000	2700	0.98	5	3/5/2012
GE Lighting	GE Lighting	LED12DP38S827/25	66115	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	660	12.0	N/A	25000	2700	0.98	5	3/5/2012
GE Lighting	GE Lighting	LED12DP38S827/35	66116	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	660	12.0	N/A	25000	2700	0.98	5	3/5/2012
GE Lighting	GE Lighting	LED12DP38S830/12	66111	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	3000	0.98	5	3/4/2012
GE Lighting	GE Lighting	LED12DP38S830/25	66112	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	3000	0.98	5	3/4/2012
GE Lighting	GE Lighting	LED12DP38S830/35	66113, 66529	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	3000	0.98	5	3/4/2012
GE Lighting	GE Lighting	LED12DP3LR927/15	68390	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	12.0	N/A	25000	2700	0.898	3	11/16/2012
GE Lighting	GE Lighting	LED12DP3LR927/25	68391	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	12.0	N/A	25000	2700	0.899	3	11/16/2012
GE Lighting	GE Lighting	LED12DP3LR927/40	68392	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	12.0	N/A	25000	2700	0.899	3	11/16/2012
GE Lighting	GE Lighting	LED12DP3LR930/15	68387	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	860	12.0	N/A	25000	3000	0.898	3	11/16/2012
GE Lighting	GE Lighting	LED12DP3LR930/25	68388	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	860	12.0	N/A	25000	3000	0.898	3	11/16/2012
GE Lighting	GE Lighting	LED12DP3LR930/40	68389	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	860	12.0	N/A	25000	3000	0.898	3	11/16/2012
GE Lighting	GE Lighting	LED12DP3LS827 20	65141	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP3LS827 35	65142, 65134	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	740	12.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP3LS830 20	65139	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12DP3LS830 35	65140	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED12P3LS927/25	66052	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		630	12.0	N/A	25000	2700	0.991	3	2/20/2012
GE Lighting	GE Lighting	LED12P3LS927/40	66053	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		630	12.0	N/A	25000	2700	0.989	3	2/20/2012
GE Lighting	GE Lighting	LED12P3LS930/25	66050	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		660	12.0	N/A	25000	3000	0.989	3	1/27/2012
GE Lighting	GE Lighting	LED12P3LS930/40	66051	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		660	12.0	N/A	25000	3000	0.989	3	1/27/2012
GE Lighting	GE Lighting	LED13DA19/830	65386, 64130, 67968	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	13.0	N/A	25000	3000	0.995	3	6/4/2012
GE Lighting	GE Lighting	LED14P38S827/25	67254	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		840	14.0	N/A	25000	2700	0.989	3	3/1/2012
GE Lighting	GE Lighting	LED14P38S827/40	67255	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		840	14.0	N/A	25000	2700	0.989	3	3/1/2012
GE Lighting	GE Lighting	LED14P38S830/25	67252	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		900	14.0	N/A	25000	3000	0.989	3	3/1/2012
GE Lighting	GE Lighting	LED14P38S830/40	67253	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		900	14.0	N/A	25000	3000	0.989	3	3/1/2012
GE Lighting	GE Lighting	LED17P38S83015	61930	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		862	17.07	N/A	50000	3000	0.99	3	4/25/2011
GE Lighting	GE Lighting	LED17P38S83017	64035	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		835	16.2	N/A	50000	3000	0.99	3	4/25/2011
GE Lighting	GE Lighting	LED17P38S83025	61931	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		871	17.27	N/A	50000	3000	0.99	3	4/25/2011
GE Lighting	GE Lighting	LED17P38S830/40	65421	PAR &/Parabolic Aluminum Reflector	E26/24 (medium)	LED		820	17.0	N/A	50000	3000	0.99	3	4/25/2011
GE Lighting	GE Lighting	LED18P38L827/15	68150	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1050	18.0	N/A	25000	2700	0.993	3	10/12/2012
GE Lighting	GE Lighting	LED18P38L827/25	68151	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1100	18.0	N/A	25000	2700	0.994	3	10/12/2012
GE Lighting	GE Lighting	LED18P38L827/40	68152	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1100	18.0	N/A	25000	2700	0.993	3	10/12/2012
GE Lighting	GE Lighting	LED18P38L830/15	68147	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1100	18.0	N/A	25000	3000	0.992	3	10/12/2012
GE Lighting	GE Lighting	LED18P38L830/25	68148	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1150	18.0	N/A	25000	3000	0.994	3	10/12/2012
GE Lighting	GE Lighting	LED18P38L830/40	68149	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1150	18.0	N/A	25000	3000	0.992	3	10/12/2012
GE Lighting	GE Lighting	LED18P38S927/15	68003	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		900	18.0	N/A	25000	2700	0.992	3	10/12/2012
GE Lighting	GE Lighting	LED18P38S927/25	68004	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		950	18.0	N/A	25000	2700	0.994	3	10/12/2012
GE Lighting	GE Lighting	LED18P38S927/40	68005	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		950	18.0	N/A	25000	2700	0.992	3	10/12/2012
GE Lighting	GE Lighting	LED18P38S930/15	68000	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		950	18.0	N/A	25000	3000	0.992	3	10/12/2012
GE Lighting	GE Lighting	LED18P38S930/25	68001	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1000	18.0	N/A	25000	3000	0.994	3	10/12/2012
GE Lighting	GE Lighting	LED18P38S930/40	68002	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1000	18.0	N/A	25000	3000	0.992	3	10/12/2012
GE Lighting	GE Lighting	LED20DP38S827/15	64828	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1000	20.0	N/A	50000	2700	0.98	3	8/8/2011
GE Lighting	GE Lighting	LED20DP38S827/25	64829	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1000	20.0	N/A	50000	2700	0.97	3	8/8/2011
GE Lighting	GE Lighting	LED20DP38S827/40	64830, 65847	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1000	20.0	N/A	50000	2700	0.98	3	8/8/2011
GE Lighting	GE Lighting	LED20DP38S830/15	64827	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1100	20.0	N/A	50000	3000	0.98	3	8/8/2011
GE Lighting	GE Lighting	LED20DP38S830/25	64391	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1100	20.0	N/A	50000	3000	0.98	3	8/8/2011
GE Lighting	GE Lighting	LED20DP38S830/40	64392	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1100	20.0	N/A	50000	3000	0.98	3	8/8/2011
GE Lighting	GE Lighting	LED20DP38S840/15	66326	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1250	20.0	N/A	25000	4100	0.97	3	3/20/2012
GE Lighting	GE Lighting	LED20DP38S840/25	66327	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1250	20.0	N/A	25000	4100	0.97	3	3/20/2012
GE Lighting	GE Lighting	LED20DP38S840/40	66328	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1250	20.0	N/A	25000	4100	0.97	3	3/20/2012
GE Lighting	GE Lighting	LED20DP38V827/12	68197	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V827/25	68198	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V827/40	68199	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V827/BK	68203	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.97	3	11/20/2012
GE Lighting	GE Lighting	LED20DP38V830/12	68194	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	3000	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V830/25	68195	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	3000	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V830/40	68196	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	3000	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V840/12	68200	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	4000	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V840/25	68201	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	4000	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V840/40	68202	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	4000	0.97	3	11/16/2012
GE Lighting	GE Lighting	LED20DP38V/FL/TP	68204	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	20.0	N/A	25000	2700	0.97	3	11/20/2012
GE Lighting	GE Lighting	LED20P38S830/25	61929	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		1050	20.0	N/A	50000	3000	0.99	3	8/25/2011
GE Lighting	GE Lighting	LED20P38S830/40	61928, 61927, 01412, 64036, 64216	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		1050	20.0	N/A	50000	3000	0.99	3	8/25/2011
GE Lighting	GE Lighting	LED26DP38S830/12	68183	PAR - Parabolic Aluminum Reflector	E26/24 (Medium	LED	Dimmable	1500	26.0	N/A	25000	3000	0.99	3	11/27/2012
GE Lighting	GE Lighting	LED26DP38S830/25	68184	PAR - Parabolic Aluminum Reflector	E26/24 (Medium	LED	Dimmable	1500	26.0	N/A	25000	3000	0.99	3	11/27/2012
GE Lighting	GE Lighting	LED26DP38S830/40	68185	PAR - Parabolic Aluminum Reflector	E26/24 (Medium	LED	Dimmable	1500	26.0	N/A	25000	3000	0.99	3	11/27/2012
GE Lighting	GE Lighting	LED26DP38S840/40	68182	PAR - Parabolic Aluminum Reflector	E26/24 (Medium	LED	Dimmable	1650	26.0	N/A	25000	4100	0.99	3	11/27/2012
GE Lighting	GE Lighting	LED26DP38S-FL/TP	68181	PAR - Parabolic Aluminum Reflector	E26/24 (Medium	LED	Dimmable	1650	26.0	N/A	25000	4100	0.99	3	11/27/2012

GE Lighting	GE Lighting	LED2CAC-IO-830/F	65536	C - Candle	E12 (Candelabra)	LED		100	2.4	N/A	25000	3000	0.58	3	5/18/2012
GE Lighting	GE Lighting	LED2CAC-IO-830/F	65542	C - Candle	E12 (Candelabra)	LED		100	2.4	N/A	25000	3000	0.58	3	5/18/2012
GE Lighting	GE Lighting	LED2CAC-IO-840/F	65540	C - Candle	E12 (Candelabra)	LED		100	2.4	N/A	25000	4100	0.59	3	5/18/2012
GE Lighting	GE Lighting	LED2CAM-IO-830/F	65535	C - Candle	E26/24 (Medium)	LED		100	2.4	N/A	25000	3000	0.58	3	5/18/2012
GE Lighting	GE Lighting	LED2CAM-IO-830/F	65541	C - Candle	E26/24 (Medium)	LED		100	2.4	N/A	25000	3000	0.58	3	5/18/2012
GE Lighting	GE Lighting	LED2CAM-IO-840/F	65539	C - Candle	E26/24 (Medium)	LED		100	2.4	N/A	25000	4100	0.59	3	5/18/2012
GE Lighting	GE Lighting	LED2DCAC-C	64046	CA - Candle with angular tip	E26/24 (medium)	LED	Dimmable	90	2.2	N/A	15000	3000	0.87	3	7/15/2011
GE Lighting	GE Lighting	LED2DCAC-C/827	67993	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	100	2.2	N/A	15000	2700	0.85	3	11/27/2012
GE Lighting	GE Lighting	LED2DCAC-F	64045	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	90	2.2	N/A	15000	3000	0.841	3	7/26/2011
GE Lighting	GE Lighting	LED2DCAC-F/827	67992	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	100	2.2	N/A	15000	2700	0.85	3	11/27/2012
GE Lighting	GE Lighting	LED2DCAM-C	64047	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	90	2.2	N/A	15000	3000	0.835	3	7/26/2011
GE Lighting	GE Lighting	LED2DCAM-C/827	67995	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	100	2.2	N/A	15000	2700	0.85	3	11/27/2012
GE Lighting	GE Lighting	LED2DCAM-F/827	67994	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	100	2.2	N/A	15000	2700	0.85	3	11/27/2012
GE Lighting	GE Lighting	LED2DCDM-C	64048	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	90	2.2	N/A	15000	3000	0.846	3	7/26/2011
GE Lighting	GE Lighting	LED2G16C-C	62991, 01420	G - Globe	E12 (Candelabra)	LED		77	1.8	N/A	15000	3000	0.54	3	4/19/2011
GE Lighting	GE Lighting	LED4MR16E827/15 (LED4MR16E82	67215	MR - Multifaceted reflector	GU5.3	LED		210	4.0	N/A	25000	2700	0.649	3	6/1/2012
GE Lighting	GE Lighting	LED4MR16E830/15 (LED4MR16E83	67212	MR - Multifaceted reflector	GU5.3	LED		210	4.0	N/A	25000	3000	0.645	3	6/1/2012
GE Lighting	GE Lighting	LED4MR16S827/25 (LED4MR16S82	67216	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	2700	0.637	3	6/1/2012
GE Lighting	GE Lighting	LED4MR16S827/35 (LED4MR16S82	67217	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	2700	0.68	3	6/1/2012
GE Lighting	GE Lighting	LED4MR16S830/25 (LED4MR16S83	67213	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	3000	0.637	3	6/1/2012
GE Lighting	GE Lighting	LED4MR16S830/35 (LED4MR16S83	67214	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	3000	0.684	3	6/1/2012
GE Lighting	GE Lighting	LED5GU10S830/25	64887, 62909, 01414, 64253	Non-standard	GU10	LED		219	4.5	N/A	25000	3000	0.53	3	4/25/2011
GE Lighting	GE Lighting	LED5P16S830/25	64886, 62905, 01413	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		222	4.5	N/A	25000	3000	0.53	3	4/25/2011
GE Lighting	GE Lighting	LED7DMR16/827/15	66130	MR - Multifaceted reflector	GU5.3	LED	Dimmable	370	7.0	N/A	25000	2700	0.7	3	12/19/2011
GE Lighting	GE Lighting	LED7DMR16/827/25	66131	MR - Multifaceted reflector	GU5.3	LED	Dimmable	370	7.0	N/A	25000	2700	0.7	3	12/19/2011
GE Lighting	GE Lighting	LED7DMR16/827/35	66132	MR - Multifaceted reflector	GU5.3	LED	Dimmable	370	7.0	N/A	25000	2700	0.7	3	12/19/2011
GE Lighting	GE Lighting	LED7DMR16/830/15	66127	MR - Multifaceted reflector	GU5.3	LED	Dimmable	390	7.0	N/A	25000	3000	0.7	3	12/19/2011
GE Lighting	GE Lighting	LED7DMR16/830/25	66128, 66126	MR - Multifaceted reflector	GU5.3	LED	Dimmable	390	7.0	N/A	25000	3000	0.7	3	12/19/2011
GE Lighting	GE Lighting	LED7DMR16/830/35	66129	MR - Multifaceted reflector	GU5.3	LED	Dimmable	390	7.0	N/A	25000	3000	0.7	3	12/19/2011
GE Lighting	GE Lighting	LED7DMR16840/15	67843	MR - Multifaceted reflector	G13	LED	Dimmable	430	7.0	N/A	25000	4000	0.7	3	11/16/2012
GE Lighting	GE Lighting	LED7DMR16840/25	67844	MR - Multifaceted reflector	G13	LED	Dimmable	430	7.0	N/A	25000	4000	0.701	3	11/16/2012
GE Lighting	GE Lighting	LED7DMR16840/35	67845	MR - Multifaceted reflector	G13	LED	Dimmable	430	7.0	N/A	25000	4000	0.74	3	11/16/2012
GE Lighting	GE Lighting	LED7DP20B827/15	63696	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	354	7.0	N/A	50000	2700	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED7DP20B827/20	61917, 61920, 63023, 01409	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	320	7.0	N/A	50000	2700	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED7DP20B830/12	61915, 61918	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	355	7.0	N/A	50000	3000	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED7DP20B830/20	61916, 61921	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	368	7.0	N/A	50000	3000	0.97	3	4/21/2011
GE Lighting	GE Lighting	LED7DP20S827/20, LED7DP20/NFL	65848, 64494	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	320	7.0	N/A	50000	2700	0.97	3	6/29/2011
GE Lighting	GE Lighting	LED7DP20W830/20	61919	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	361	7.0	N/A	50000	3000	0.9	3	4/14/2011
GE Lighting	GE Lighting	LED7XDMR16827/25	66526	MR - Multifaceted reflector	GU5.3	LED	Dimmable	440	7.0	N/A	25000	2700	0.721	3	2/20/2012
GE Lighting	GE Lighting	LED7XDMR16827/35	66527	MR - Multifaceted reflector	GU5.3	LED	Dimmable	440	7.0	N/A	25000	3000	0.724	3	2/20/2012
GE Lighting	GE Lighting	LED7XDMR16830/25	66524	MR - Multifaceted reflector	GU5.3	LED	Dimmable	460	7.0	N/A	25000	3000	0.724	3	2/20/2012
GE Lighting	GE Lighting	LED7XDMR16830/35	66525	MR - Multifaceted reflector	GU5.3	LED	Dimmable	460	7.0	N/A	25000	3000	0.719	3	2/20/2012
GE Lighting	GE Lighting	LED9DA19/827	66390	A - Arbitrary (standard incandescent shape)	E26/24 (medium)	LED	Dimmable	450	9.0	N/A	25000	2700	0.93	3	11/7/2011
GE Lighting	GE Lighting	LED9DA19/830	65385, 64128	A - Arbitrary (standard incandescent shape)	E26/24 (medium)	LED	Dimmable	450	9.0	N/A	25000	3000	0.93	3	11/10/2011
GE Lighting	GE Lighting	PLGP301LDEDCN, LED10DP30/FL-(	65849, 01410, 63026, 68013	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	474	10.0	N/A	25000	2700	0.97	3	4/21/2011
GE Lighting	GE Lighting	PLGP301LDLEDCN, PLGP301LDLE(	01411, 63027, 65850, 68014	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	483	10.0	N/A	25000	2700	0.97	3	4/21/2011
GE Lighting	General Electric	66662	66662	Bare-Mini-Spiral	Medium E26/24 (medium)	CFL	Dimmable	900	14.0	N/A	10000	2700	0.734	5	8/13/2012
GE Lighting	General Electric	66662		Bare-Mini Spiral	E26	CFL		900	14.26	N/A	10000	2700	0.73	5	8/13/2012
GE Lighting	General Electric	66663	66663	Bare-Mini-Spiral	Medium E26/24 (medium)	CFL	Dimmable	1587	26.0	N/A	10000	2700	0.766	5	8/13/2012
GE Lighting	General Electric	66663		Bare-Mini Spiral	E26	CFL		1587	23.27	N/A	10000	2700	0.77	5	8/13/2012
GE Lighting	General Electric	66666	66666	Covered reflector	Medium E26/24 (medium)	CFL	Dimmable	1400	26.0	N/A	8000	2700	0.75	4	8/13/2012
GE Lighting	General Electric	66666		Covered Reflector	E26	CFL		1400	25.72	N/A	8000	2700	0.75	4	8/13/2012
GE Lighting	General Electric	66667	66667	Covered reflector	Medium E26/24 (medium)	CFL	Dimmable	1300	26.0	N/A	8000	2700	0.732	4	8/13/2012
GE Lighting	General Electric	66667		Covered Reflector	E26	CFL		1300	25.23	N/A	8000	2700	0.73	4	8/13/2012
GE Lighting	General Electric	FAM147-FLE13/BPK	31054	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		2	3/2/2005
GE Lighting	General Electric	FAM147FLE13HT36P	20737	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13.0	N/A	8000	2700	0.58	5	8/18/2003
GE Lighting	General Electric	FAM147-FLE26/PK4	66550	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	7/19/2012
GE Lighting	General Electric	FAM7-FLE10HT3PK4	66547	Bare-ssiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		2	7/19/2012
GE Lighting	General Electric	FLE10HT10KBX3	65168	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700	0.5	5	10/14/2011
GE Lighting	General Electric	FLE10HT2/2	85382: 85389: 68504: 68510	Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	12000	2700		8	7/19/2006
GE Lighting	General Electric	FLE10HT2/2/D	01111; 01157; 73441; 62948;	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500	0.56	8	7/27/2009
GE Lighting	General Electric	FLE10HT2/2/XL2/D	68518	Bare-ssiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500		2	8/2/2012
GE Lighting	General Electric	FLE10HT2/6H/CW	72468	Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	4100		4	4/2/2010
GE Lighting	General Electric	FLE10HT2/6H/D	72471. 78546	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	8000	6500		4	4/2/2010
GE Lighting	General Electric	FLE10HT2/6H/SW	72465; 73634	Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	2700		4	1/7/2008
GE Lighting	General Electric	FLE10HT3/2	15829; 49807; 90065; 00728; 00349; 73156; 00817; 74196; 74197; 72931; 77004; 01031; 77671	Bare-Mini-Soiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		5	12/12/2006
GE Lighting	General Electric	FLE10HT3/2	97688	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		6	12/12/2006
GE Lighting	General Electric	FLE10HT3/2/841	25182: 67444: 67448	Bare-Mini-Soiral	E26/24 (Medium)	CFL		520	10	N/A	10000	4100		2	9/17/2004
GE Lighting	General Electric	FLE10HT3/2/D	89082; 85393; 00403; 01070; 73434	Bare-Mini-Spiral	E26/24 (Medium)	CFL		490	10	N/A	8000	6500		6	12/13/2006
GE Lighting	General Electric	FLE10HT3/2/D/BX3	61587, 64004	Bare-spiral	E26/24 (Medium)	CFL		490	10	N/A	10000	6500		6	12/13/2010
GE Lighting	General Electric	FLE10HT3/2/GU24/827	76135, 76138	Bare-spiral	GU24	CFL		569	9.533	N/A	10000	2700	0.564	2	12/7/2009
GE Lighting	General Electric	FLE10HT3/2SW/BX4	65670	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700		2	6/1/2012
GE Lighting	General Electric	FLE10HT3/2/XL	47430; 49671; 80936; 00450; 00695: 75372;	Bare-Mini-Soiral	E26/24 (Medium)	CFL		550	10	N/A	12000	2700		8	6/7/2005
GE Lighting	General Electric	FLE10HT3/3	49807	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		5	7/12/2007
GE Lighting	General Electric	FLE10HT3/5	15829: 49906	Bare-Mini-Soiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		5	10/28/2005
GE Lighting	General Electric	FLE11/2/A17XL	47486; 49687; 87809; 00682; 00696; 71992; 00532; 00570	Covered A-line	E26/24 (Medium)	CFL		550	11	N/A	10000	2700		7	6/13/2005
GE Lighting	General Electric	FLE11/2/A17XL/F/CB/D	78941; 78942	Covered A-line	E12 (Candelabra)	CFL		460	11	N/A	10000	6500	0.56	6	5/18/2010
GE Lighting	General Electric	FLE11/2/A17XL/F/CB/SW	78937, 78938	Covered A-line	E26/24 (Medium)	CFL		505	11	N/A	10000	2700		6	3/4/2010
GE Lighting	General Electric	FLE11/2/A17XL/F/D	78939, 78940	Covered A-line	E26/24 (Medium)	CFL		460	11	N/A	10000	6500		6	4/2/2010
GE Lighting	General Electric	FLE11/2/A19XL	89622	Covered A-line	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	11/2/2006
GE Lighting	General Electric	FLE11/2/G25XL	47484: 85392: 89096, 90069; 00572; 00575; 65154	Covered globe	E26/24 (Medium)	CFL		500	11	N/A	10000	2700	0.575	7	6/13/2005
GE Lighting	General Electric	FLE11/2/G25XL/D	78946, 78947	Covered globe	E26/24 (Medium)	CFL		450	11	N/A	10000	6500	0.5	6	1/27/2010
GE Lighting	General Electric	FLE11/2/R20/SW	24691	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	6000	2700		4	9/16/2004
GE Lighting	General Electric	FLE11/2/R20XL	47477; 80892, 90067, 00684; 73795; 00820, 00857; 01116; 76131	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700		7	2/19/2010
GE Lighting	General Electric	FLE11/2/R20XL/D	78948, 78949	Covered reflector	E26/24 (Medium)	CFL		370	11	N/A	10000	6500	0.5	6	1/27/2010
GE Lighting	General Electric	FLE11/2/T14XL	89631	Covered bullet	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	10/17/2006
GE Lighting	General Electric	FLE11/2/TC14/SW/CD	49894, 00507	Covered-post	E26/24 (Medium)	CFL		500	11.0	N/A	6000	2700	0.589	4	1/20/2011
GE Lighting	General Electric	FLE13HT10KBX3	65169	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.5	5	10/12/2011
GE Lighting	General Electric	FLE13HT2/2	85383; 85390, 00709, 00711; 86256, 00460, 68505, 68511	Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	12000	2700	0.51	8	10/17/2006
GE Lighting	General Electric	FLE13HT2/2/CAND	75368: 01194	Bare-Mini-Soiral	E12 (Candelabra)	CFL		850	13	N/A	8000	2700		5	7/13/2009

GE Lighting	General Electric	FLE13HT2/2/D	01158; 01112; 73442; 62949; 68519	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	6500	0.55	8	7/28/2009
GE Lighting	General Electric	FLE13HT2/6H/CW	72469: 01107	Bare-ssiral	E26/24 (Medium)	CFL		870	13	N/A	8000	4100	0.5	4	4/16/2010
GE Lighting	General Electric	FLE13HT2/6H/D	01106, 72472, 78547	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	6500	0.5	5	4/16/2010
GE Lighting	General Electric	FLE13HT2/6H/SW	72466; 73635	Bare-ssiral	E26/24 (Medium)	CFL		870	13	N/A	8000	2700	0.5	5	4/19/2010
GE Lighting	General Electric	FLE13HT3/2	97659; 97689; 73542; 61228; 00854	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		6	1/3/2008
GE Lighting	General Electric	FLE13HT3/2/D	85394	Bare-Mini-Spiral	E26/24 (Medium)	CFL		750	13	N/A	8000	6500		5	8/18/2006
GE Lighting	General Electric	FLE13HT3/2/SW	16460; 16450; 16451; 49588; 85939; 97659; 97384; 97385; 97133; 74198; 74199; 77005; 61279; 61480; 67398; 67399; 65671; 66549; 69244; 69319;	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13.0	N/A	10000	2700	0.58	5	8/18/2003
GE Lighting	General Electric	FLE13HT3/2/SW/BX4		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/1/2012
GE Lighting	General Electric	FLE13HT3/2/SW/BXTP	62589	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.579	5	7/6/2012
GE Lighting	General Electric	FLE13HT3/3	49586, 97659, 31064	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		5	3/2/2007
GE Lighting	General Electric	FLE13HT3/5	16460	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		5	10/28/2005
GE Lighting	General Electric	FLE13HT3/6H/S	71763	Bare-Mini-Spiral	E26/24 (Medium)	CFL		855	13	N/A	8000	5000		4	3/12/2010
GE Lighting	General Electric	FLE14/2/TC16	85384, 01019	Covered-post	E26/24 (Medium)	CFL		750	14	N/A	10000	2700		2	10/16/2008
GE Lighting	General Electric	FLE14/3/A19	73162: 73163	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		5	6/10/2008
GE Lighting	General Electric	FLE14/3/G25	73164; 73165	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		5	5/2/2008
GE Lighting	General Electric	FLE14/3/R20	73161: 73160	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		5	5/2/2008
GE Lighting	General Electric	FLE15/2/A19XL	89632; 71876; 72609; 72679; 74879; 74878	Covered A-line	E26/24 (Medium)	CFL		825	15	N/A	10000	2700		6	10/18/2006
GE Lighting	General Electric	FLE15/2/A21XL	47487	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		7	3/1/2010
GE Lighting	General Electric	FLE15/2/DV/R30	21709; FLE15/2/DV/R30SWCD, 21710; 71277; 71330; 00367; 00863; 98284; 01114; 62825	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15.0	N/A	6000	2700		4	1/14/2004
GE Lighting	General Electric	FLE15/2/G25/XL	47485; 89633; 00785; 01011; 76132	Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		8	10/17/2006
GE Lighting	General Electric	FLE15/2/R30/SW/CD	20708; FLE15/2/R30, 28909 (3pk); FLE15/2/R30/UTCD, 49610	Covered reflector	E26/24 (Medium)	CFL		720	15.0	N/A	8000	2700		5	1/14/2004
GE Lighting	General Electric	FLE15/2/R30XL	47478; 00683; 80893; 73793; 72984; 01115, 00856; 71276; 62826; 68587	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		7	6/13/2005
GE Lighting	General Electric	FLE15/2/R30XL/D	78950, 78951	Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	10000	6500	0.5	6	1/27/2010
GE Lighting	General Electric	FLE15/A2/A23/SW/827	41439	Covered A-line	E26/24 (Medium)	CFL		825	15.0	N/A	6000	2700		5	2/4/2000
GE Lighting	General Electric	FLE15AG19/2/HB/SW	64158, 63503, 63505, 66551	Covered A-line	Medium E26/24 (medium)	CFL		800	15.0	N/A	8000	2700	0.6	4	7/19/2012
GE Lighting	General Electric	FLE15HT3/2/841	25183	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		2	9/17/2004
GE Lighting	General Electric	FLE15HT3/2/CVG/827	78961	Bare-spiral	E26/24 (Medium)	CFL		920	15	N/A	8000	2700	0.5	8	2/17/2010
GE Lighting	General Electric	FLE15HT3/2/D	89091; 85394, 00791; 00461; 73435; 01071; 00699; 62110	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	6500		5	12/13/2006
GE Lighting	General Electric	FLE15HT3/2/DV	89623:89619:01020	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700		6	10/16/2006
GE Lighting	General Electric	FLE15HT3/2/GU24/827	75367, 76139, and 01193	Bare-spiral	GU24	CFL		1024	14.06	N/A	10000	2700	0.561	2	12/7/2009
GE Lighting	General Electric	FLE15HT3/2/SW	15831; FLE15HT3/2/SW/CD3PK, 00261; 01160	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15.0	N/A	8000	2700	0.57	5	10/7/2002
GE Lighting	General Electric	FLE15HT3/2/XL	47435; 49680; 80973; 00686; 00694; 71804; 71666; 80937; 75373	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	2700		8	6/7/2005
GE Lighting	General Electric	FLE16/2/R30XL	62947	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	#ERROR	0.5	2	6/25/2009
GE Lighting	General Electric	FLE16/3/R30	73042; 73043; 73097	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		5	5/2/2008
GE Lighting	General Electric	FLE20/2/A19XL	89634: 74191: 74192	Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	10000	2700		2	10/16/2006
GE Lighting	General Electric	FLE20AG21/2/SW	74438; 74726; 74858; 01086; 01089	Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	8000	2700		5	4/24/2009
GE Lighting	General Electric	FLE20HT10KBX3	65170	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.5	5	10/12/2011
GE Lighting	General Electric	FLE20HT2/2/XL	72875, 72880, 68506, 68512	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.5	8	2/17/2010
GE Lighting	General Electric	FLE20HT2/2/XL/D	73443; 62951; 68520	Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	12000	6500		8	10/19/2010
GE Lighting	General Electric	FLE20HT2/6H/D	73632	Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	6500	0.5	5	4/16/2010
GE Lighting	General Electric	FLE20HT3/2	97690; 61229	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20.0	N/A	10000	2700	0.5	6	10/7/2002
GE Lighting	General Electric	FLE20HT3/2/841	25186	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	4100		2	3/26/2010
GE Lighting	General Electric	FLE20HT3/2/CVG/827	78962	Bare-spiral	E26/24 (Medium)	CFL		1260	20	N/A	8000	2700		5	3/25/2010
GE Lighting	General Electric	FLE20HT3/2/D	85396; 89094; 75925	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	6500	0.55	6	8/1/2006
GE Lighting	General Electric	FLE20HT3/2/D/BX3	61588, 64006	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	6500		6	12/13/2010
GE Lighting	General Electric	FLE20HT3/2/GU24/827	76136, 76140	Bare-spiral	GU24	CFL		1296	18.72	N/A	10000	2700	0.581	2	12/7/2009
GE Lighting	General Electric	FLE20HT3/2/SW	15516; 15518; 15834; 49587; 97249; 74200; 71284; 74201; 77006; 77673; 61481	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20.0	N/A	8000	2700		5	10/7/2002
GE Lighting	General Electric	FLE20HT3/2/SW/BX4	65672	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700		2	6/1/2012
GE Lighting	General Electric	FLE20HT3/2/XL	47442; 80888, 49684, 75374, 73863	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700		8	3/4/2010
GE Lighting	General Electric	FLE20HT3/2/XL/D	47466, 00687, 01042	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	6500		8	4/2/2010
GE Lighting	General Electric	FLE20HT3/3	15516, 15518, 49587	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		5	3/2/2007
GE Lighting	General Electric	FLE20HT3/5	15516; 15518; 49587	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		5	2/13/2008
GE Lighting	General Electric	FLE20HT3/6H/S	71764	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	5000		4	3/19/2010
GE Lighting	General Electric	FLE23/2/PAR38F	61227; 78964; 61149; 61165	Covered reflector	E26/24 (Medium)	CFL		1185	23	N/A	10000	2700	0.5	6	5/19/2010
GE Lighting	General Electric	FLE23/3/R40	73044	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		5	5/2/2008
GE Lighting	General Electric	FLE23HT3/2/XL	47445, 80889	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		8	6/13/2005
GE Lighting	General Electric	FLE23HT3/3	72641	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		6	1/3/2008
GE Lighting	General Electric	FLE26/2/PAR38/SW/CD	FLE26/2/PAR38/CDN, 00353	Covered reflector	E26/24 (Medium)	CFL		1200	26	N/A	6000	2700		4	2/4/2010
GE Lighting	General Electric	FLE26/2/PAR38/XL	47483; 80895, 47770; 00688; 00529; 73157; 00859; 73796; 01117; 62829, 66546	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		6	6/13/2005
GE Lighting	General Electric	FLE26/2/R40	21738; FLE26R40/2/CDN, 00368	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1300	26	N/A	6000	2700		4	5/25/2004
GE Lighting	General Electric	FLE26/2/R40XL	47479; 80894; 90066; 00689; 73792: 00864; 01172: 62828	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		7	6/13/2005
GE Lighting	General Electric	FLE26/2/T21XL	89636	Covered bullet	E26/24 (Medium)	CFL		1350	26	N/A	10000	2700		2	10/18/2006
GE Lighting	General Electric	FLE26HT10KBX3	65171	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	5	10/12/2011
GE Lighting	General Electric	FLE26HT2/2/XL	0110; 01156; 72877; 72881,68507,68513	Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	12000	2700	0.58	8	9/23/2009
GE Lighting	General Electric	FLE26HT2/2/XL/D	73444, 62952	Bare-spiral	E26/24 (Medium)	CFL		1625	26	N/A	12000	6500		8	12/14/2010
GE Lighting	General Electric	FLE26HT2/6H/D	73633	Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		5	4/2/2010
GE Lighting	General Electric	FLE26HT2/6H/SW	73637, 73631	Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	2700	0.6	4	7/29/2009
GE Lighting	General Electric	FLE26HT2/D/XL/BX3	68521	Bare-ssiral	E26/24 (Medium)	CFL		1600	26	N/A	12000	6500		2	7/24/2012
GE Lighting	General Electric	FLE26HT3/2	97691, 71285; 61230	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	6	12/21/2009
GE Lighting	General Electric	FLE26HT3/2/841	25195	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	4100		2	9/17/2004
GE Lighting	General Electric	FLE26HT3/2/CVG/827	78963	Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700		5	3/25/2010
GE Lighting	General Electric	FLE26HT3/2/D	85397; 89095, 00462; 73436; 01072; 62111	Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		5	8/1/2006
GE Lighting	General Electric	FLE26HT3/2/D3/SW	77123, 77124	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1750	N/A	13/19/26	10000	2700		6	9/29/2009
GE Lighting	General Electric	FLE26HT3/2/D/BX2/6	64007	Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	10000	6500		6	7/19/2011
GE Lighting	General Electric	FLE26HT3/2/DV	89621; 89624, 00801	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1700	26	N/A	10000	2700		6	10/16/2006
GE Lighting	General Electric	FLE26HT3/2/GU24/827	76137, 76141	Bare-spiral	GU24	CFL		1801	25	N/A	10000	2700	0.589	2	12/7/2009
GE Lighting	General Electric	FLE26HT3/2/SW	15517; FLE26HT3/2/SW/2PK, 15519 (2-pack); FLE26HT3/2/827, 15836; FLE26HT3/2/10PK, 21845; FLE26HT3/2SW/CND, 00327; FLE26HT3/2/PCN 00323; FLE26HT32SWCD3PK, 00262; 47709; 97250; 00849; 74202; 74203; 73697, 97134; 01026; 77007, 77677, 61482, 72070	Bare-spiral	E26/24 (Medium)	CFL		1750	26.0	N/A	8000	2700		5	10/7/2002
GE Lighting	General Electric	FLE26HT3/2/SW/BX4	65673	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	6/1/2012
GE Lighting	General Electric	FLE26HT3/2/XL	47446; 49685; 80890; 00690; 00698; 75375; 73864; 01055; 68601	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	12000	2700		8	6/13/2005
GE Lighting	General Electric	FLE26T3SW/CD4/TP	62824	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.575	6	1/20/2011
GE Lighting	General Electric	FLE29HLX/2/XL	47459; 00693; 81514	Bare-spiral	E26/24 (Medium)	CFL		2200	29	N/A	12000	2700		8	3/1/2010

GE Lighting	General Electric	FLE32HLX/2/SW	24684; 24743 (boxed)	Bare-spiral	E26/24 (Medium)	CFL		2200	32	N/A	8000	2700		5	3/12/2010
GE Lighting	General Electric	FLE32HT3/2/D3/CW	62070	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	4100		2	1/21/2011
GE Lighting	General Electric	FLE32HT3/2/D3/SW	78952, 79455; 01374; 62590; 63482; 68603; 66548	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	2700		5	3/4/2010
GE Lighting	General Electric	FLE42HLX/2/XL	47452: 80891: 00483: 97728	Bare-ssiral	E26/24 (Medium)	CFL		2700	42	N/A	12000	2700		8	10/4/2005
GE Lighting	General Electric	FLES/2/CAC/827	00373, 01009	Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	6000	2700	0.5	4	2/22/2010
GE Lighting	General Electric	FLES5HT5/2/SW	78965	Bare-ssiral	E26/24 (Medium)	CFL		3860	55	N/A	8000	2700	0.5	5	5/19/2010
GE Lighting	General Electric	FLE7/2/CAC/827	00374, 00574, 16103	Covered-Candle	E12 (Candelabra)	CFL		370	7	N/A	6000	2700	0.5	4	2/18/2010
GE Lighting	General Electric	FLE9/2/CAC	74124, 85388, 01006, 16105	Covered-Candle	E12 (Candelabra)	CFL		430	9	N/A	6000	2700	0.5	2	12/31/2009
GE Lighting	General Electric	FLE9/2/CAC/XL/SW	79068	Covered-Candle	E12 (Candelabra)	CFL		400	9	N/A	10000	2700	0.5	5	1/5/2012
GE Lighting	General Electric	FLE9/2/CAM	16106; FLE9/2/CAM/SW/CD, 24692; FLE9/2/CAM/CDCDN, 00347	Covered-Candle	E26/24 (Medium)	CFL		430	9.0	N/A	6000	2700		4	8/18/2003
GE Lighting	General Electric	FLE9/2/CAM/XL	47488; 49688; 74123	Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	10000	2700		6	6/20/2005
GE Lighting	General Electric	FLE9/3/A17	73038; 73039	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		5	5/2/2008
GE Lighting	General Electric	FLE9/3/G18	74586, 74587	Covered globe	E26/24 (Medium)	CFL		340	9	N/A	8000	2700	0.606	5	1/20/2011
GE Lighting	General Electric	FLE9AG19/2/SW	74724; 01084; 01087; 74436; 74856: 63497: 63498	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		5	3/3/2009
GE Lighting	General Electric	FLEHT3/2/BOXCD	01025	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.579	5	7/6/2012
GFL Lighting Group	GFL	SSS-15D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1077	15	N/A	10000	2700	0.584	1	6/14/2010
GFL Lighting Group	GFL	SSS-20D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1395	20	N/A	10000	2700	0.576	1	6/14/2010
GFL Lighting Group	GFL	SSS-27D		Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700	0.6	2	9/15/2009
GFL Lighting Group	GFL	SSS30/35K		Bare-spiral	E26/24 (Medium)	CFL		1845	30	N/A	10000	3500		2	3/23/2006
GFL Lighting Group	GFL	SSS33-3way		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/22/33	10000	2700	0.547	1	6/14/2010
GFL Lighting Group	GFL	SSS40TX		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	7/11/2005
GFL Lighting Group	GFL	SSS40TX/35k		Bare-spiral	E26/24 (Medium)	CFL		2820	40	N/A	12000	3500		2	11/5/2008
Global Consumer Products, Inc.	Overdrive	13W/ODMS		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	12/11/2006
Global Consumer Products, Inc.	Overdrive	13W/ODSGU	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	9/2/2008
Global Consumer Products, Inc.	Overdrive	13W/ODSGU/35K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	4/1/2010
Global Consumer Products, Inc.	Overdrive	13W/ODSGU/41K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	6/16/2009
Global Consumer Products, Inc.	Overdrive	13W/ODSGUD/IM/27K	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	1/4/2011
Global Consumer Products, Inc.	Overdrive	13W/ODT2S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		815	13	N/A	10000	2700		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/41K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		825	13	N/A	10000	4100		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	4100		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000		2	9/28/2009
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/E12		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	9/23/2009
Global Consumer Products, Inc.	Overdrive	13W/ODT2S/E12/41K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	4100		2	9/23/2009
Global Consumer Products, Inc.	Overdrive	15W/ODA		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	7/9/2009
Global Consumer Products, Inc.	Overdrive	15W/ODA/41K		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	9/29/2009
Global Consumer Products, Inc.	Overdrive	15W/ODAGU	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	1/26/2010
Global Consumer Products, Inc.	Overdrive	15W/ODOG		Covered globe	E26/24 (Medium)	CFL		720	15	N/A	10000	2700		2	5/4/2009
Global Consumer Products, Inc.	Overdrive	15W/ODGGU	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	1/9/2009
Global Consumer Products, Inc.	Overdrive	15W/ODGS		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	3/4/2010
Global Consumer Products, Inc.	Overdrive	15W/ODPAR30		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	9/29/2009
Global Consumer Products, Inc.	Overdrive	15W/ODPAR30/41K		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	9/7/2010
Global Consumer Products, Inc.	Overdrive	15W/ODR30		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	5/28/2009
Global Consumer Products, Inc.	Overdrive	15W/ODR30/41K		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		2	10/18/2010
Global Consumer Products, Inc.	Overdrive	15W/ODR30GU	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	5/13/2009
Global Consumer Products, Inc.	Overdrive	18W/ODSGU	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	9/2/2008
Global Consumer Products, Inc.	Overdrive	18W/ODT2S/27K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	10/30/2008
Global Consumer Products, Inc.	Overdrive	18W/ODT2S/41K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	9/28/2009
Global Consumer Products, Inc.	Overdrive	18W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		2	9/28/2009
Global Consumer Products, Inc.	Overdrive	18W/ODT2SGU	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.592	2	2/1/2010
Global Consumer Products, Inc.	Overdrive	18W/ODT2SGU/41K	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.605	2	1/4/2011
Global Consumer Products, Inc.	Overdrive	23W/ODMS		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/11/2006
Global Consumer Products, Inc.	Overdrive	23W/ODPAR38/41K		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	8/23/2010
Global Consumer Products, Inc.	Overdrive	23W/ODR40		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	9/29/2009
Global Consumer Products, Inc.	Overdrive	23W/ODSGU	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	8/26/2008
Global Consumer Products, Inc.	Overdrive	23W/ODSPOMN		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	6/29/2010
Global Consumer Products, Inc.	Overdrive	23W/ODT2S/27K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/17/2012
Global Consumer Products, Inc.	Overdrive	23W/ODT2S/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/30/2009
Global Consumer Products, Inc.	Overdrive	23W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	9/28/2009
Global Consumer Products, Inc.	Overdrive	23W/ODT2SGU	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	2/1/2010
Global Consumer Products, Inc.	Overdrive	23W/ODT2SGU/41K	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.599	2	1/4/2011
Global Consumer Products, Inc.	Overdrive	26W/ODMS		Bare-spiral	E26/24 (Medium)	CFL		1800	26	N/A	10000	2700		2	5/4/2009
Global Consumer Products, Inc.	Overdrive	26W/ODSGU	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	1/15/2009
Global Consumer Products, Inc.	Overdrive	26W/ODSP/3WAY		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	12/20/26	10000	2700		2	10/30/2008
Global Consumer Products, Inc.	Overdrive	26W/ODT2S		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	9/16/2010
Global Consumer Products, Inc.	Overdrive	40W/ODSP		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	9/28/2009
Global Consumer Products, Inc.	Overdrive	40W/ODSP/3WAY		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2450	N/A	15/256/40	10000	2700		2	10/30/2008
Global Consumer Products, Inc.	Overdrive	7W/ODA		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	7W/ODA/41K		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	4100		2	9/29/2009
Global Consumer Products, Inc.	Overdrive	9W/ODGS		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.53	2	12/12/2006
Global Consumer Products, Inc.	Overdrive	9W/ODT2S		Bare-Mini-Spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	9W/ODT2S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	9W/ODT2S/41K		Bare-Mini-Spiral	E12 (Candelabra)	CFL		520	9	N/A	10000	4100		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	9W/ODT2S/41K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	4100		2	3/21/2007
Global Consumer Products, Inc.	Overdrive	9W/ODT2S/50K		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000		2	9/28/2009
Globe Electric Inc.	blue planet	31209		Covered-Candle	E12	CFL		300	7	N/A	10000	2700	0.57	6	10/30/2012
Globe Electric Inc.	Globe	00007		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700	0.58	11	12/9/2009
Globe Electric Inc.	Globe	00008		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	11	12/21/2009
Globe Electric Inc.	Globe	00009		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.589	9	12/9/2009
Globe Electric Inc.	Globe	00010		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.59	9	12/21/2009
Globe Electric Inc.	Globe	00010		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100	0.59	9	12/21/2009
Globe Electric Inc.	Globe	00011		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/2009
Globe Electric Inc.	Globe	00011		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/2009
Globe Electric Inc.	Globe	00012		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	12/21/2009
Globe Electric Inc.	Globe	00013		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.587	9	12/9/2009
Globe Electric Inc.	Globe	00014		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.559	9	12/9/2009
Globe Electric Inc.	Globe	.0002S	.00025	Covered-Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	9	6/26/2012
Globe Electric Inc.	Globe	00025		Covered-Candle	E12	CFL		300	6.64	N/A	10000	2700	0.57	9	6/26/2012
Globe Electric Inc.	Globe	.00026	.00026	Covered-Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	9	6/26/2012
Globe Electric Inc.	Globe	00031		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700	0.52	9	12/21/2009
Globe Electric Inc.	Globe	00032		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700	0.57	9	12/21/2009
Globe Electric Inc.	Globe	00035	01111. 0744201	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.578	9	12/21/2009
Globe Electric Inc.	Globe	00038		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.565	9	12/21/2009
Globe Electric Inc.	Globe	00040		Bare-ssiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700	0.5	9	12/21/2009
Globe Electric Inc.	Globe	00048		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	11	12/21/2009
Globe Electric Inc.	Globe	00049		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.559	9	12/9/2009
Globe Electric Inc.	Globe	00050		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	9	12/21/2009
Globe Electric Inc.	Globe	00200	07504, 240680, 2407001	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		11	1/7/2008
Globe Electric Inc.	Globe	0020001	0750401	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	27000		2	4/24/2012

Globe Electric Inc.	Globe	00201	07502	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	1/7/2008
Globe Electric Inc.	Globe	00202	07506, 2750301	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		9	1/7/2008
Globe Electric Inc.	Globe	0020301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	6/11/2009
Globe Electric Inc.	Globe	00210		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	1/5/2009
Globe Electric Inc.	Globe	00210		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	6/15/2011
Globe Electric Inc.	Globe	00211		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		11	1/7/2008
Globe Electric Inc.	Globe	00212		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100		11	4/21/2009
Globe Electric Inc.	Globe	0021201		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	5/21/2009
Globe Electric Inc.	Globe	0021201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	6/11/2009
Globe Electric Inc.	Globe	0021301		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		7	6/26/2009
Globe Electric Inc.	Globe	00303		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.59	9	12/21/2009
Globe Electric Inc.	Globe	00303		Bare-ssiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.59	9	12/21/2009
Globe Electric Inc.	Globe	00304		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/2009
Globe Electric Inc.	Globe	00304		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	12/21/2009
Globe Electric Inc.	Globe	00306		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	2/15/2012
Globe Electric Inc.	Globe	00307		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.59	11	12/9/2009
Globe Electric Inc.	Globe	00308		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700	0.58	11	12/9/2009
Globe Electric Inc.	Globe	00351		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.568	9	12/24/2009
Globe Electric Inc.	Globe	00400		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	00401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	00402		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/2008
Globe Electric Inc.	Globe	0040201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		9	6/11/2009
Globe Electric Inc.	Globe	0040301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	6/11/2009
Globe Electric Inc.	Globe	00410		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	12/10/2008
Globe Electric Inc.	Globe	00411		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/7/2008
Globe Electric Inc.	Globe	00412		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	0041301		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		7	6/26/2009
Globe Electric Inc.	Globe	00501		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.53	9	12/24/2009
Globe Electric Inc.	Globe	00601		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	2/16/2012
Globe Electric Inc.	Globe	00604	2852401	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	3/30/2012
Globe Electric Inc.	Globe	.00606	.00606	Covered Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	9	6/26/2012
Globe Electric Inc.	Globe	00607		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.55	9	12/9/2009
Globe Electric Inc.	Globe	0070101		Bare-ssiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		9	3/16/2010
Globe Electric Inc.	Globe	00705	0072101, 0170501	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	5/9/2011
Globe Electric Inc.	Globe	00903		Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	16	N/A	10000	3000		2	6/17/2009
Globe Electric Inc.	Globe	00905		Covered reflector	E26/24 (Medium)	CFL		780	16	N/A	10000	3000		9	2/24/2010
Globe Electric Inc.	Globe	01100		Covered-Candle	E12	CFL		300	6.64	N/A	10000	2700	0.57	9	2/29/2012
Globe Electric Inc.	Globe	01102		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	01104		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	01106		Covered Reflector	E26	CFL		680	15	N/A	8000	2700	0.63	7	2/16/2012
Globe Electric Inc.	Globe	0110601		Covered Reflector	E26	CFL		700	15.18	N/A	8000	2700	0.63	3	7/13/2012
Globe Electric Inc.	Globe	01107		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	0110701		Bare-Mini Spiral	E26	CFL		1600	24.38	N/A	10000	2700	0.55	3	7/13/2012
Globe Electric Inc.	Globe	01108		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	0110801		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Wav	2600	N/A	15/26/40	10000	2700		9	5/21/2009
Globe Electric Inc.	Globe	01109		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	01110	0737101	Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700	0.55	2	2/9/2012
Globe Electric Inc.	Globe	01111		Covered reflector	E26/24 (Medium)	CFL		1070	23	N/A	10000	2700		9	1/7/2008
Globe Electric Inc.	Globe	01112		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	4100		2	3/28/2012
Globe Electric Inc.	Globe	01114		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.565	9	10/19/2009
Globe Electric Inc.	Globe	01116		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	01128		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	01136		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	3/28/2012
Globe Electric Inc.	Globe	01402		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/5/2009
Globe Electric Inc.	Globe	0171201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		9	8/24/2010
Globe Electric Inc.	Globe	02109		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		9	2/13/2009
Globe Electric Inc.	Globe	02301		Covered-Candle	E12	CFL		300	6.64	N/A	10000	2700	0.57	9	10/18/2012
Globe Electric Inc.	Globe	02402		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	06620,3560601, 37226, 0662088, 01	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	9/2/2008
Globe Electric Inc.	Globe	06622, 01123, 37227	N/A	Bare-ssiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	9/2/2008
Globe Electric Inc.	Globe	07119	07219 (3-pack)	Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		5	1/7/2008
Globe Electric Inc.	Globe	07122	07221 (3-oack)	Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		5	3/16/2004
Globe Electric Inc.	Globe	07198		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700	0.591	9	12/9/2009
Globe Electric Inc.	Globe	07219		Covered globe	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		5	2/7/2003
Globe Electric Inc.	Globe	07221		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	1/7/2008
Globe Electric Inc.	Globe	07371		Covered reflector	E26/24 (Medium)	CFL		690	15.0	N/A	10000	2700		1	9/26/2001
Globe Electric Inc.	Globe	0737101		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	7/28/2009
Globe Electric Inc.	Globe	07428		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		5	9/26/2007
Globe Electric Inc.	Globe	07432	27432 (2-pack); 37432 (3-pack)	Covered A-line	E26/24 (Medium)	CFL		385	7.0	N/A	6000	2700		5	9/23/2002
Globe Electric Inc.	Globe	0743501		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	10/4/2012
Globe Electric Inc.	Globe	0744201		Covered reflector	E26/24 (Medium)	CFL		1070	23	N/A	10000	2700		9	8/26/2009
Globe Electric Inc.	Globe	0749701	8870301	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/9/2008
Globe Electric Inc.	Globe	07500		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100		2	2/16/2012
Globe Electric Inc.	Globe	0750201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/19/2008
Globe Electric Inc.	Globe	0750501		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		2	4/24/2012
Globe Electric Inc.	Globe	0750601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/20/2008
Globe Electric Inc.	Globe	07510		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	11/21/2007
Globe Electric Inc.	Globe	0751001		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	0751101	0751101; 8870501	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	9/11/2012
Globe Electric Inc.	Globe	0751101		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	07512	27512; 37512	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9.0	N/A	10000	2700		2	3/26/2003
Globe Electric Inc.	Globe	0751201		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	2/16/2010
Globe Electric Inc.	Globe	07514	27514 (2-oack). 37514 (3-oack)	Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	2700		7	9/26/2001
Globe Electric Inc.	Globe	0751501		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/27/2008
Globe Electric Inc.	Globe	07516	27516 (2-oack): 37516 (3-oack)	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	10/2/2005
Globe Electric Inc.	Globe	0760201		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	10/15/2008
Globe Electric Inc.	Globe	0766501		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	6/11/2009
Globe Electric Inc.	Globe	07840		Bare-spiral	E26/24 (Medium)	CFL		2400	40	N/A	10000	2700		5	2/15/2008
Globe Electric Inc.	Globe	0790401		Bare-ssiral	E26/24 (Medium)	CFL	Three Wav	1600	N/A	12/20/26	10000	2700	0.52	5	7/8/2009
Globe Electric Inc.	Globe	0790501		Bare-Mini Spiral	E26	CFL		2600	36.36	N/A	10000	2700	0.54	3	7/13/2012
Globe Electric Inc.	Globe	0790501		Bare-ssiral	E26/24 (Medium)	CFL	Three Wav	2600	N/A	15/26/40	10000	2700	0.57	5	7/8/2009
Globe Electric Inc.	Globe	1100	1100	Covered-Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	9	2/29/2012
Globe Electric Inc.	Globe	1101	1101	Covered-Candle	Medium E26/24 (medium)	CFL		300	7.0	N/A	10000	2700	0.569	9	2/29/2012
Globe Electric Inc.	Globe	1106	1106	Covered reflector	Medium E26/24	CFL	Dimmable	680	15.0	N/A	8000	2700	0.627	7	2/16/2012
Globe Electric Inc.	Globe	110601	110601	Covered reflector	Medium E26/24 (medium)	CFL	Dimmable	700	15.0	N/A	8000	2700	0.627	3	7/13/2012
Globe Electric Inc.	Globe	1107	1107	Bare-spiral	Medium E26/24 (medium)	CFL		1600	26.0	N/A	10000	2700	0.554	3	7/13/2012
Globe Electric Inc.	Globe	110701	110701	Bare-ssiral	Medium E26/24 rmedium	CFL		1600	26.0	N/A	10000	2700	0.554	3	7/13/2012
Globe Electric Inc.	Globe	1108	1108	Bare-spiral	Medium E26/24 (medium)	CFL		2600	40.0	N/A	10000	2700	0.536	3	7/13/2012

Globe Electric Inc.	Globe	112277	N/A	Bare-spiral	GU24	CFL		898	12.85	N/A	10000	2700	0.587	2	10/27/2009
Globe Electric Inc.	Globe	1124	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	9/2/2008
Globe Electric Inc.	Globe	112401	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	6/22/2009
Globe Electric Inc.	Globe	113701	113701	Covered reflector	Medium E26/24	CFL	Dimmable	680	15.0	N/A	8000	2700	0.627	7	2/16/2012
Globe Electric Inc.	Globe	1141	N/A	Bare-spiral	GU24	CFL		887	13.8	N/A	10000	4100	0.58	2	12/28/2010
Globe Electric Inc.	Globe	12902		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	3/28/2012
Globe Electric Inc.	Globe	12903		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	3/30/2012
Globe Electric Inc.	Globe	1435	1435	G - Globe	E26/E24 (Medium)	LED	Dimmable	416	8.04	N/A	40000	3000	0.719	3	8/17/2011
Globe Electric Inc.	Globe	1436	1436	MR - Multifaceted reflector	GU5.3	LED		165	4.0	N/A	40000	3000	1	10	12/20/2011
Globe Electric Inc.	Globe	1437	1437	Non-standard	GU10	LED		210	4.0	N/A	40000	3000	0.607	10	6/21/2012
Globe Electric Inc.	Globe	1438	1438	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	7.0	N/A	40000	3000	0.788	3	8/10/2011
Globe Electric Inc.	Globe	143801	1438	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	7.0	N/A	40000	3000	0.788	3	8/10/2011
Globe Electric Inc.	Globe	1439	1439	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	558	11.0	N/A	40000	3000	0.819	3	8/10/2011
Globe Electric Inc.	Globe	143901	1439	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	558	11.0	N/A	40000	3000	0.819	3	8/10/2011
Globe Electric Inc.	Globe	1440	1440	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	819	17.0	N/A	40000	3000	0.76	3	8/10/2011
Globe Electric Inc.	Globe	144001	1440	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	819	17.0	N/A	40000	3000	0.76	3	8/10/2011
Globe Electric Inc.	Globe	14820		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	5/13/2008
Globe Electric Inc.	Globe	2301	2301	Covered-Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	9	10/18/2012
Globe Electric Inc.	Globe	2406701		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700	0.55	11	7/16/2009
Globe Electric Inc.	Globe	2407401		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	7/29/2010
Globe Electric Inc.	Globe	2407501		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	5/28/2009
Globe Electric Inc.	Globe	2407601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	4100		7	8/7/2008
Globe Electric Inc.	Globe	2407701		Bare-ssiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	5/28/2009
Globe Electric Inc.	Globe	2408101		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	2408401		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/2010
Globe Electric Inc.	Globe	25514		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/1/2005
Globe Electric Inc.	Globe	25516		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	9/1/2005
Globe Electric Inc.	Globe	27371		Covered reflector	E26/24 (Medium)	CFL		520	15	N/A	6000	2700		5	1/15/2004
Globe Electric Inc.	Globe	2737101		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	7/28/2009
Globe Electric Inc.	Globe	2750101		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	2/24/2010
Globe Electric Inc.	Globe	2751501		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/27/2008
Globe Electric Inc.	Globe	27516		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/11/2007
Globe Electric Inc.	Globe	27602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		5	9/1/2005
Globe Electric Inc.	Globe	2760201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	8/26/2008
Globe Electric Inc.	Globe	27604		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		7	2/15/2008
Globe Electric Inc.	Globe	2760501		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.53	9	12/3/2009
Globe Electric Inc.	Globe	28522		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	3/28/2008
Globe Electric Inc.	Globe	28524	28524	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/8/2007
Globe Electric Inc.	Globe	28524		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	3/28/2008
Globe Electric Inc.	Globe	2852401	2852401	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/8/2007
Globe Electric Inc.	Globe	2852401	2852401; 8870401	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	9/11/2012
Globe Electric Inc.	Globe	2852401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	28526	28526	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/8/2007
Globe Electric Inc.	Globe	28526		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/28/2008
Globe Electric Inc.	Globe	2852601	2852601	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/8/2007
Globe Electric Inc.	Globe	28600		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	2/15/2008
Globe Electric Inc.	Globe	2860401		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	3021601	3021901. 3031901. 8129201	Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	12/16/2010
Globe Electric Inc.	Globe	3021701	3021801	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	12/16/2010
Globe Electric Inc.	Globe	32	32	Bare-spiral	Medium E26/24 (medium)	CFL		2600	40.0	N/A	10000	2700	0.536	3	7/13/2012
Globe Electric Inc.	Globe	3560701	3560701	Covered-Candle	E12 (Candelabra)	CFL		340	7.0	N/A	10000	2700	0.569	9	2/29/2012
Globe Electric Inc.	Globe	3560901	3560901	Bare-spiral	Medium E26/24 (medium)	CFL		1600	26.0	N/A	10000	2700	0.554	3	7/13/2012
Globe Electric Inc.	Globe	3561001	3561001	Bare-ssiral	E26/24 (medium)	CFL		2600	40.0	N/A	10000	2700	0.536	9	10/18/2012
Globe Electric Inc.	Globe	3561001		Bare-Mini Spiral	E26	CFL		2600	36.36	N/A	10000	2700	0.54	9	10/18/2012
Globe Electric Inc.	Globe	3561501	3561501	Covered reflector	Medium E26/24	CFL	Dimmable	700	15.0	N/A	8000	2700	0.627	7	2/16/2012
Globe Electric Inc.	Globe	37601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	1/7/2008
Globe Electric Inc.	Globe	37602		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		5	9/1/2005
Globe Electric Inc.	Globe	37603		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	1/7/2008
Globe Electric Inc.	Globe	37605		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/2008
Globe Electric Inc.	Globe	38605		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	38610		Bare-ssiral	E12 (Candelabra)	CFL		550	9	N/A	12000	4100		11	12/16/2008
Globe Electric Inc.	Globe	38610		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		11	1/5/2009
Globe Electric Inc.	Globe	38612		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/7/2008
Globe Electric Inc.	Globe	4751701		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	2/16/2010
Globe Electric Inc.	Globe	48400		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	1/5/2009
Globe Electric Inc.	Globe	48400		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		11	1/5/2009
Globe Electric Inc.	Globe	48402		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	1/5/2009
Globe Electric Inc.	Globe	48402		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	1/5/2009
Globe Electric Inc.	Globe	4841201		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/2010
Globe Electric Inc.	Globe	4841401		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	48501	48501	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	8/20/2007
Globe Electric Inc.	Globe	48504	48504. 4850401	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	8/20/2007
Globe Electric Inc.	Globe	4850401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	48522		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	8000	2700	0.52	7	12/21/2009
Globe Electric Inc.	Globe	48524		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/28/2005
Globe Electric Inc.	Globe	4852601		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	48602		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		5	9/1/2005
Globe Electric Inc.	Globe	4860201		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	4860201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/8/2011
Globe Electric Inc.	Globe	4860401		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/28/2009
Globe Electric Inc.	Globe	48622		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		7	9/1/2005
Globe Electric Inc.	Globe	48624		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/1/2005
Globe Electric Inc.	Globe	48626		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	9/1/2005
Globe Electric Inc.	Globe	48700		Bare-ssiral	E12 (Candelabra)	CFL		520	9	N/A	10000	2700		2	1/5/2009
Globe Electric Inc.	Globe	48700		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	1/5/2009
Globe Electric Inc.	Globe	48702		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	1/5/2009
Globe Electric Inc.	Globe	55011		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100	0.58	9	12/3/2009
Globe Electric Inc.	Globe	55011		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	12/3/2009
Globe Electric Inc.	Globe	67514		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/28/2005
Globe Electric Inc.	Globe	6780201		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.58	9	2/24/2010
Globe Electric Inc.	Globe	68504		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	2/16/2010
Globe Electric Inc.	Globe	68524		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	9/28/2005
Globe Electric Inc.	Globe	68525		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	12/19/2007
Globe Electric Inc.	Globe	68700		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		7	12/5/2007
Globe Electric Inc.	Globe	68702		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	12/11/2008
Globe Electric Inc.	Globe	68704		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		7	12/5/2007
Globe Electric Inc.	Globe	6870401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/21/2009

Globe Electric Inc.	Globe	6870401		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/11/2009
Globe Electric Inc.	Globe	68714		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/21/2009
Globe Electric Inc.	Globe	68800		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		9	1/5/2009
Globe Electric Inc.	Globe	68800		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		9	1/5/2009
Globe Electric Inc.	Globe	6880201		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/30/2007
Globe Electric Inc.	Globe	68803		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	12/10/2008
Globe Electric Inc.	Globe	68803		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	12/10/2008
Globe Electric Inc.	Globe	7534	N/A	Bare-ssiral	GU24	CFL		790	13.6	N/A	10000	2700	0.55	2	9/30/2008
Globe Electric Inc.	Globe	7535	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	4100	0.55	2	9/30/2008
Globe Electric Inc.	Globe	790401	790401	Bare-spiral	Medium E26/24 (medium)	CFL		1600	26.0	N/A	10000	2700	0.554	3	7/13/2012
Globe Electric Inc.	Globe	790501	790501	Bare-spiral	Medium E26/24 (medium)	CFL		2600	40.0	N/A	10000	2700	0.536	3	7/13/2012
Globe Electric Inc.	Globe	8114001	8114001	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	25000	3000	0.771	3	2/16/2012
Globe Electric Inc.	Globe	8114101	8114101	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	530	11.0	N/A	25000	3000	0.836	3	2/16/2012
Globe Electric Inc.	Globe	8114201	8114201	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	840	17.0	N/A	25000	3000	0.728	3	2/16/2012
Globe Electric Inc.	Globe			Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	2/15/2008
Globe Electric Inc.	Globe Electric	01127		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	6/8/2012
Globe Electric Inc.	Globe Enersaver	00207		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		9	12/1/2010
Globe Electric Inc.	Globe Enersaver	00217		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		9	12/1/2010
Globe Electric Inc.	Globe Enersaver	00712		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		11	5/11/2011
Globe Electric Inc.	Globe Enersaver	00715		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		9	5/9/2011
Globe Electric Inc.	Globe Enersaver	0110901		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		9	6/7/2011
Globe Electric Inc.	Globe Enersaver	02102		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	12/1/2010
Globe Electric Inc.	HY-VEE	84144	84144	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	#ERROR	#ERROR	2	10/17/2012
Globe Electric Inc.	London Lights	70002		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/29/2008
Globe Electric Inc.	London Lights	70003		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	8/29/2008
Globe Electric Inc.	London Lights	70004		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/29/2008
Globe Electric Inc.	London Lights	70005		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	8/29/2008
Globe Electric Inc.	London Lights	70006		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	8/29/2008
Globe Electric Inc.	London Lights	70007		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	8/29/2008
Globe Electric Inc.	London Lights	70008		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/29/2008
Globe Electric Inc.	London Lights	70009		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	8/29/2008
Globe Electric Inc.	Meijer	112201	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	6/22/2009
Globe Electric Inc.	NUNAVUT	07498		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	9/22/2008
Globe Electric Inc.	Project Porchlight	14816		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		7	5/7/2007
Globe Electric Inc.	RONA	2004245		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	6/10/2009
Globe Electric Inc.	RONA	2004384		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/9/2012
Globe Electric Inc.	RONA	20045025	20045025	Covered-Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	5	10/18/2012
Globe Electric Inc.	RONA	20045025		Covered-Candle	E12	CFL		300	7	N/A	10000	2700	0.57	5	10/18/2012
Globe Electric Inc.	RONA	20045029	20045029	Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	12000	#ERROR	#ERROR	2	10/15/2012
Globe Electric Inc.	RONA	20045030	20045030	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	#ERROR	#ERROR	2	10/15/2012
Globe Electric Inc.	RONA	20045031	20045031	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	#ERROR	#ERROR	2	10/15/2012
Globe Electric Inc.	RONA	20045032		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	#ERROR	#ERROR	2	10/15/2012
Globe Electric Inc.	RONA	20045033	20045033	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	#ERROR	#ERROR	2	10/15/2012
Globe Electric Inc.	RONA	20045034	20045034	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	#ERROR	#ERROR	2	10/15/2012
Globe Electric Inc.	RONA	20045036	20045036	Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	#ERROR	#ERROR	2	10/12/2012
Globe Electric Inc.	RONA	20045037		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	#ERROR	#ERROR	2	10/12/2012
Globe Electric Inc.	RONA	20045045	20045045	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	#ERROR	#ERROR	2	10/12/2012
Globe Electric Inc.	RONA	20045058		Covered Globe	E26	CFL		800	15	N/A	10000	2700	0.61	5	10/30/2012
Globe Electric Inc.	RONA	2008239		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	5/13/2008
Globe Electric Inc.	RONA	2008240		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100		2	5/13/2008
Globe Electric Inc.	RONA	2008240		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	5/13/2008
Globe Electric Inc.	RONA	2008241		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	5/13/2008
Globe Electric Inc.	RONA	2008242		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	7/17/2008
Globe Electric Inc.	RONA	2008245		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	6000	2700		2	5/13/2008
Globe Electric Inc.	RONA	2008385		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/12/2008
Globe Electric Inc.	RONA	2045058	20045058	Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	#ERROR	0.589	2	10/19/2012
Globe Electric Inc.	Xtricity	1-70200		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	6/1/2009
Globe Electric Inc.	Xtricity	1-70201		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/1/2009
Globe Electric Inc.	Xtricity	1-70202		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/1/2009
Globe Electric Inc.	Xtricity	1-70203		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	6/1/2009
Globe Electric Inc.	Xtricity	1-70204		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	6/1/2009
Globe Electric Inc.	Xtricity	1-70205		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/1/2009
Golo Chang Co., Ltd	GOLO	G120427		Covered-Candle	E26/24 (Medium)	CFL		170	4	N/A	10000	2700	0.539	2	7/15/2010
Golo Chang Co., Ltd	GOLO	G120727		Covered-Candle	E26/24 (Medium)	CFL		300	7	N/A	10000	2700	0.54	2	7/15/2010
Golo Chang Co., Ltd	GOLO	G241327	N/A	Bare-spiral	GU24	CFL		915	12.92	N/A	10000	2700	0.55	2	7/20/2009
Golo Chang Co., Ltd	GOLO	G241827	N/A	Bare-spiral	GU24	CFL		1258	17.5	N/A	10000	2700	0.54	2	7/20/2009
Golo Chang Co., Ltd	GOLO	G242327	N/A	Bare-spiral	GU24	CFL		1511	21.7	N/A	10000	2700	0.56	2	8/25/2010
Golo Chang Co., Ltd	GOLO	G242627	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	1/16/2009
Golo Chang Co., Ltd	GOLO	G242627	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	7/20/2009
Golo Chang Co., Ltd	GOLO	G242627 5000K	N/A	Bare-spiral	GU24	CFL		1689	24.7	N/A	10000	5000	0.52	2	9/29/2010
Golo Chang Co., Ltd	GOLO	G261327		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.544	2	12/31/2009
Golo Chang Co., Ltd	GOLO	G261827		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.581	2	7/15/2010
Golo Chang Co., Ltd	GOLO	G262327		Bare-spiral	E26/24 (Medium)	CFL		1550	23	N/A	10000	2700	0.56	2	6/29/2010
Golo Chang Co., Ltd	GOLO	G262SEA3		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	13/20/25	10000	2700	0.521	2	7/16/2010
Golo Chang Co., Ltd	GOLO	G262627		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.571	2	7/15/2010
Golo Chang Co., Ltd	GOLO	GU241327	N/A	Bare-spiral	GU24	CFL		827	13.3	N/A	10000	2700	0.56	2	7/20/2009
Golo Chang Co., Ltd	GOLO	GU241827	N/A	Bare-spiral	GU24	CFL		1144	17.5	N/A	10000	2700	0.54	2	7/20/2009
Golo Chang Co., Ltd	GOLO	GU242627	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	7/20/2009
Golo Chang Co., Ltd	GOLO	GU242627 5000K	N/A	Bare-spiral	GU24	CFL		1578	24.7	N/A	10000	5000	0.52	2	9/29/2010
Good Earth Lighting, Inc.	Good Earth Lighting	B2413-30-SP	N/A	Bare-spiral	GU24	CFL		923	12.88	N/A	10000	3000	0.581	2	5/11/2011
Good Earth Lighting, Inc.	Good Earth Lighting	B2413-41-SP	N/A	Bare-spiral	GU24	CFL		841	12.4	N/A	10000	4100	0.63	2	6/10/2011
Good Earth Lighting, Inc.	Good Earth Lighting	B2418-30-SP	N/A	Bare-spiral	GU24	CFL		1225	17.8	N/A	10000	3000	0.533	2	6/10/2011
Good Earth Lichtino. Inc.	Good Earth Lichtino	B2423-30-SP	N/A	Bare-spiral	GU24	CFL		1611	22.78	N/A	10000	3000	0.568	2	5/11/2011
Good Earth Lighting, Inc.	Good Earth Lighting	B2423-41-SP	N/A	Bare-spiral	GU24	CFL		1632	22.16	N/A	10000	4100	0.614	2	6/10/2011
Good Earth Lichtino. Inc.	Good Earth Lichtino	B2423-50-SP	N/A	Bare-spiral	GU24	CFL		1367	21.61	N/A	10000	5000	0.567	2	6/10/2011
Good Earth Lighting, Inc.	Good Earth Lighting	B2427-30-SP	N/A	Bare-spiral	GU24	CFL		1814	25.35	N/A	10000	3000	0.578	2	5/11/2011
Good Earth Lichtino. Inc.	Good Earth Lichtino	B2427-41-SP	N/A	Bare-ssiral	GU24	CFL		1768	25.5	N/A	10000	4100	0.527	2	6/10/2011
Grainger Industrial Supply	Luma Pro	12T270		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	4100	0.597	2	9/9/2011
Grainger Industrial Supply	Luma Pro	12T271		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	8000	2700	0.58	2	9/9/2011
Grainger Industrial Supply	Luma Pro	12T273		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.56	2	9/8/2011
Grainger Industrial Supply	Luma Pro	12T274		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	4100	0.603	2	9/8/2011
Grainger Industrial Supply	Luma Pro	12T275		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.61	2	9/8/2011
Grainger Industrial Supply	Luma Pro	12T277		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.632	2	9/8/2011
Grainger Industrial Supply	Luma Pro	12T279		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.621	2	9/8/2011
Grainger Industrial Supply	Luma Pro	12T281		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700	0.929	2	9/8/2011
Grainger Industrial Supply	Luma Pro	2CEK6		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3000	0.5	2	4/19/2010
Grainger Industrial Supply	Luma Pro	2CEK7		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000	0.5	2	4/19/2010
Grainger Industrial Supply	Luma Pro	2CUT4		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.52	2	8/27/2007

Grainger Industrial Supply	Luma Pro	2CUT5		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		2	8/27/2007
Grainger Industrial Supply	Luma Pro	2CUT6		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	2700		2	8/3/2011
Grainger Industrial Supply	Luma Pro	2CUU1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/23/2009
Grainger Industrial Supply	Luma Pro	2CUU2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	2/25/2010
Grainger Industrial Supply	Luma Pro	2CUU6		Covered globe	E26/24 (Medium)	CFL		720	15	N/A	10000	2700		2	8/27/2007
Grainger Industrial Supply	Luma Pro	2CUU8		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1300	20	N/A	10000	2700		2	8/27/2007
Grainger Industrial Supply	Luma Pro	2CUU9		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1560	N/A	12/20/26	10000	2700		2	8/27/2007
Grainger Industrial Supply	Luma Pro	2CUV6		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	8/27/2007
Grainger Industrial Supply	Luma Pro	2CUV7		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	9/23/2009
Grainger Industrial Supply	Luma Pro	2CUV9		Covered reflector	E26/24 (Medium)	CFL		1040	23	N/A	10000	2700		2	8/27/2007
Grainger Industrial Supply	Luma Pro	3TFP5		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500	0.582	2	2/18/2010
Grainger Industrial Supply	Luma Pro	3TFP8		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		2	10/1/2010
Grainger Industrial Supply	Luma Pro	3TFR1		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	9/7/2010
Grainger Industrial Supply	Luma Pro	3TFR3		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	7/26/2010
Grainger Industrial Supply	Luma Pro	5MRK6		Covered reflector	E26/24 (Medium)	CFL		345	9	N/A	8000	3000	0.5	2	4/19/2010
Grainger Industrial Supply	Luma Pro	5MRL0		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.578	2	6/27/2008
Grainger Industrial Supply	LUMAPRO	12T269		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	2700		2	2/16/2012
Grainger Industrial Supply	LUMAPRO	12T272		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	4100		7	2/14/2012
Grainger Industrial Supply	LUMAPRO	12T276	12T276	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	12000	4100	0.595	11	8/14/2012
Grainger Industrial Supply	LUMAPRO	12T280	12T280	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	4100	0.622	11	9/4/2012
Grainger Industrial Supply	LUMAPRO	12T282		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	2/13/2012
Grainger Industrial Supply	LUMAPRO	2CUW3		Bare-spiral		CFL		884	12.1	N/A	10000	4100	0.58	2	2/28/2012
Grainger Industrial Supply	LUMAPRO	2CUW4		Bare-spiral	E26/24 (Medium)	CFL		1756	23.86	N/A	10000	2700	0.591	2	2/28/2010
Grandlite	Grandlite	E-26A-L12-PAR30-LN	E-26A-L12-PAR30-LN	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	531	11.24	N/A	25000	3000	0.924	3	8/25/2011
Grandlite	Grandlite	E-26A-L16-PAR38	E-26A-L16-PAR38	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	750	14.73	N/A	25000	3000	0.899	3	8/25/2011
Grandlite	Grandlite	E-26A-L8-PAR20	E-26A-L8-PAR20	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	8.09	N/A	25000	3000	0.875	3	8/24/2011
Grandlite	Grandlite	E-26A-L8-PAR30-SN	E-26A-L8-PAR30-SN	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	421	8.55	N/A	25000	3000	0.878	3	8/24/2011
Grandlite	Grandlite	E-GU10-L4-MR16-A	E-GU10-L4-MR16-A	Non-standard	E26/E24 (Medium)	LED		204	4.0	N/A	25000	3000	0.583	3	1/4/2012
Grandlite	Grandlite	E-GU5.3-L4-MR16	E-GU5.3-L4-MR16	MR - Multifaceted reflector	GU5.3	LED		190	4.0	N/A	25000	3000	1	3	1/4/2012
Green Creative	Green Creative	01-602/830-38D	01-602/830-38D	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	25000	3000	0.623	3	10/11/2011
Green Creative	Green Creative	01-603-D/830-25D	01-603-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.725	3	8/4/2011
Green Creative	Green Creative	01-603-D/830-40D	01-603-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.725	3	8/4/2011
Green Creative	Green Creative	01-604-D/830-25D	01-604-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.785	3	8/4/2011
Green Creative	Green Creative	01-604-D/830-40D	01-604-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.786	3	8/4/2011
Green Creative	Green Creative	01-606-D/830-25D	01-606-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	270	5.5	N/A	25000	3000	0.712	3	10/19/2011
Green Creative	Green Creative	01-606-D/830-40D	01-606-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	270	5.5	N/A	25000	3000	0.712	3	10/19/2011
Green Creative	Green Creative	01-702-D/830	01-702-D/830	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	6/27/2012
Green Creative	Green Creative	01-704-D/830-25D	01-704-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.763	3	6/19/2012
Green Creative	Green Creative	01-704-D/830-40D	01-704-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	6/19/2012
Green Creative	Green Creative	01-705-D/830-25D	01-705-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	3	6/19/2012
Green Creative	Green Creative	01-705-D/830-40D	01-705-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	6/19/2012
Green Creative	Green Creative	01-706-D/830-25D	01-706-D/830-25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	3	6/19/2012
Green Creative	Green Creative	01-706-D/830-40D	01-706-D/830-40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	6/19/2012
Green Creative	Green Creative	01-709-D/830	01-709-D/830	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	3000	0.976	3	10/18/2012
Green Creative	Green Creative	02-501-D/830	02-501-D/830	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	25000	3000	0.765	3	4/9/2012
Green Lighting LED	US*EAGLED	USMR16-HPSDV25	USMR16-HPSDV25	MR - Multifaceted reflector	GU5.3	LED		309	5.6	N/A	25000	2700	0.662	5	10/18/2012
Green Lighting LED	US*EAGLED	USMR16-HPSDV40	USMR16-HPSDV40	MR - Multifaceted reflector	GU5.3	LED		309	5.6	N/A	25000	2700	0.662	5	10/18/2012
Green Lighting LED	US*EAGLED	USPAR30-HP12	USPAR30-HP12	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	9/5/2012
Green Lighting LED	US*EAGLED	USPAR30-HP12V25	USPAR30-HP12V25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	9/5/2012
Green Lighting LED	US*EAGLED	USPAR30-HP12V40	USPAR30-HP12V40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	9/5/2012
Green Lighting LED	US*EAGLED	USPAR38-HP16	USPAR38-HP16	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1011	15.0	N/A	25000	3000	0.984	5	9/5/2012
Green Lighting LED	US*EAGLED	USPAR38-HP16V25	USPAR38-HP16V25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	9/5/2012
Green Lighting LED	US*EAGLED	USPAR38-HP16V40	USPAR38-HP16V40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	9/5/2012
Greenlite Lighting Corporation	Greenlite	11/20/26W/3WAY		Bare-spiral	E26/24 (Medium)	CFL		1700		11/20/26	10000	2700		2	3/27/2012
Greenlite Lighting Corporation	Greenlite	12/23/30W/3WAY		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/23/30	10000	2700		2	3/28/2011
Greenlite Lighting Corporation	Greenlite	12W/LED/OMNI-D	12W/LED/OMNI-D	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.86	N/A	25000	3000	0.976	3	8/31/2012
Greenlite Lighting Corporation	Greenlite	13W/ELS-GU	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.562	2	7/28/2009
Greenlite Lighting Corporation	Greenlite	13W/ELS/GU	13W/ELS/GU	Bare-Mini-Spiral	GU24	CFL		840	13.0	N/A	10000	2700	0.61	3	8/6/2012
Greenlite Lighting Corporation	Greenlite	13W/ELS/GU	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	13W/ELS/GU		Bare-Mini Spiral	GU24	CFL		840	13	N/A	10000	2700	0.61	3	8/6/2012
Greenlite Lighting Corporation	Greenlite	13W/ELS-GU/41K	N/A	Bare-spiral	GU24	CFL		835	13.84	N/A	10000	4100	0.598	2	9/29/2010
Greenlite Lighting Corporation	Greenlite	13W/ELS/GU/41K	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	13W/ELS/GU/DIM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	13W/ELS-M	13W/ELS-M/CD/1; 13W/ELS-M/CD/2; 13W/ELS-M/4	Bare-ssiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	2700		2	9/21/2001
Greenlite Lighting Corporation	Greenlite	13W/ELS-M/A	13W/ELS-M/A/4 (4-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2700		9	11/10/2005
Greenlite Lighting Corporation	Greenlite	13W/ELS-U		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		830	13	N/A	12000	2700	0.58	2	7/11/2005
Greenlite Lighting Corporation	Greenlite	13W/ELSU		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/24/2012
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/1	13W/ELS-U/2, 13W/ELS-U/4,13W/ELS-U/6	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	3/19/2012
Greenlite Lighting Corporation	Greenlite	13W/ELSU1		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/11/2012
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100		2	10/1/2010
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/1/50K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		2	7/30/2010
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/41K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	8/3/2011
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/50K		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		2	8/3/2011
Greenlite Lighting Corporation	Greenlite	13W/ELS-U/LL/27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	13	N/A	15000	2700		13	11/25/2008
Greenlite Lighting Corporation	Greenlite	13W/LED/PAR30/FL/D	13W/LED/PAR30/FL/D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	717	13.0	N/A	25000	3000	0.773	3	6/19/2012
Greenlite Lighting Corporation	Greenlite	14W/ELR20/1/HH/2/27K		Covered reflector	E26/24 (Medium)	CFL		470	14	N/A	8000	2700		7	12/10/2008
Greenlite Lighting Corporation	Greenlite	14W/ELX	14W/ELX	Covered A line	E26	CFL		800	14.0	N/A	8000	2700	0.59	2	4/26/2012
Greenlite Lighting Corporation	Greenlite	14W/ELX1	14W/ELX2	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/6/2010
Greenlite Lighting Corporation	Greenlite	15W/ELG	15W/ELG	Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	3/10/2003
Greenlite Lighting Corporation	Greenlite	15W/ELR30/GU	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	1/19/2010
Greenlite Lighting Corporation	Greenlite	15W/ELR30/HH		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	6/3/2008
Greenlite Lighting Corporation	Greenlite	15W/ELS-U		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700		2	12/3/2009
Greenlite Lighting Corporation	Greenlite	15W/ELX	15W/ELX/CD/1	Covered A-line	E26/24 (Medium)	CFL		720	15.0	N/A	6000	2700		1	6/24/2002
Greenlite Lighting Corporation	Greenlite	15W/ELX/GU	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	1/19/2010
Greenlite Lighting Corporation	Greenlite	15W/ELXR30/1/27K	15W/ELXR30/1/4/27K	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700		2	2/16/2010
Greenlite Lighting Corporation	Greenlite	15W/ELXR30/1/27K		Covered reflector	E26/24 (Medium)	CFL		2700	15	N/A	8000	2700		2	7/24/2012
Greenlite Lighting Corporation	Greenlite	15W/ELXR30/DIM	15W/ELXR30/DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	3/21/2011
Greenlite Lighting Corporation	Greenlite	15W/ELXR30R	15W/ELXR30R	Covered reflector	E26/24 (medium)	CFL		783	14.6	N/A	10000	2700	0.568	2	1/25/2011
Greenlite Lighting Corporation	Greenlite	15W/LED/BR30-D	15W/LED/BR30-D	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	25000	3000	0.904	3	7/13/2012
Greenlite Lighting Corporation	Greenlite	18W/ELS-GU	N/A	Bare-ssiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	7/28/2009

Greenlite Lighting Corporation	Greenlite	18W/ELS/GU	N/A	Bare-spiral	GU24	CFL		1182	17.23	N/A	10000	2700	0.594	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	18W/ELS/GU/41K	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.605	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	18W/ELX	A-TYPE T2S 18W	Covered A-line	E26/24 (Medium)	CFL		1100	18.0	N/A	8000	2700	0.591	2	10/2/2012
Greenlite Lighting Corporation	Greenlite	18W/ELX		Covered A-line	E26	CFL		1100	18	N/A	8000	2700	0.59	2	10/3/2012
Greenlite Lighting Corporation	Greenlite	18W/ELX/1	18W/ELX/2; 18W/ELX/4	Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	2/17/2011
Greenlite Lighting Corporation	Greenlite	19W/ELS-U/1	19W/ELS-U; 19W/ELS-U/4; 19W/ELS-U/2	Bare-Mini-Sslral	E26/24 (Medium\	CFL		1250	19	N/A	12000	2700		2	11/13/2007
Greenlite Lighting Corporation	Greenlite	19W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	12000	4100		2	10/1/2010
Greenlite Lighting Corporation	Greenlite	19W/ELS-U/50K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	20W/ELPAR38/1	20W/ELPAR38/2	Covered reflector	E26/24 (Medium)	CFL		960	20	N/A	8000	2700		2	2/17/2010
Greenlite Lighting Corporation	Greenlite	20W/ELS-GU	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	1/11/2011
Greenlite Lighting Corporation	Greenlite	20W/ELS-M/A		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		9	2/13/2006
Greenlite Lighting Corporation	Greenlite	20W/ELXR30/DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	970	20	N/A	8000	2700		2	2/16/2012
Greenlite Lighting Corporation	Greenlite	20W/LED/PAR38/FL/D	20W/LED/PAR38/FL/D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	1216	20.0	N/A	25000	3000	0.781	3	6/20/2012
Greenlite Lighting Corporation	Greenlite	23W/ELPAR38/1		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	2/17/2010
Greenlite Lighting Corporation	Greenlite	23W/ELPAR38/A		Covered reflector	E26/24 (Medium)	CFL		1200	23.0	N/A	8000	2700	0.61	7	4/28/2006
Greenlite Lighting Corporation	Greenlite	23W/ELR40/1		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	10/27/2010
Greenlite Lighting Corporation	Greenlite	23W/ELS/GU	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-GU/41K	N/A	Bare-spiral	GU24	CFL		1654	22.5	N/A	10000	4100	0.557	2	9/29/2010
Greenlite Lighting Corporation	Greenlite	23W/ELS/GU/41K	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.599	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-M		Bare-spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	2700		2	7/8/2009
Greenlite Lighting Corporation	Greenlite	23W/ELS M/1		Bare-Mini-Sslral	E26/24 (Medium\	CFL		1600	23	N/A	12000	2700		2	7/2/2009
Greenlite Lighting Corporation	Greenlite	23W/ELS-M/1/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/20/2010
Greenlite Lighting Corporation	Greenlite	23W/ELS-M/27K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	8/3/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-M/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/15/2009
Greenlite Lighting Corporation	Greenlite	23W/ELS-U		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	8/3/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-U1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	7/21/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-U1/41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	10/1/2010
Greenlite Lighting Corporation	Greenlite	23W/ELS-U1/50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/20/2010
Greenlite Lighting Corporation	Greenlite	23W/ELS-U2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-U27K	23W/ELS-U/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.58	2	9/22/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-U27K		Bare-Spiral	E26	CFL		1600	23	N/A	12000	2700	0.58	2	9/22/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-U41K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-U50K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	23W/ELS-UU	23W/ELS-UU; 23W/ELS-UU/4	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/4/2010
Greenlite Lighting Corporation	Greenlite	26W/ELS-GU	N/A	Bare-spiral	GU24	CFL		1728	24.7	N/A	12000	2700	0.52	2	9/29/2010
Greenlite Lighting Corporation	Greenlite	26W/ELS/GU	N/A	Bare-spiral	GU24	CFL		1637	23.43	N/A	10000	2700	0.587	2	2/1/2011
Greenlite Lighting Corporation	Greenlite	26W/ELS-M/1/27K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	9/22/2009
Greenlite Lighting Corporation	Greenlite	26W/ELS-U		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	26W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	4100		2	10/1/2010
Greenlite Lighting Corporation	Greenlite	42W/ELS/1		Bare-sslral	E26/24 (Medium\	CFL		2700	42	N/A	10000	2700		2	4/25/2008
Greenlite Lighting Corporation	Greenlite	7W/ELC/27K		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	10000	2700		2	12/29/2009
Greenlite Lighting Corporation	Greenlite	7W/ELX	7W/ELX/CD/1(Single Card); 7W/ELX/CD/2 (Double Card);	Covered A-line	E26/24 (Medium)	CFL		450	7.0	N/A	10000	2700		2	6/19/2002
Greenlite Lighting Corporation	Greenlite	7W/ELX		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	7W/ELX1		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	8000	2700		2	3/21/2012
Greenlite Lighting Corporation	Greenlite	8W/LED/A19-D	8W/LED/A19-D	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	25000	3000	0.765	3	3/7/2012
Greenlite Lighting Corporation	Greenlite	8W/LED/A19/D	8W/LED/A19/D, 8W/LED/A19/D/2	Non-standard	E26/24 (Medium)	LED	Dimmable	472	8.0	N/A	25000	3000	0.728	3	4/13/2012
Greenlite Lighting Corporation	Greenlite	8W/LED/Globe-D	8W/LED/Globe-D	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	15000	3000	0.823	3	7/13/2012
Greenlite Lighting Corporation	Greenlite	8W/LED/Globe/D	8W/LED/Globe/D	Globe	E26/24 (Medium)	LED	Dimmable	449	8.0	N/A	15000	3000	0.728	3	6/7/2012
Greenlite Lighting Corporation	Greenlite	8W/LED/PAR20/NFL/D	8W/LED/PAR20/NFL/D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	8.0	N/A	25000	3000	0.727	3	9/17/2012
Greenlite Lighting Corporation	Greenlite	9W/ELC1	9W/ELC1	Covered-Candle	Medium E26/24 (medium\	CFL		420	9.0	N/A	8000	2700	0.618	2	6/14/2012
Greenlite Lighting Corporation	Greenlite	9W/ELC1		Covered-Candle	E26	CFL		420	8.88	N/A	8000	2700	0.62	2	6/14/2012
Greenlite Lighting Corporation	Greenlite	9W/ELG	9W/ELG/2	Covered globe	E26/24 (Medium\	CFL		450	9	N/A	12000	2700		2	1/10/2011
Greenlite Lighting Corporation	Greenlite	9W/ELG	9W/ELG; 9W/ELG/4	Covered globe	E26/24 (Medium\	CFL		500	9	N/A	10000	2700		9	3/10/2003
Greenlite Lighting Corporation	Greenlite	9W/ELG/1		Covered globe	E26/24 (Medium\	CFL		450	9	N/A	8000	2700		2	3/23/2009
Greenlite Lighting Corporation	Greenlite	9W/ELG1	9W/ELG1	Covered Globe	E26/24 (Medium)	CFL		450	9.0	N/A	8000	2700	0.585	2	10/15/2012
Greenlite Lighting Corporation	Greenlite	9W/ELG1		Covered Globe	E26	CFL		450	9	N/A	8000	2700	0.59	2	10/15/2012
Greenlite Lighting Corporation	Greenlite	9W/ELS-GU	N/A	Bare-spiral	GU24	CFL		570	9.15	N/A	10000	2700	0.585	2	9/13/2012
Greenlite Lighting Corporation	Greenlite	9W/ELS-GU/41K	N/A	Bare-spiral	GU24	CFL		474	8.1	N/A	10000	4100	0.57	2	9/29/2010
Greenlite Lighting Corporation	Greenlite	9W/ELS-U		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		2	4/1/2005
Greenlite Lighting Corporation	Greenlite	9W/ELS-U		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	4/1/2005
Greenlite Lighting Corporation	Greenlite	9W/ELS-U/1		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	10/13/2007
Greenlite Lighting Corporation	Greenlite	9W/ELS-U/1/41K		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	4100		2	10/1/2010
Greenlite Lighting Corporation	Greenlite	9W/ELS-U/1/50K		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	5000		2	11/11/2008
Greenlite Lighting Corporation	Greenlite	9W/ELS-U50K		Bare-spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000	0.59	2	5/3/2012
Greenlite Lighting Corporation	Greenlite	9W/ELX	9W/ELX	Covered A-line	E26/24 (Medium)	CFL		500	9.0	N/A	8000	2700	0.57	2	5/22/2012
Greenlite Lighting Corporation	Greenlite	9W/ELX		Covered A-line	E26	CFL		500	9	N/A	8000	2700	0.57	2	5/22/2012
Greenlite Lighting Corporation	Greenlite	LED/MR16-WW	LED/MR16-WW	MR - Multifaceted reflector	E26/E24 (Medium)	LED		170	3.5	N/A	25000	3000	0.623	3	10/11/2011
Greenlite Lighting Corporation	Greenlite	LED/PAR30/DIM-SW/25	LED/PAR30/DIM-SW/25	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.725	3	6/17/2011
Greenlite Lighting Corporation	Greenlite	LED/PAR30/DIM-SW/40	LED/PAR30/DIM-SW/40	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.725	3	6/17/2011
Greenlite Lighting Corporation	Greenlite	LED/PAR38/DIM-SW/25	LED/PAR38/DIM-SW/25	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.785	3	6/17/2011
Greenlite Lighting Corporation	Greenlite	LED/PAR38/DIM-SW/40	LED/PAR38/DIM-SW/40	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	6/17/2011
Halco Lighting Technologies	ProLED	80006	80006	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.77	N/A	40000	3000	0.725	5	9/12/2011
Halco Lighting Technologies	ProLED	80008	80008	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	474	8.76	N/A	40000	3000	0.725	5	9/12/2011
Halco Lighting Technologies	ProLED	80010	80010	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	10.92	N/A	40000	3000	0.785	5	9/12/2011
Halco Lighting Technologies	ProLED	80012	80012	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	607	10.8	N/A	40000	3000	0.786	5	9/12/2011
Halco Lighting Technologies	ProLED	80022	80022	Non-standard	E26/24 (Medium\	LED	Dimmable	472	8.0	N/A	25000	3000	0.728	5	6/13/2012
Halco Lighting Technologies	ProLED	80024	80024	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	8.0	N/A	25000	3000	0.727	5	9/18/2012
Halco Lighting Technologies	ProLED	80026	80026	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	717	13.0	N/A	25000	3000	0.773	3	6/28/2012
Halco Lighting Technologies	ProLED	80032	80032	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1004	16.0	N/A	25000	3000	0.792	3	6/28/2012
Halco Lighting Technologies	ProLED	80056	80056	PAR - Parabolic Aluminum Reflector	E26/24 (Medium\	LED	Dimmable	1216	20.0	N/A	25000	3000	0.781	3	6/28/2012
Halco Lighting Technologies	ProLED	80778	80778	Non-standard	E26/24 (Medium)	LED	Dimmable	957	15.0	N/A	25000	3000	0.904	5	7/13/2012
Halco Lighting Technologies	Prolume	45738	45738	Covered A-line	E26/E24 (Medium\	CFL		800	14.7	N/A	10000	2700	0.56	2	6/26/2012
Halco Lighting Technologies	Prolume	45738		Covered A-line	E26	CFL		800	14.7	N/A	10000	2700	0.56	2	6/26/2012
Halco Lighting Technologies	Prolume	46101	46101	Covered reflector	E26/E24 (Medium\	CFL		750	15.2	N/A	10000	3000	0.57	2	6/26/2012
Halco Lighting Technologies	Prolume	46101		Covered Reflector	E26	CFL		750	15.2	N/A	10000	3000	0.57	2	6/26/2012
Halco Lighting Technologies	Prolume	CFL13/27/GU24	N/A	Bare-sslral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	12/23/2010
Halco Lighting Technologies	Prolume	CFL13/27/GU24/DIM	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	1/11/2011
Halco Lighting Technologies	Prolume	CFL13/3S/GU24	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.583	2	11/2/2010
Halco Lighting Technologies	Prolume	CFL13/41/GU24	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	2/1/2010
Halco Lighting Technologies	Prolume	CFL15/27/A19/GU24	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	10/21/2009
Halco Lighting Technologies	Prolume	CFL15/27/G25/GU24	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	10/6/2008
Halco Lighting Technologies	Prolume	CFL15/27/R30/GU24	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	3/30/2009
Halco Lighting Technologies	Prolume	CFL18/27/GU24	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.592	2	12/23/2010

Halco Lighting Technologies	Prolume	CFL18/41/GU24	N/A	Bare-spiral	GU24	CFL		1184	17.34	N/A	10000	4100	0.605	2	12/23/2010
Halco Lighting Technologies	Prolume	CFL23/27/GU24	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	12/23/2010
Halco Lighting Technologies	Prolume	CFL23/41/GU24	N/A	Bare-spiral	GU24	CFL		1685	23.24	N/A	10000	4100	0.599	2	12/23/2010
Halco Lighting Technologies	Prolume	CFL26/27/GU24	N/A	Bare-spiral	GU24	CFL		1814	24.27	N/A	10000	2700	0.56	2	1/7/2009
Halco Lighting Technologies	Prolume	PL13SE/27/GU24	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	9/30/2008
Halco Lighting Technologies	Prolume	PL18SE/27/GU24	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	9/30/2008
Halco Lighting Technologies	Prolume	PL23SE/27/GU24	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	9/30/2008
Halco Lighting Technologies	ProLume	109240		Bare-ssiral	E26/24 (Medium)	CFL		700	11	N/A	12000	2700	0.56	2	10/13/2011
Halco Lighting Technologies	ProLume	109242		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	12000	4100	0.59	2	10/13/2011
Halco Lighting Technologies	ProLume	109244		Bare-ssiral	E26/24 (Medium)	CFL		700	11	N/A	12000	5000	0.59	2	10/25/2011
Halco Lighting Technologies	ProLume	109252		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.54	2	10/13/2011
Halco Lighting Technologies	ProLume	109254		Bare-ssiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.58	2	10/13/2011
Halco Lighting Technologies	ProLume	109310		Bare-spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700	0.58	2	10/14/2011
Halco Lighting Technologies	ProLume	109316		Bare-ssiral	E26/24 (Medium)	CFL		2250	32	N/A	8000	2700	0.58	2	10/14/2011
Halco Lighting Technologies	ProLume	109328		Bare-spiral	E26/24 (Medium)	CFL		2900	42	N/A	12000	2700	0.56	2	10/12/2011
Halco Lighting Technologies	ProLume	45010		Bare-ssiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45011		Bare-spiral	E12 (Candelabra)	CFL		250	5	N/A	10000	2700	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45030		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45031		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700	0.52	2	10/11/2011
Halco Lighting Technologies	ProLume	45036		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45037		Bare-spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	4100	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45049		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/22/2012
Halco Lighting Technologies	ProLume	45050	45070	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45051		Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	12000	2700	0.52	2	10/10/2011
Halco Lighting Technologies	ProLume	45052		Bare-spiral	E12 (Candelabra)	CFL		900	13	N/A	10000	2700	0.52	2	1/4/2012
Halco Lighting Technologies	ProLume	45056	45073	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100	0.52	2	10/13/2011
Halco Lighting Technologies	ProLume	45057		Bare-spiral	E12 (Candelabra)	CFL		850	13	N/A	10000	4100	0.52	2	10/13/2011
Halco Lighting Technologies	ProLume	45058		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000	0.52	2	10/11/2011
Halco Lighting Technologies	ProLume	45071		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/22/2012
Halco Lighting Technologies	ProLume	45075		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.52	2	10/3/2011
Halco Lighting Technologies	ProLume	45077		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.52	2	10/5/2011
Halco Lighting Technologies	ProLume	45079		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.52	2	10/6/2011
Halco Lighting Technologies	ProLume	45101		Bare-ssiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700	0.52	2	10/11/2011
Halco Lighting Technologies	ProLume	45250		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.52	2	10/3/2011
Halco Lighting Technologies	ProLume	45701		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	10000	2700	0.52	2	10/13/2011
Halco Lighting Technologies	ProLume	45702		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.52	2	2/21/2012
Halco Lighting Technologies	ProLume	45713		Covered globe	E26/24 (Medium)	CFL		850	15	N/A	10000	2700	0.568	2	9/19/2011
Halco Lighting Technologies	ProLume	45720		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700	0.53	2	10/14/2011
Halco Lighting Technologies	ProLume	45734		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	10000	2700	0.58	2	10/12/2011
Halco Lighting Technologies	ProLume	45741		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.57	2	10/25/2011
Halco Lighting Technologies	ProLume	46001		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.56	2	9/19/2011
Halco Lighting Technologies	ProLume	46003		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	4100	0.579	2	9/20/2011
Halco Lighting Technologies	ProLume	46201		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700	0.52	2	10/4/2011
Halco Lighting Technologies	ProLume	46203		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100	0.52	2	10/5/2011
Halco Lighting Technologies	ProLume	46334		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1650	23	N/A	10000	2700	0.52	2	10/4/2011
Halco Lighting Technologies	ProLume	46605		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	12000	2700	0.56	2	10/13/2011
Halco Lighting Technologies	ProLume	46610		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.58	2	10/13/2011
Halco Lighting Technologies	ProLume	46615		Bare-spiral	E26/24 (Medium)	CFL		1280	18	N/A	12000	2700	0.55	2	10/13/2011
Halco Lighting Technologies	ProLume	46620		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	10/14/2011
Halco Lighting Technologies	ProLume	PL13SE/27/T2	45050	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	2/19/2008
Halco Lighting Technologies	ProLume	PL13SE/41/T2	45056	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	12/5/2007
Halco Lighting Technologies	ProLume	PL13SE/41/T2	45056	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	12/5/2007
Halco Lighting Technologies	ProLume	PL18SE/27	45120	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		2	12/6/2007
Halco Lighting Technologies	ProLume	PL23SE/27	45250	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/25/2007
Halco Lighting Technologies	ProLume	PL42SE/27	109328	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	12/6/2007
Halco Lighting Technologies	ProLume	PL9SE/27	45030	Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		2	12/6/2007
Halco Lighting Technologies	ProLume	PL9SE/27	45030	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/6/2007
Halco Lighting Technologies	ProLume	PL9SE/27/G	45701	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/6/2007
Halco Lighting Technologies	ProLume	PL9SE/41	45036	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	1/31/2008
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBA-28 15W	EBA-28 15W E26 2700K	Covered-no reflector	E26	CFL		714	13.52	N/A	12000	2700	0.576	2	5/23/2012
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBA-28 15W		Other	E26	CFL		714	13.52	N/A	12000	2700	0.58	2	5/23/2012
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS21-10W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		7	11/5/2004
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS21-13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		7	11/5/2004
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS21-15W		Bare-ssiral	E26/24 (Medium)	CFL		930	15	N/A	10000	2700		7	3/29/2005
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS22-20W		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	2700		7	4/11/2005
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS22-23W		Bare-spiral	E26/24 (Medium)	CFL		1400	23	N/A	10000	2700		7	3/29/2005
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS22-26W		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	12/11/2007
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS23-13W		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	2/23/2005
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-10W-T3 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	2700	0.54	2	5/27/2009
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-10W-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	4100	0.54	2	1/26/2010
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-10W-T3 6500K		Bare-ssiral	E26/24 (Medium)	CFL		580	10	N/A	12000	6500	0.544	2	1/26/2010
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-13W-T3 2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	2700	0.54	2	5/27/2009
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-13W-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	12000	4100	0.561	2	1/26/2010
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-13W-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	6500	0.556	2	1/26/2010
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-15W-T3		Bare-Mini-Sslral	E26/24 (Medium)	CFL		1000	15	N/A	12000	2700	0.54	2	5/27/2009
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-15W-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		940	15	N/A	12000	4100	0.538	2	1/26/2010
Hangzhou Eboylamp Electronics Co., Ltd.	EBOY	EBS-30-15W-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		910	15	N/A	12000	6500	0.528	2	1/26/2010
Hangzhou Ecolighting Industrial Co. Ltd.	Lux Watt	ECO21-11W	49851 11T2 E26	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	11	N/A	10000	2700	0.568	7	5/2/2008
Hangzhou Ecolighting Industrial Co. Ltd.	Lux Watt	ECO22-14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		820	14	N/A	10000	2700	0.58	7	4/14/2008
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	PAR2011W120V		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	2700	0.596	2	12/23/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	PAR3015W120V		Covered reflector	E26/24 (Medium)	CFL		740	15	N/A	10000	2700	0.569	2	12/23/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	PAR3823W120V		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	2700	0.588	2	12/23/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T207120FS		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	12000	2700	0.572	2	9/15/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T209120FS		Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.548	2	8/24/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T211120FS		Bare-spiral	E26/24 (Medium)	CFL		680	11	N/A	12000	2700	0.572	2	9/15/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T220120FS		Bare-spiral	E26/24 (Medium)	CFL		1100	20	N/A	12000	2700	0.538	2	9/15/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	T223120FS		Bare-spiral	E26/24 (Medium)	CFL		1400	23	N/A	12000	2700	0.551	2	9/15/2009
Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	YPV120V60HZ13WS		Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	12000	2700	0.545	2	9/29/2009

Hangzhou Li-Tech Electric Co., Ltd	Li-Tech	YPV120V60HZ21WS		Bare-spiral	E26/24 (Medium)	CFL		1550	21	N/A	12000	2700	0.553	2	9/29/2009
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	min soiral 13W		Bare-Mini-Soiral	E26/24 (Medium)	CFL		715	13	N/A	12000	2700	0.55	5	6/11/2009
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	min spiral-9w		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	12000	2700	0.55	5	6/11/2009
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	soiral-23w		Bare-soiral	E26/24 (Medium)	CFL		1350	23	N/A	12000	2700	0.581	5	10/9/2009
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	T2 13W		Bare-spiral	E26/24 (Medium)	CFL		715	13	N/A	15000	2700	0.58	7	9/14/2010
Hangzhou Sky-Lighting Co., Ltd	SKY-ING	T2 9W		Bare-Mini-Soiral	E26/24 (Medium)	CFL		500	9	N/A	15000	2700	0.55	7	6/26/2009
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/10-soiral 10W 827	6-943701-006763	Bare-spiral	E26/24 (Medium)	CFL		570	10	N/A	8000	2700	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/10-soiral 10W 841	6-943701-056782	Bare-spiral	E26/24 (Medium)	CFL		640	10	N/A	8000	4100	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/10-soiral 10W 865		Bare-spiral	E26/24 (Medium)	CFL		590	10	N/A	8000	6500	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/13-soiral 13W 827		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/13-soiral 13W 841		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	8000	4100	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/13-soiral 13W 865		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	8000	6500	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/15-soiral 15W 827		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/15-soiral 15W 841		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	8000	4100	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/15-spiral 15W 865		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	8000	6500	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/20-spiral 20W 827		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	2700	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/20-spiral 20W 841		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	4100	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/20-spiral 20W 865		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	6500	0.6	3	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/26-spiral 26W 827		Bare-spiral	E26/24 (Medium)	CFL		1610	26	N/A	8000	2700	0.6	2	12/30/2008
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/26-spiral 26W 841		Bare-spiral	E26/24 (Medium)	CFL		1530	26	N/A	8000	4100	0.6	3	1/9/2009
Hangzhou Yuzhong Gaohong Lighting Electrical Equiptment Co., Ltd	Citrus	YPZ120/26-spiral 26W 865		Bare-spiral	E26/24 (Medium)	CFL		1630	26	N/A	8000	6500	0.6	3	12/30/2008
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96196		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	9/2/2009
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96197		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/5/2010
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96198		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/2/2009
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96199		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/25/2009
Hannaford Bros. Co./ Kash N Karry Food Stores, Inc.	HOME 360	96200/1K	X19927 1K	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/20/33	8000	2700		2	6/27/2011
Han Star Co. Ltd.	HANSTAR LED	HSP20G	LED9PAR20/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	3	10/3/2012
Han Star Co. Ltd.	HANSTAR LED	HSP30J	LED14PAR30L/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	9/28/2012
Han Star Co. Ltd.	HANSTAR LED	HSP38F	LED17PAR38/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	9/28/2012
Havells Inc	HAVELLS	26117	26117	Bare-soiral	GU24	CFL		900	13.0	N/A	10000	2700	0.615	5	9/20/2012
Havells Inc	HAVELLS	26117		Bare-Spiral	GU24	CFL		900	13.83	N/A	10000	2700	0.62	5	9/20/2012
Havells Inc	HAVELLS	26118	26118	Bare-soiral	GU24	CFL		900	13.0	N/A	10000	4100	0.589	5	10/18/2012
Havells Inc	HAVELLS	26118		Bare-Spiral	GU24	CFL		900	13	N/A	10000	4100	0.59	5	10/18/2012
Havells Inc	HAVELLS	26119	26119	Bare-soiral	GU24	CFL		1250	18.0	N/A	10000	2700	0.56	5	9/20/2012
Havells Inc	HAVELLS	26119		Bare-Spiral	GU24	CFL		1250	18.66	N/A	10000	2700	0.56	5	9/20/2012
Havells Inc	HAVELLS	26120	26120	Bare-soiral	GU24	CFL		1250	18.0	N/A	10000	4100	0.544	5	9/20/2012
Havells Inc	HAVELLS	26120		Bare-Spiral	GU24	CFL		1250	17.56	N/A	10000	4100	0.54	5	9/20/2012
Havells Inc	HAVELLS	26121	26121	Bare-soiral	GU24	CFL		1600	23.0	N/A	10000	2700	0.568	5	9/20/2012
Havells Inc	HAVELLS	26121		Bare-Spiral	GU24	CFL		1600	23.76	N/A	10000	2700	0.57	5	9/20/2012
Havells Inc	HAVELLS	26122	26122	Bare-soiral	GU24	CFL		1600	23.0	N/A	10000	4100	0.562	5	10/18/2012
Havells Inc	HAVELLS	26122		Bare-Spiral	GU24	CFL		1600	22.3	N/A	10000	4100	0.56	5	10/18/2012
Havells Inc	HAVELLS	26123	26124	Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	3/7/2012
Havells Inc	HAVELLS	26125	26126	Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	3/7/2012
Havells Inc	HAVELLS	26127	26128	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	3/26/2012
Havells Inc	HAVELLS	26129	26130	Covered globe	E26/24 (Medium)	CFL		810	14	N/A	8000	2700		2	3/26/2012
Havells Inc	HAVELLS	26136		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	10000	2700	0.56	2	11/17/2011
Havells Inc	HAVELLS	26144	26145	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700	0.53	2	11/17/2011
Havells Inc	HAVELLS	26150	26151	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700	0.56	2	11/17/2011
Havells Inc	HAVELLS	26159	26158	Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700	0.58	2	11/17/2011
Havells Inc	HAVELLS	26160		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100	0.57	2	11/17/2011
Havells Inc	HAVELLS	26161		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	5000		2	3/26/2012
Havells Inc	HAVELLS	26166	26169	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.58	2	11/17/2011
Havells Inc	HAVELLS	26170	26173	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	11/17/2011
Havells Inc	HAVELLS	26174	26177	Bare-spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700	0.58	2	11/17/2011
Havells Inc	HAVELLS	26199		Bare-soiral	E26/24 (Medium)	CFL		840	13	N/A	10000	2700		2	3/9/2012
Havells Inc	HAVELLS	48516-6.0W/LEDPAR20WW/FL/DIM	48516-6.0W/LEDPAR20WW/FL/DIM	R - Reflector	E26/24 (Medium)	LED	Dimmable	250	6.0	N/A	40000	3000	0.703	5	2/22/2012
Havells Inc	HAVELLS	48518-10W/LEDPAR30/WW/FL/DIM	48518-10W/LEDPAR30/WW/FL/DIM	R - Reflector	E26/24 (Medium)	LED	Dimmable	450	10.0	N/A	40000	3000	0.716	5	2/22/2012
Havells Inc	HAVELLS	48519-17W/LEDPAR38WW/NFL/DIM	48519-17W/LEDPAR38WW/NFL/DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.729	5	2/22/2012
Havells Inc	HAVELLS	48524-8W/LEDA19/WW/DIM	48524-8W/LEDA19/WW/DIM	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	40000	3000	0.737	5	2/23/2012
Havells Inc	HAVELLS	48525-3.0W/LEDCNDL/CLEAR	48525-3.0W/LEDCNDL/CLEAR	C - Candle	E12 (Candelabra)	LED		120	3.0	N/A	40000	3000	0.545	5	2/22/2012
Havells Inc	HAVELLS	48526-3.0W/LEDGLBFRST	48526-3.0W/LEDGLBFRST	G - Globe	E12 (Candelabra)	LED		120	3.0	N/A	40000	3000	0.551	5	2/22/2012
Havells Inc	HAVELLS	48527-10W/LEDPAR30/WW/LNFL	48527-10W/LEDPAR30/WW/LNFL	R - Reflector	E26/24 (Medium)	LED		455	10.0	N/A	40000	3000	0.888	5	2/22/2012
Havells Inc	HAVELLS	48528-12W/LED A19/WW/DIM	48528-12W/LED A19/WW/DIM	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	5	9/20/2012
Havells Inc	HAVELLS	48532-4W/LEDMR16/GU5.3/FL	48532-4W/LEDMR16/GU5.3/FL	MR - Multifaceted reflector	GU5.3	LED		165	4.0	N/A	40000	3000	1	5	2/22/2012
Havells Inc	HAVELLS	48535	48535	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.763	5	9/25/2012
Havells Inc	HAVELLS	48536	48536	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	5	9/25/2012
Havells Inc	HAVELLS	48543-17W/LEDPAR38WW/NFL	48543-17W/LEDPAR38WW/NFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.886	5	2/22/2012
Havells Inc	HAVELLS	48544	48544	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	5	9/25/2012
HEB	GTC	008654	009949,009679,009582	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		11	7/2/2008
HEB	GTC	008790	009357,008482,008726	Bare-Mini-Spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	2700		2	7/2/2008
HEB	GTC	009357	113318; 008726	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	5/12/2011
HEB	GTC	009460		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	5/23/2011
HEB	GTC	009488	009460	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	6000	2700		2	7/2/2008
HEB	GTC	009579	009579	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		11	7/2/2008
HEB	GTC	009580	006845	Covered reflector	E26/24 (Medium)	CFL		1050	23	N/A	10000	2700		2	7/2/2008
HEB	GTC	098266		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.55	9	1/26/2009
HEB	GTC	098963		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.6	9	1/26/2009
HEB	GTC	113318	0750266	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		11	3/16/2011

HEB	GTC	185038		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	8/3/2011
Hengdian Group Tospo Lighting Co., Ltd.	Biltmore	13W-T3-GU24-27K	N/A	Bare-soiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	8/1/2011
Hengdian Group Tospo Lighting Co., Ltd.	Biltmore	23W-T3-GU24-27K	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	8/1/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	101964		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	15000	2700		2	7/3/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	103889		Bare-spiral	E26/24 (Medium)	CFL		2820	42	N/A	15000	2700		2	11/16/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	104700		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700		2	4/16/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	104903	1T48S323B	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700		2	7/9/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	104983		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700		2	11/16/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	105620		Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	13.0	N/A	10000	2700		2	4/17/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	105621		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700		2	12/11/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	133566	TP120-13MSL(T2)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700		2	11/16/2007
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	135558		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700	0.552	2	1/20/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136059		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	12000	6500	0.571	2	7/8/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136207	TP120-13MSL(1C); TP120-14MSL(T3)/T	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	11/18/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136345		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	2700		2	7/11/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136347		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	12000	2700	0.587	2	8/23/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136348		Covered globe	E26/24 (Medium)	CFL		810	14	N/A	12000	2700		2	6/27/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136349		Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	12000	2700	0.571	2	6/30/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136350		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	2700		2	6/27/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136570	136570	Bare-soiral	GU24	CFL		700	11.0	N/A	10000	2700	0.6	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.587	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		711	10.985	N/A	10020	2700	0.584	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		721	11.17	N/A	10020	2700	0.586	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.586	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136570		Bare-Mini Spiral	GU24	CFL		700	11.14	N/A	10000	2700	0.6	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	136571	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.615	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136571	N/A	Bare-soiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	N/A	Bare-spiral	GU24	CFL		904	13.629	N/A	10020	2700	0.584	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136571	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136571		Bare-Mini Spiral	GU24	CFL		900	13.83	N/A	10000	2700	0.62	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136610		Covered A-line	E26/24 (Medium)	CFL		760	14	N/A	12000	5000	0.572	2	8/12/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	136927	Bare-spiral	GU24	CFL		1250	18.0	N/A	10000	2700	0.56	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136927	N/A	Bare-soiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1381	18.634	N/A	10020	2700	0.558	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136927	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136927		Bare-Mini Soiral	GU24	CFL		1250	18.66	N/A	10000	2700	0.56	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	136935	Bare-spiral	GU24	CFL		1600	23.0	N/A	10000	2700	0.568	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136935	N/A	Bare-soiral	GU24	CFL		1688	23.206	N/A	10020	2700	0.789	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	2/29/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136935		Bare-Mini Spiral	GU24	CFL		1600	23.76	N/A	10000	2700	0.57	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	136987	136987	Bare-soiral	GU24	CFL		900	13.0	N/A	10000	4100	0.589	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.587	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987	N/A	Bare-spiral	GU24	CFL		1688	23.206	N/A	10020	4100	0.583	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	136987		Bare-Mini Spiral	GU24	CFL		900	14.29	N/A	10000	4100	0.59	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137048		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	3000	0.585	2	7/14/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	137139		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		2	12/2/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137143	137143	Bare-spiral	GU24	CFL		1250	18.0	N/A	10000	3000	0.56	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137143	N/A	Bare-spiral	GU24	CFL		1236	17.31	N/A	10000	3000	0.56	2	6/30/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137143		Bare-Mini Spiral	GU24	CFL		1250	17.31	N/A	10000	3000	0.56	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	137339	Bare-spiral	GU24	CFL		1250	18.0	N/A	10000	4100	0.544	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1255	17.01	N/A	10020	4100	0.553	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1312	17.56	N/A	10020	4100	0.558	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1313	17.206	N/A	10020	4100	0.548	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.558	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137339		Bare-Mini Spiral	GU24	CFL		1250	17.56	N/A	10000	4100	0.54	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	137340	Bare-spiral	GU24	CFL		1600	23.0	N/A	10000	4100	0.562	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-soiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.562	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-spiral	GU24	CFL		1607	21.501	N/A	10020	4100	0.555	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.563	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	137340	N/A	Bare-soiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.563	2	8/13/2008
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137340		Bare-Mini Spiral	GU24	CFL		1600	22.34	N/A	10000	4100	0.56	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137463		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	4100	0.59	2	7/14/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137556		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	15000	2700	0.58	2	4/28/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosoo	137557		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700	0.559	2	7/17/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137729		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	4100	0.577	2	5/11/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137915		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	12000	6500	0.561	2	10/29/2010

Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137972	137972	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.593	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137972	N/A	Bare-spiral	GU24	CFL		961	13.23	N/A	10000	3000	0.586	2	1/28/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	137972		Bare-Mini Soiral	GU24	CFL		900	13.75	N/A	10000	2700	0.59	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138224		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	15000	2700	0.58	2	4/28/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138379		Bare-Mini-Spiral	E26/24 (Medium)	CFL		660	11	N/A	15000	5000	0.59	2	6/29/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138390		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.59	2	6/18/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138464	138464	Bare-spiral	GU24	CFL		1600	23.0	N/A	10000	3000	0.563	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138464	N/A	Bare-spiral	GU24	CFL		961	22.48	N/A	10000	3000	0.563	2	1/28/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138464		Bare-Mini Spiral	GU24	CFL		1600	22.48	N/A	10000	3000	0.56	3	5/14/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	138509		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100	0.558	2	4/28/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	138920		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100	0.568	2	7/14/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139011		Bare-spiral	E26/24 (Medium)	CFL		1810	26	N/A	12000	2700	0.566	2	8/12/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139019		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	12000	2700	0.756	2	4/28/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139021		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1250	18	N/A	12000	2700	0.746	2	7/27/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139023		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	12000	2700	0.802	2	8/23/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139067		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	15000	3000		2	6/18/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	139631		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.582	2	7/14/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	139779		Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	12000	2700	0.598	2	7/9/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140573		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	15000	4100	0.588	2	7/14/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	140676		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	12000	3000	0.577	2	4/14/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140681	140681	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	4100	0.592	2	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140681	N/A	Bare-spiral	GU24	CFL		947	14.2	N/A	10000	4100	0.59	2	9/22/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140681	N/A	Bare-spiral	GU24	CFL		955	14.5	N/A	10000	4100	0.59	2	9/22/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	140681		Bare-Soiral	GU24	CFL		900	13.5	N/A	10000	4100	0.59	2	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	140682	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.582	2	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		963	13.8	N/A	10000	2700	0.59	2	9/22/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		967	13.8	N/A	10000	2700	0.59	2	9/22/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	140682	N/A	Bare-spiral	GU24	CFL		969	13.8	N/A	10000	2700	0.58	2	9/22/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682	N/A	Bare-spiral	GU24	CFL		1004	14.2	N/A	10000	2700	0.58	2	9/22/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	140682		Bare-Mini Spiral	GU24	CFL		900	13.82	N/A	10000	2700	0.58	2	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	141033		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	12000	2700	0.616	2	9/7/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141052		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	12000	2700	0.616	2	8/20/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141052		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	12000	2700	0.616	2	8/20/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141053		Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	12000	2700	0.598	2	7/9/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	141089		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	12000	3000	0.562	2	4/8/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141463		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	12000	2700	0.586	2	12/23/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141539		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.546	2	1/27/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141569	141569	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	3000	0.611	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141569	N/A	Bare-spiral	GU24	CFL		925	14.04	N/A	10030	3000	0.587	2	2/1/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	141569		Bare-Mini Spiral	GU24	CFL		900	13.49	N/A	10000	3000	0.61	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143249	TP120-13MSL 2700K T2	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.559	2	12/23/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	143426	143426	Covered A-line	E26/E24 (Medium)	CFL		800	14.0	N/A	12000	2700	0.56	3	8/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143426		Covered A-line	E26	CFL		800	14	N/A	12000	2700	0.56	3	8/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143476		Covered A-line	E12 (Candelabra)	CFL		470	9	N/A	12000	2700	0.579	2	1/29/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143476		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	12000	2700	0.579	2	1/29/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143482		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	2700	0.577	2	1/29/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143603	143606	Bare-spiral	E26/E24 (Medium)	CFL		550	9.0	N/A	12000	2700	0.578	2	10/6/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143603		Bare-Spiral	E26	CFL		550	9.12	N/A	12000	2700	0.58	2	10/6/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	143607	143607	Bare-ssiral	GU24	CFL		1850	27.0	N/A	10000	2700	0.582	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143607	N/A	Bare-spiral	GU24	CFL		1904	25.09	N/A	10000	2700	0.582	2	7/26/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143607		Bare-Mini Spiral	GU24	CFL		1850	25.09	N/A	10000	2700	0.58	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	143816		Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.551	2	11/1/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	144296	144296	Bare-ssiral	E26/E24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.574	3	8/2/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144296		Bare-Spiral	E26	CFL		1600	23	N/A	12000	2700	0.57	3	8/2/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144686	144686	Bare-spiral	E26/E24 (Medium)	CFL		1600	23.0	N/A	12000	3000	0.566	3	8/2/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	144686		Bare-Soiral	E26	CFL		1600	23	N/A	12000	3000	0.57	3	8/2/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144734	144734	Bare-spiral	E26/E24 (Medium)	CFL		540	9.0	N/A	12000	3500	0.547	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144734		Bare-Spiral	E26	CFL		540	8.37	N/A	12000	3500	0.55	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144735		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	12000	6500	0.54	2	12/14/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	144736	144736	Bare-ssiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	3500	0.555	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144736		Bare-Spiral	E26	CFL		900	13.68	N/A	12000	3500	0.56	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144738	144738	Bare-spiral	E26/E24 (Medium)	CFL		1250	18.0	N/A	12000	2700	0.57	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144738		Bare-Spiral	E26	CFL		1250	18.15	N/A	12000	2700	0.57	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144739	144739	Bare-spiral	E26/E24 (Medium)	CFL		1250	18.0	N/A	12000	3500	0.564	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144739		Bare-Spiral	E26	CFL		1250	18.38	N/A	12000	3500	0.56	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144740	144740	Bare-spiral	E26/E24 (Medium)	CFL		1200	18.0	N/A	12000	6500	0.56	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	144740		Bare-Soiral	E26	CFL		1200	18.45	N/A	12000	6500	0.56	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144741	144741	Bare-spiral	E26/E24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.557	2	10/5/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144741		Bare-Spiral	E26	CFL		1600	23.84	N/A	12000	2700	0.56	2	10/5/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144742	144742	Bare-spiral	E26/E24 (Medium)	CFL		1600	23.0	N/A	12000	3500	0.551	2	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144742		Bare-Spiral	E26	CFL		1600	22.43	N/A	12000	3500	0.55	2	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144743	144743	Bare-spiral	E26/E24 (Medium)	CFL		1500	23.0	N/A	12000	6500	0.55	3	9/9/2011

Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144743		Bare-Spiral	E26	CFL		1500	22.71	N/A	12000	6500	0.55	3	9/9/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144840	144840	Bare-spiral	GU24	CFL		1500	23.0	N/A	10000	6500	0.571	2	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144840	N/A	Bare-ssiral	GU24	CFL		1558	22.36	N/A	10000	6500	0.561	2	7/26/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144840		Bare-Mini Spiral	GU24	CFL		1500	22.21	N/A	10000	6500	0.57	2	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144965	144965	Covered Reflector	E26/E24 (Medium)	CFL		750	16.0	N/A	10000	2700	0.565	3	7/12/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	144965		Covered Reflector	E26	CFL		750	16	N/A	10000	2700	0.56	3	7/12/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	147075	147075	Covered reflector	E26/E24 (Medium)	CFL		650	16.0	N/A	12000	2700	0.57	3	8/2/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	147075		Covered Reflector	E26	CFL		650	16	N/A	12000	2700	0.57	3	8/2/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	147076	147076	Covered reflector	E26/E24 (Medium)	CFL		1050	23.0	N/A	10000	2700	0.551	3	8/4/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	147076		Covered Reflector	E26	CFL		1050	23	N/A	10000	2700	0.55	3	8/4/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	148164		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	16	N/A	12000	2700	0.658	2	12/23/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	149293	149293	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	270	5.5	N/A	40000	3000	0.712	3	10/17/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	149295	149295	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	270	5.5	N/A	40000	3000	0.712	3	10/17/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	149372	149372	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.623	3	10/11/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150110	150110	Covered A-line	Medium E26/24	CFL		800	14.0	N/A	12000	2700	0.622	2	2/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150110		Covered A-line	E26	CFL		800	14.63	N/A	12000	2700	0.62	2	2/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150111	150111	Bare-ssiral	GU24	CFL	Dimmable	900	13.0	N/A	10000	2700	0.699	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150111	N/A	Bare-spiral	GU24	CFL		976	13.96	N/A	10000	2700	0.646	2	12/20/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150111		Bare-Mini Spiral	GU24	CFL		900	13.11	N/A	10000	2700	0.7	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150112	150112	Bare-spiral	GU24	CFL	Dimmable	1200	18.0	N/A	10000	2700	0.706	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150112	N/A	Bare-spiral	GU24	CFL		1300	19.08	N/A	10000	2700	0.657	2	12/20/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150112		Bare-Mini Spiral	GU24	CFL		1200	18.38	N/A	10000	2700	0.71	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150113	150113	Bare-spiral	GU24	CFL	Dimmable	1550	23.0	N/A	10000	2700	0.759	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	150113	N/A	Bare-ssiral	GU24	CFL		1616	23.36	N/A	10000	2700	0.666	2	12/20/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150113		Bare-Mini Spiral	GU24	CFL		1550	22.91	N/A	10000	2700	0.76	3	5/15/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150748	150748	Covered reflector	E26/E24 (Medium)	CFL		1300	23.0	N/A	10000	2700	0.559	3	8/4/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	150962	150962	Bare-spiral	Medium E26/24 (medium)	CFL		900	13.0	N/A	10000	2700	0.636	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	150962		Bare-Mini Sslral	E26	CFL		900	13.67	N/A	10000	2700	0.64	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	151035	151035	Covered A-line	Medium E26/24	CFL		900	14.0	N/A	12000	2700	0.578	2	2/27/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	151035		Covered A-line	E26	CFL		900	14.05	N/A	12000	2700	0.58	2	2/27/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	151301	151301	Covered reflector	E26/E24 (Medium)	CFL		1300	23.0	N/A	10000	2700	0.56	3	8/4/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	151916	None	Bare-spiral	E26/24 (medium)	CFL		540	9.0	N/A	12000	2700	0.561	2	4/9/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	151917	None	Bare-spiral	E26/24 (medium)	CFL		900	13.0	N/A	12000	2700	0.587	2	4/9/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	151918	None	Bare-spiral	E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.557	2	4/9/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	151919	None	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.559	2	4/9/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	152716	152716	Covered reflector	E26/E24 (Medium)	CFL		750	16.0	N/A	10000	3000	0.57	3	8/4/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	152980	152980	Covered reflector	E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.565	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	152980		Covered Reflector	E26	CFL		1300	23.33	N/A	10000	2700	0.56	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153104	153104	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	3000	0.607	2	12/28/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153104		Bare-Spiral	E26	CFL		900	13.18	N/A	12000	3000	0.61	2	12/28/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153105	153105	Bare-spiral	E26/E24 (Medium)	CFL		1600	23.0	N/A	12000	3000	0.577	2	1/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	153105		Bare-Ssiral	E26	CFL		1600	22.34	N/A	12000	3000	0.58	2	1/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	153741	153741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	6/16/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	154970	154970	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.765	3	3/7/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155816	155816	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	25000	3000	0.693	3	6/19/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155825	155825	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.763	3	6/11/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155827	155827	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	6/11/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155837	155837	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	3	6/19/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155839	155839	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	6/11/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155849	155849	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	3	6/19/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155851	155851	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	6/19/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	155860	155860	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	40000	3000	0.823	3	6/20/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	156287	156287	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	6/28/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	156293	156293	Non-standard	GU10	LED	Dimmable	320	6.5	N/A	40000	3000	0.781	3	9/10/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	156298	156298	MR - Multifaceted reflector	GU5.3	LED	Dimmable	320	6.5	N/A	40000	3000	0.923	3	9/11/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	156302	156302	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	320	6.5	N/A	25000	3000	0.795	3	11/5/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	156591	156591	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.62	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	156591		Covered Reflector	E26	CFL		750	15.36	N/A	10000	2700	0.62	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	18W-T3-GU24-27K	N/A	Bare-spiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	8/1/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	563741	563741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.785	3	6/16/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	643179	643179	Covered-Candle	Medium E26/24 (medium)	CFL		450	9.0	N/A	10000	2700	0.618	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	643179		Covered-Candle	E26	CFL		450	8.88	N/A	10000	2700	0.62	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	644157	644157	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.614	2	8/29/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	644157		Bare-Spiral	E26	CFL		1600	22.25	N/A	10000	2700	0.61	2	8/29/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	644415	644415	Covered globe	E26/24 (medium)	CFL		500	9.0	N/A	10000	2700	0.619	2	8/31/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	644415		Covered Globe	E26	CFL		500	9.49	N/A	10000	2700	0.62	2	8/31/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	649088	649088	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.611	2	8/30/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	649088		Bare-Spiral	E26	CFL		1600	22.07	N/A	10000	2700	0.61	2	8/30/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	651298	651298	Bare-spiral	Medium E26/24 (medium)	CFL		860	13.0	N/A	10000	6500	0.634	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	651298		Bare-Mini Spiral	E26	CFL		860	13.54	N/A	10000	6500	0.63	2	5/16/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	651300	651300	Covered reflector	E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.612	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	651300		Covered Reflector	E26	CFL		1300	22.9	N/A	10000	2700	0.61	2	10/4/2012

Hengdian Group Tospo Lighting Co., Ltd.	Tospo	652713	652713	Covered reflector	E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.617	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	652713		Covered Reflector	E26	CFL		1300	23.13	N/A	10000	2700	0.62	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	652980	652980	Covered reflector	E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.616	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	652980		Covered Reflector	E26	CFL		1300	22.86	N/A	10000	2700	0.62	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	653251	653251	Covered reflector	E26/24 (medium)	CFL		470	13.0	N/A	10000	2700	0.61	2	10/18/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	653251		Covered Reflector	E26	CFL		470	12.73	N/A	10000	2700	0.61	2	10/18/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	655110	655110	Covered reflector	E26/24 (medium)	CFL		1300	23.0	N/A	10000	2700	0.616	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	655110		Covered Reflector	E26	CFL		1300	22.72	N/A	10000	2700	0.62	2	10/4/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	657088	657088	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	40000	3000	0.976	3	9/7/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	657089	657089	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	40000	3000	0.713	3	9/7/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	659494	659494	Non-standard	GU24	LED		840	13.0	N/A	40000	3000	0.981	3	7/23/2012
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	763741	763741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	6/16/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	943741	943741	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	6/16/2011
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-11SL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11.0	N/A	8000	2700		2	6/29/2009
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-15MSL		Bare-spiral	E26/24 (Medium)	CFL		990	15.0	N/A	10000	2700		1	1/3/2003
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-20MSL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	20.0	N/A	10000	2700		2	3/31/2003
Hengdian Group Tospo Lighting Co., Ltd.	Tosso	TP120-25SL-3WAY		Bare-soiral	E26/24 (Medium)	CFL	Three Wav	1620	N/A	13/20/25	8000	2700		2	3/10/2010
Hengdian Group Tospo Lighting Co., Ltd.	Tospo	TP120-27MSL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1900	27	N/A	10000	2700		2	2/3/2004
Homelite Technology Co. Ltd	Homelite	HLAD7W/3000K	HLAD7W/3000K	Non-standard	E26/E24 (Medium)	LED	Dimmable	383	7.41	N/A	40000	3000	0.797	3	9/9/2011
Homelite Technoloov Co. Ltd	Homelite	HLFD23W/2700K	HLFD23W/2700K	Bare-soiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.549	3	7/13/2012
Homelite Technoloov Co. Ltd	Homelite	HLFD23W/2700K		Bare-Mini Spiral	E26	CFL		1600	21.86	N/A	10000	2700	0.55	3	7/13/2012
Homelite Technoloov Co. Ltd	Homelite	HLFDR15W	HLFDR15W/2700K	Covered reflector	Medium E26/24	CFL	Dimmable	700	15.0	N/A	8000	2700	0.627	3	2/16/2012
Homelite Technoloov Co. Ltd	Homelite	HLGD8W/3000K	HLGD8W/3000K	G - Globe	E26/E24 (Medium)	LED	Dimmable	416	8.04	N/A	40000	3000	0.719	3	8/17/2011
Homelite Technoloov Co. Ltd	Homelite	HLGU4W	HLGU4W	Non-standard	GU10	LED		200	4.0	N/A	40000	3000	0.607	3	6/19/2012
Homelite Technoloov Co. Ltd	Homelite	HLMR4W/3000K	HLMR4W/3000K	MR - Multifaceted reflector	GU5.3	LED		170	4.0	N/A	40000	3000	1	3	12/20/2011
Homelite Technoloov Co. Ltd	Homelite	HLPD11W/3000K	HLPD11W/3000K	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	558	10.7	N/A	40000	3000	0.819	3	8/10/2011
Homelite Technoloov Co. Ltd	Homelite	HLPD17W/3000K	HLPD17W/3000K	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	819	17.3	N/A	40000	3000	0.76	3	8/10/2011
Homelite Technoloov Co. Ltd	Homelite	HLPD7W/3000K	HLPD7W/3000K	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	349	7.5	N/A	40000	3000	0.788	3	8/10/2011
Homelite Technoloov Co. Ltd	Homelite	HLPDL11W	HLPDL11W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	575	11.0	N/A	40000	3000	0.836	3	2/17/2012
Homelite Technoloov Co. Ltd	Homelite	HLPDL17W	HLPDL17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	17.0	N/A	40000	3000	0.728	3	2/17/2012
Homelite Technoloov Co. Ltd	Homelite	HLPDL7W	HLPDL7W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	335	7.0	N/A	40000	3000	0.771	3	2/17/2012
Homelite Technoloov Co. Ltd	Homelite	HLT2GU13W/2700K	N/A	Bare-spiral	GU24	CFL		883	13.0	N/A	10000	2700	0.59	2	12/28/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2GU13W/4100K	N/A	Bare-soiral	GU24	CFL		887	13.8	N/A	10000	4100	0.58	2	12/28/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2GU18W/2700K	N/A	Bare-spiral	GU24	CFL		1177	17.2	N/A	10000	2700	0.57	2	12/28/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2GU23W/2700K	N/A	Bare-soiral	GU24	CFL		1566	21.0	N/A	10000	2700	0.55	2	12/28/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2S09W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700	0.572	2	11/18/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S09W/5000K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.572	2	9/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S09W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.577	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT2S09W/A4100K		Bare-soiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100	0.542	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT2S13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.599	2	9/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S13W/4100K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.599	2	11/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S13W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.583	2	11/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S13W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.586	2	1/27/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2S13W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.582	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT2S13WCIA2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.587	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT2S18W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.568	2	12/21/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2S18W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	4100	0.585	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT2S20W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.571	2	11/22/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S20W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.57	2	12/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S23W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S23W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.564	2	9/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S23W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.568	2	9/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT2S23W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.555	2	1/27/2010
Homelite Technoloov Co. Ltd	Homelite	HLT2S23W/A4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100	0.56	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT3A09/2700K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.555	2	12/26/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3A09W/2700K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.555	2	6/11/2010
Homelite Technoloov Co. Ltd	Homelite	HLT3A09W/4100K		Covered A-line	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.559	2	1/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3A1319W/B2700K	HLT3A1319W/B2700K	Covered A-line	Medium E26/24	CFL		1200	19.0	N/A	10000	2700	0.58	2	2/16/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3A14W/2700K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.585	2	1/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3A14W/4100K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.585	2	1/15/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3A7W/2700K		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700	0.657	2	1/11/2011
Homelite Technoloov Co. Ltd	Homelite	HLT3C05W/E12/2700K		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	10000	2700	0.554	2	8/12/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3C05W/E26/2700K		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	10000	2700	0.554	2	8/12/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3C07W/B2700K	HLT3C07W/B2700K	Covered-Candle	E12 (Candelabra)	CFL		300	7.0	N/A	10000	2700	0.569	3	2/27/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3C07W/B2700K		Covered-Candle	E12	CFL		300	6.64	N/A	10000	2700	0.57	3	2/27/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3C07W/E12/2700K		Covered-Candle	E12 (Candelabra)	CFL		300	7	N/A	10000	2700	0.536	2	8/12/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3G09W/2700K		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.55	2	1/23/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3G09W/4100K		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	1/13/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3G14W/4100K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	1/13/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3G14W/B2700K	HLT3G14W/B2700K	Covered globe	Medium E26/24 (medium)	CFL		800	14.0	N/A	10000	2700	0.611	3	7/18/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3G14W/B2700K		Covered Globe	E26	CFL		800	13.99	N/A	10000	2700	0.61	3	7/18/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3G3019W/2700K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700	0.58	2	9/15/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3GU09W/2700K	N/A	Bare-soiral	GU24	CFL		680	9.68	N/A	10000	2700	0.55	2	12/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3GU13W/2700K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.582	2	12/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3GU20W/2700K	N/A	Bare-soiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.575	2	12/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3GU23W/2700K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.557	2	12/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3GU26W/2700K	N/A	Bare-soiral	GU24	CFL		1733	22.586	N/A	10000	2700	0.567	2	12/17/2008
Homelite Technoloov Co. Ltd	Homelite	HLT3PAR16W/2700K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.57	2	1/14/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3PAR16W/4100K		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	10000	4100	0.562	2	9/16/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3PAR23W/2700K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.57	2	1/14/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3PAR23W/4100K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	4100	0.567	2	9/15/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3R14W/2700K		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700	0.591	2	1/14/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3R14W/4100K		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100	0.593	2	9/15/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3R16W/4100K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	4100	0.564	2	9/15/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3R16W/F2700K	HLT3R16W/F2700K	Covered reflector	Medium E26/24 (medium)	CFL		750	16.0	N/A	10000	2700	0.592	3	7/23/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3R16W/F2700K		Covered Reflector	E26	CFL		750	15.08	N/A	10000	2700	0.59	3	7/23/2012
Homelite Technoloov Co. Ltd	Homelite	HLT3R2011W/2700K		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700	0.575	2	9/15/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3R23W/2700K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.572	2	1/14/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3R23W/4100K		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100	0.567	2	9/15/2009
Homelite Technoloov Co. Ltd	Homelite	HLT3S09W/2700K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.546	2	9/15/2008

Homelite Technology Co. Ltd	Homelite	HLT3S09W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.567	2	9/15/2008
Homelite Technology Co. Ltd	Homelite	HLT3S13W/2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/15/2008
Homelite Technology Co. Ltd	Homelite	HLT3S13W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.551	2	9/15/2008
Homelite Technology Co. Ltd	Homelite	HLT3S13W/5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000	0.551	2	9/15/2008
Homelite Technology Co. Ltd	Homelite	HLT3S13W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.593	2	1/27/2010
Homelite Technology Co. Ltd	Homelite	HLT3S18W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1202	18	N/A	12000	2700	0.567	2	12/22/2010
Homelite Technology Co. Ltd	Homelite	HLT3S20W/4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.536	2	1/15/2009
Homelite Technology Co. Ltd	Homelite	HLT3S20W/5000K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.583	2	1/15/2009
Homelite Technology Co. Ltd	Homelite	HLT3S23W/2700K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.549	2	11/10/2008
Homelite Technology Co. Ltd	Homelite	HLT3S23W/4100K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.57	2	11/18/2008
Homelite Technology Co. Ltd	Homelite	HLT3S23W/A2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.558	2	1/27/2010
Homelite Technology Co. Ltd	Homelite	HLT3S26W/2700K		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.585	2	11/22/2008
Homelite Technology Co. Ltd	Homelite	HLT3S09W/2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.551	2	8/12/2009
Homelite Technology Co. Ltd	Homelite	HLT4S12/20/26W	HLT4S12/20/26W	Bare-spiral	Medium E26/24 (medium)	CFL		1600	26.0	N/A	10000	2700	0.554	3	7/13/2012
Homelite Technology Co. Ltd	Homelite	HLT4S12/20/26W		Bare-Spiral	E26	CFL		1600	24.38	N/A	10000	2700	0.55	3	7/13/2012
Homelite Technology Co. Ltd	Homelite	HLT4S15/26/40W	HLT4S15/26/40W	Bare-spiral	Medium E26/24 (medium)	CFL		2600	40.0	N/A	10000	2700	0.536	3	7/13/2012
Homelite Technology Co. Ltd	Homelite	HLT4S15/26/40W		Bare-Mini Soiral	E26	CFL		2600	36.36	N/A	10000	2700	0.54	3	7/13/2012
Homelite Technology Co. Ltd	Homelite	HLT4S40W/2700K		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700	0.575	2	1/11/2011
Homelite Technology Co. Ltd	Homelite	HTAD0601	HTAD0601	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	500	6.0	N/A	25000	3000	0.845	3	11/5/2012
Homelite Technology Co. Ltd	Homelite	HTAD1201	HTAD1201	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	3000	0.822	3	11/5/2012
Homelite Technology Co. Ltd	Homelite	HTPD0825	HTPD0825	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	25000	3000	0.791	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTPD0860	HTPD0860	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	25000	3000	0.792	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTPD1425	HTPD1425	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	14.0	N/A	25000	3000	0.751	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTPD1460	HTPD1460	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	14.0	N/A	25000	3000	0.75	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTPD2025	HTPD2025	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	3000	0.787	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTPD2060	HTPD2060	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	3000	0.781	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTRD08	HTRD08	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	25000	3000	0.791	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTRD14	HTRD14	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	900	14.0	N/A	25000	3000	0.751	3	10/30/2012
Homelite Technology Co. Ltd	Homelite	HTRD20	HTRD20	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	1300	20.0	N/A	25000	3000	0.769	3	10/30/2012
Howard Berger Co. Inc.	Bright-Way	BWCFS23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/31/2010
Howard Berger Co. Inc.	Globe	185039	185039	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.5	2	6/22/2011
Hy-vee, Inc.	Hy-Vee	0110433	0722133	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/1/2008
Hy-vee. Inc.	Hy-Vee	0110633		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	8/1/2008
Hy-vee, Inc.	Hy-Vee	0110933		Covered A-line	E26/24 (Medium)	CFL		720	15	N/A	6000	2700	0.53	2	8/1/2008
Hy-vee, Inc.	Hy-Vee	0111033	885780	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	7/31/2008
Hy-vee, Inc.	Hy-Vee	0750233	4870233,1290233, 8750233	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	7/31/2008
Hy-vee. Inc.	Hy-Vee	0750433		Bare-Mini-Soiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	7/31/2008
Hy-vee, Inc.	Hy-Vee	0750533	0020333	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	8/1/2008
Hy-vee. Inc.	Hy-Vee	0750633	0020233	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.525	2	8/1/2008
Hy-vee, Inc.	Hy-Vee	131101		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	2700		9	12/4/2009
Hy-vee. Inc.	Hy-Vee	201201		Bare-ssiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		9	12/4/2009
Hy-vee, Inc.	Hy-Vee	231201		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	12/4/2009
Hy-vee, Inc.	Hy-Vee	4840233		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	7/31/2008
IKEA of Sweden AB	Ikea	ES0910C7	N/A	Covered-Candle	E12 (Candelabra)	CFL		315	7.0	N/A	10000	2700	0.6	3	6/30/2011
IKEA of Sweden AB	Ikea	ES1001S20	00215883, 50219402	Bare-Spiral	E26/24 (medium)	CFL	Dimmable	1174	19.03	N/A	8000	2700	0.708	7	1/12/2012
IKEA of Sweden AB	IKEA	ES0805C5		Covered-Candle	E12 (Candelabra)	CFL		225	5	N/A	8000	2700	0.598	3	6/2/2010
IKEA of Sweden AB	IKEA	ES0806G7		Covered globe	E12 (Candelabra)	CFL		315	7	N/A	10000	2700	0.67	3	6/2/2010
IKEA of Sweden AB	IKEA	ES0806G7		Covered globe	E26/24 (Medium)	CFL		315	7	N/A	10000	2700	0.67	3	6/2/2010
IKEA of Sweden AB	IKEA	ES0807G11		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700		3	7/13/2010
IKEA of Sweden AB	IKEA	ES0808G20		Covered globe	E26/24 (Medium)	CFL		1160	20	N/A	10000	2700	0.593	3	11/8/2010
IKEA of Sweden AB	IKEA	ES0906S9		Bare-Mini-Spiral	E12 (Candelabra)	CFL		500	9	N/A	10000	2700		3	3/24/2011
IKEA of Sweden AB	IKEA	ES0906S9		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		3	1/7/2010
IKEA of Sweden AB	IKEA	ES0907S13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		5	1/11/2010
IKEA of Sweden AB	IKEA	ES0908S20		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		5	1/11/2010
IKEA of Sweden AB	IKEA	ES1201S23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/16/2012
Infinilight Products, Inc.	Infinilight	IFL-PAR20-WW30	IFL-PAR20-WW30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	3	11/21/2011
Infinilight Products, Inc.	Infinilight	IFL-PAR30-WW30	IFL-PAR30-WW30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	11/21/2011
Infinilight Products, Inc.	Infinilight	IFL-PAR38-WW30	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	11/21/2011
IPAN LED Inc.	IPAN	IPAN-A-Lamp-11W-D	IPAN-A-Lamp-11W-D	Non-standard	E26/24 (Medium)	LED	Dimmable	800	11.0	N/A	25000	2700	0.878	3	9/20/2012
IPAN LED Inc.	IPAN LED	IPAN-2-PAR30-10W	IPAN-2-PAR30-10W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		600	10.0	N/A	40000	3000	0.913	3	7/23/2012
IPAN LED Inc.	IPAN LED	IPAN-2-PAR30-10W-D	IPAN-2-PAR30-10W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	600	10.0	N/A	40000	3000	0.719	3	7/23/2012
IPAN LED Inc.	IPAN LED	IPAN-2-PAR38-17W	IPAN-2-PAR38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		980	17.0	N/A	40000	3000	0.867	3	8/2/2012
IPAN LED Inc.	IPAN LED	IPAN-2-PAR38-17W-D	IPAN-2-PAR38-17W-D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	980	17.0	N/A	40000	3000	0.8	3	7/23/2012
IPAN LED Inc.	IPAN LED	IPAN-A-LAMP-12W-D	IPAN-A-LAMP-12W-D	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	4/17/2012
IPAN LED Inc.	IPAN LED	IPAN-MR16-4W	IPAN-MR16-4W	MR - Multifaceted reflector	GU5.3	LED		160	4.0	N/A	25000	3000	1	3	1/12/2012
IPAN LED Inc.	IPAN LED	IPAN-PAR38-17W	IPAN-PAR38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED		765	17.0	N/A	25000	3000	0.886	3	1/12/2012
IPAN LED Inc.	IPAN LED	IPAN-PAR38-17W-D	IPAN-PAR38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	745	17.0	N/A	25000	3000	0.729	3	1/12/2012
Jenco Canada Inc.	Jenco	JC-PAR30-DIM	JC-PAR30-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	508	8.74	N/A	25000	3000	0.964	3	10/26/2012
Jenco Canada Inc.	Jenco	JC-PAR38-DIM	JC-PAR38-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	823	13.03	N/A	25000	3000	0.981	3	10/26/2012
Jessar	BMR	014-9877		Covered reflector	E26/24 (Medium)	CFL		730	15	N/A	8000	2700		2	3/15/2012
Jessar	BMR	033-2255		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	4/27/2012
Jessar	BMR	033-2264		Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	4/27/2012
Jessar	BMR	033-2273		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/13/2012
Jessar	BMR	033-2282		Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	4/27/2012
Jessar	BMR	033-2291		Bare-ssiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	4/27/2012
Jessar	BMR	033-2307		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/2/2012
Jessar	BMR	033-2316	033-2404	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	3/13/2012
Jessar	BMR	033-2334	033-2413	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	3/13/2012
Jessar	BMR	033-2370		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	4/27/2012
Jessar	BMR	033-2389		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/2/2012
Jessar	BMR	033-2398		Bare-ssiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	4/27/2012
Jessar	Xtricity	1-60016	1-60016	Non-standard	E26/24 (Medium)	LED	Dimmable	382	7.0	N/A	40000	3000	0.797	3	7/3/2012
Jessar	Xtricity	1-60017	1-60017	Non-standard	GU10	LED		214	4.0	N/A	40000	3000	0.607	3	7/3/2012
Jessar	Xtricity	1-60018	1-60018	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	332	45.0	N/A	40000	3000	0.771	3	6/28/2012
Jessar	Xtricity	1-60019	1-60019	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	572	60.0	N/A	40000	3000	0.836	3	6/28/2012
Jessar	Xtricity	1-60020	1-60020	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	920	75.0	N/A	40000	3000	0.728	3	6/28/2012
Jessar	Xtricity	1-60100		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700		2	5/15/2012
Jessar	Xtricity	1-60106		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700		2	6/21/2012
Jessar	Xtricity	1-60109		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	5/15/2012
Jessar	Xtricity	1-60200		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	8/31/2011
Jessar	Xtricity	1-60201		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	8/31/2011

Jessar	Xtricity	1-60202		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/18/2011
Jessar	Xtricity	1-60210		Bare-spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100		9	9/1/2011
Jessar	Xtricity	1-60211		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100		9	5/25/2011
Jessar	Xtricity	1-60212		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	5/25/2011
Jessar	Xtricity	1-60712		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		11	5/25/2011
Jessar	Xtricity	1-68702		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	8/15/2011
Jessar	Xtricity	1-68803		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	4100		9	8/15/2011
Jiangsu SFT Optoelectronic Co., Ltd.	SFT	SFT-B35-B 4A E12/WW D	SFT-B35-B 4A E12/WW D	B - Bulged	E12 (Candelabra)	LED	Dimmable	237	4.99	N/A	15000	2700	0.733	3	8/24/2012
Jiangsu SFT Optoelectronic Co., Ltd.	SFT	SFT-B35-B 4A E26/WW D	SFT-B35-B 4A E26/WW D	B - Bulged	E26/24 (Medium)	LED	Dimmable	237	4.99	N/A	15000	2700	0.733	3	8/24/2012
Jiangsu SFT Optoelectronic Co., Ltd.	SFT	SFT-G45-C 4A E12/WW D	SFT-G45-C 4A E12/WW D	G - Globe	E12 (Candelabra)	LED	Dimmable	244	4.89	N/A	15000	2700	0.724	3	8/27/2012
Jiangsu SFT Optoelectronic Co., Ltd.	SFT	SFT-G45-C 4A E26/WW D	SFT-G45-C 4A E26/WW D	G - Globe	E26/24 (Medium)	LED	Dimmable	244	4.89	N/A	15000	2700	0.724	3	8/27/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-A20W 2700K		Covered A-line	E26/24 (Medium)	CFL		1000	20	N/A	10000	2700	0.562	2	6/25/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYA6013W/2700K		Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700	0.564	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYA7W/2700K		Covered A-line	E26/24 (Medium)	CFL		300	7	N/A	10000	2700	0.566	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYC05E12/2700K		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	10000	2700	0.526	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYC05E12/2700K		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	10000	2700	0.526	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYC05E26/2700K		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	10000	2700	0.526	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYG2011E26/2700K		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700	0.558	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYG2514W/2700K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.577	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYP3014WE26/2700K		Covered-post	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.542	2	1/8/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYR207W/2700K		Covered reflector	E26/24 (Medium)	CFL		250	7	N/A	10000	2700	0.572	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYR3015/L		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700	0.532	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYR3015WE26/4100K		Covered reflector	E26/24 (Medium)	CFL		550	15	N/A	10000	4100	0.537	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-T2S18W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.54	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT2S18W/4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.532	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-T2S23W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	2700	0.56	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GY-T2S9W		Bare-spiral	E26/24 (Medium)	CFL		650	9	N/A	10000	2700	0.571	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S09/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.546	2	8/29/2008
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S11E26/2700K		Bare-spiral	E26/24 (Medium)	CFL		690	11	N/A	10000	2700	0.58	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13/27		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.579	2	8/29/2008
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13/L 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.559	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13/L 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.568	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S13WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.577	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S15WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.587	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S15WE26/4100K		Bare-spiral	E26/24 (Medium)	CFL		850	15	N/A	10000	4100	0.585	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S18/L 2700K		Bare-spiral	E26/24 (Medium)	CFL		1350	18	N/A	10000	2700	0.537	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S18/L 5000K		Bare-ssiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	5000	0.546	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S18WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700	0.539	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S20/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.582	2	8/29/2008
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23/27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.549	2	8/29/2008
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23/L 2700K		Bare-spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	2700	0.574	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23/L 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.574	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S23WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	2700	0.554	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S25WE26/2700K		Bare-ssiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	2700	0.567	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S25WE26/5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	5000	0.564	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA	GYT3S30WE26/2700K		Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.568	2	9/14/2009
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA/MIDEA	GYT4S32GU24/2700K	N/A	Bare-spiral	GU24	CFL		2276	29.8	N/A	10000	2700	0.55	2	1/12/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	GUIYA/MIDEA	GYT4S42GU24/2700K	N/A	Bare-ssiral	GU24	CFL		2703	38.3	N/A	10000	2700	0.56	2	1/12/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GY-R40 23W	GY-R40 23W	Covered reflector	Medium E26/24	CFL		1300	23.0	N/A	10000	2700	0.589	2	9/19/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GY-R40 23W		Covered Reflector	E26	CFL		1300	23	N/A	10000	2700	0.59	2	9/19/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS13GU/2700K	N/A	Bare-spiral	GU24	CFL		802	12.0	N/A	10000	2700	0.53	2	12/28/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS13GU/4100K	N/A	Bare-spiral	GU24	CFL		813	12.1	N/A	10000	4100	0.53	2	12/28/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS18GU/2700K	N/A	Bare-spiral	GU24	CFL		1379	17.2	N/A	10000	2700	0.54	2	12/28/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS18GU/4100K	N/A	Bare-spiral	GU24	CFL		1303	17.2	N/A	10000	4100	0.54	2	12/28/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS26GU/2700K	N/A	Bare-spiral	GU24	CFL		1849	23.8	N/A	10000	2700	0.57	2	12/28/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYS26GU/4100K	N/A	Bare-spiral	GU24	CFL		1732	23.8	N/A	10000	4100	0.57	2	12/28/2010
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	GYT2S13/L/2700K		Bare-spiral	E26/24 (Medium)	CFL		932	13	N/A	10000	2700	0.573	2	1/13/2011
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLAS20W-E26	MDESLAS20W-E26	Covered A-line	Medium E26/24	CFL		1200	20.0	N/A	10000	2700	0.57	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLAS20W-E26		Covered A-line	E26	CFL		1200	20	N/A	10000	2700	0.57	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLAS7W-E26	MDESLAS7W-E26	Covered A-line	Medium E26/24 (medium)	CFL		330	7.0	N/A	10000	2700	0.584	2	6/13/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLAS7W-E26		Covered A-line	E26	CFL		330	7	N/A	10000	2700	0.58	2	6/13/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLBR30/15W-E26	MDESLBR30/15W-E26	Covered reflector	Medium E26/24	CFL		750	15.0	N/A	10000	2700	0.571	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLBR30/15W-E26		Covered Reflector	E26	CFL		750	15	N/A	10000	2700	0.57	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP11W-E26	MDESLMSP11W-E26	Bare-spiral	E26/24 (medium)	CFL		826	11.13	N/A	10000	2700	0.593	2	3/6/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP11W-E26		Bare-Spiral	E26	CFL		800	11	N/A	10000	2700	0.59	2	11/15/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP13W-E26	MDESLMSP13W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		848	12.517	N/A	10000	2700	0.577	2	12/19/2011
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP13W-E26	MDESLMSP13W-E26	Bare-Mini-Spiral	Medium E26/24	CFL		860	13.0	N/A	10000	2700	0.577	2	10/26/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP13W-E26 2700K	MDESLMSP13W-E26 2700K	Bare-spiral	Medium E26/24	CFL		900	13.0	N/A	10000	2700	0.567	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP13W-E26 2700K		Bare-Ssiral	E26	CFL		900	13	N/A	10000	2700	0.57	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP15W-E26	MDESLMSP15W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		940	13.86	N/A	10000	2700	0.602	2	12/19/2011
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP15W-E26	MDESLMSP15W-E26	Bare-Mini-Spiral	Medium E26/24	CFL		950	15.0	N/A	10000	2700	0.602	2	10/26/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP18W-E26	MDESLMSP18W-E26	Bare-Mini-Spiral	Medium E26	CFL		1100	18.0	N/A	10000	2700	0.577	2	5/16/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP18W-E26		Bare-Mini Ssiral	E26	CFL		1700	26	N/A	10000	2700	0.56	2	5/16/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP23W-E26	MDESLMSP23W-E26	Bare-spiral	E26/24 (medium)	CFL		1694	24.81	N/A	10000	2700	0.579	2	3/6/2012

Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP23W-E26		Bare-Spiral	E26	CFL		1694	24.8000	N/A	10000	2700	0.57	2	3/6/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP26W-E26	MDESLMSP26W-E26	Bare-Mini-Spiral	Medium E26	CFL		1700	26.0	N/A	10000	2700	0.563	2	5/16/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP26W-E26		Bare-Mini Soiral	E26	CFL		1100	18	N/A	10000	2700	0.58	2	5/16/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP7W-E26	MDESLMSP7W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		474	7.094	N/A	10000	2700	0.571	2	12/19/2011
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP7W-E26	MDESLMSP7W-E26	Bare-Mini-Spiral	Medium E26/24	CFL		450	7.0	N/A	10000	2700	0.571	2	10/26/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP9W-E26	MDESLMSP9W-E26	Bare-Mini-Spiral	E26/24 (medium)	CFL		626	9.185	N/A	10000	2700	0.556	2	12/19/2011
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDESLMSP9W-E26	MDESLMSP9W-E26	Bare-Mini-Spiral	Medium E26/24	CFL		600	9.0	N/A	10000	2700	0.556	2	10/26/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT2S11ASE26/2700K	MDT2S11ASE26/2700K	Covered A-line	Medium E26/24 (medium)	CFL		560	11.0	N/A	10000	2700	0.602	2	6/13/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT2S11ASE26/2700K		Covered A-line	E26	CFL		560	11	N/A	10000	2700	0.6	2	6/13/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT2S13ASE26/2700K	MDT2S13ASE26/2700K	Covered A-line	Medium E26/24	CFL		800	13.0	N/A	10000	2700	0.594	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT2S13ASE26/2700K		Covered A-line	E26	CFL		800	13	N/A	10000	2700	0.59	2	9/12/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3FS13GU24/2700K	MDT3FS13GU24/2700K	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.61	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3FS13GU24/2700K		Bare-Spiral	GU24	CFL		900	13	N/A	10000	2700	0.61	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3S13E26D40/2700K	MDT3S13E26D40/2700K	Bare-spiral	Medium E26/24 (medium)	CFL		900	13.0	N/A	10000	2700	0.593	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3S13E26D40/2700K		Bare-Spiral	E26	CFL		900	13	N/A	10000	2700	0.59	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3S13E26D42/2700K	MDT3S13E26D42/2700K	Bare-spiral	Medium E26/24 (medium)	CFL		900	13.0	N/A	10000	2700	0.602	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3S13E26D42/2700K		Bare-Spiral	E26	CFL		900	13	N/A	10000	2700	0.6	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3S13GU24/2700K	MDT3S13GU24/2700K	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.614	2	6/21/2012
Jiangxi Midea Guiya Green Lighting Electrical Co.,Ltd	Midea	MDT3S13GU24/2700K		Bare-Spiral	GU24	CFL		900	13	N/A	10000	2700	0.61	2	6/21/2012
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T2 13SM 2700K	SPS T2 13SM 2700K	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	2700	0.616	2	11/29/2011
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T2 13SM 2700K		Bare-Spiral	E26	CFL		900	13.54	N/A	12000	2700	0.62	2	11/29/2011
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T2 13SM 4100K	SPS T2 13SM 4100K	Bare-spiral	E26/E24 (Medium)	CFL		900	13.0	N/A	12000	4100	0.614	2	11/29/2011
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T2 13SM 4100K		Bare-Spiral	E26	CFL		900	13.49	N/A	12000	4100	0.61	2	11/29/2011
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 13GUS	N/A	Bare-soiral	GU24	CFL		900	12.6	N/A	10000	2700	0.55	2	6/22/2010
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 13S		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.587	2	6/2/2010
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 18GUS	N/A	Bare-spiral	GU24	CFL		1276	17.3	N/A	10000	2700	0.55	2	6/22/2010
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 18S		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700	0.545	2	6/2/2010
Jiangxi Supersun Technology Lighting Co., Ltd.	Susersun	SPS T3 23GUS	N/A	Bare-soiral	GU24	CFL		1614	22.2	N/A	10000	2700	0.57	2	6/22/2010
Jiangxi Supersun Technology Lighting Co., Ltd.	Supersun	SPS T3 23S		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.564	2	6/2/2010
Kadium Lighting	Verlux Lighting	VL-G1-ECOA19DIM-03	VL-G1-ECOA19DIM-03	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	25000	3000	0.765	3	3/30/2012
Kadium Lighting	Verlux Lighting	VL-G1-MR16-03	VL-G1-MR16-03	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.641	3	3/30/2012
Kadium Lighting	Verlux Lighting	VL-G1-PAR20DIM-03	VL-G1-PAR20DIM-03	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	270	5.5	N/A	40000	3000	0.712	3	3/30/2012
Kadium Lighting	Verlux Lighting	VL-G1-PAR30DIM-03	VL-G1-PAR30DIM-03	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	3/30/2012
Kadium Lighting	Verlux Lighting	VL-G1-PAR38DIM-03	VL-G1-PAR38DIM-03	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	610	11.0	N/A	40000	3000	0.786	3	3/30/2012
Kadium Lighting	Verlux Lighting	VL-G2-BR30DIM-03	VL-G2-BR30DIM-03	Non-standard	E26/24 (Medium)	LED	Dimmable	900	15.0	N/A	25000	3000	0.904	3	6/28/2012
Kadium Lighting	Verlux Lighting	VL-G2-G25DIM-03	VL-G2-G25DIM-03	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	25000	3000	0.823	3	6/27/2012
Kadium Lighting	Verlux Lighting	VL-G2-PAR20DIM-03	VL-G2-PAR20DIM-03	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	25000	3000	0.764	3	6/27/2012
Kadium Lighting	Verlux Lighting	VL-G2-PAR30DIM-03	VL-G2-PAR30DIM-03	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	25000	3000	0.905	3	6/27/2012
Kadium Lighting	Verlux Lighting	VL-G2-PAR38DIM-03	VL-G2-PAR38DIM-03	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	3000	0.939	3	6/27/2012
Kadium Lighting	Verlux Lighting	VL-GU24CFL-13W	VL-GU24CFL-13W	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.548	3	4/25/2012
Kadium Lighting	Verlux Lighting	VL-GU24CFL-13W		Bare-Mini Soiral	GU24	CFL		900	12.58	N/A	10000	2700	0.55	3	4/25/2012
Kadium Lighting	Verlux Lighting	VL-GU24CFL-18W	VL-GU24CFL-18W	Bare-spiral	GU24	CFL		1270	18.0	N/A	10000	2700	0.547	3	4/25/2012
Kadium Lighting	Verlux Lighting	VL-GU24CFL-18W		Bare-Mini Spiral	GU24	CFL		1270	17.28	N/A	10000	2700	0.55	3	4/25/2012
Kadium Lighting	Verlux Lighting	VL-GU24CFL-23W	VL-GU24CFL-23W	Bare-spiral	GU24	CFL		1600	23.0	N/A	10000	2700	0.569	3	4/25/2012
Kadium Lighting	Verlux Lighting	VL-GU24CFL-23W		Bare-Mini Spiral	GU24	CFL		1600	22.17	N/A	10000	2700	0.57	3	4/25/2012
Kroger Company	Everyday Living	2725-BXEL	2725-BXEL, 2725-2VPBXEL	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	12/7/2007
Kroger Company	Everyday Living	2725D-BXEL	2725D-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	11/23/2010
Kroger Company	Everyday Living	2814S-BXEL	2814S-BXEL, 2814S-2VPBXEL, 2814S-4VPBXEL	Bare-Mini-Soiral	E26/24 (Medium)	CFL		830	14	N/A	8000	6500		2	12/7/2007
Kroger Company	Everyday Living	2814W-BXEL	2814W-2VPBXEL, 2814W-4VPBXEL	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	2/16/2010
Kroger Company	Everyday Living	2819-BXEL	2819-2VPBXEL	Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700		2	1/26/2011
LED Energy Revolution LLC	LED Energy Revolution	L-PA10C-D-ES	L-PA10C-D-ES	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	3	4/27/2012
LedEngin, Inc.	LuxPAR	LP38-062W31	LP38-062W31	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		840	16.5	N/A	40000	3000	0.777	3	1/25/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/FL/27K	LED14PAR30L/DIM/NFL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	723	14.0	N/A	25000	2700	0.8	3	3/20/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/FL/30K	LED14PAR30L/DIM/FL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	9/28/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/FL/30K	LED14PAR30L/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	3/6/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/NFL/27K	LED14PAR30L/DIM/NFL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	723	14.0	N/A	25000	2700	0.8	3	3/20/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/NFL/30K	LED14PAR30L/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	3/6/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/NFL/30K	LED14PAR30L/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	3	9/28/2012
LEDirect	NaturaLED	LED14PAR30L/DIM/NFL/40K	LED14PAR30L/DIM/NFL/40K	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	865	14.0	N/A	25000	4100	0.8	3	8/1/2012
LEDirect	NaturaLED	LED17PAR38/DIM/FL/27K	LED17PAR38L/DIM/NFL/27K; LED17PAR38/DIM/FL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	928	17.0	N/A	25000	2700	0.8	3	4/10/2012
LEDirect	NaturaLED	LED17PAR38/DIM/FL/30K	LED17PAR38/DIM/FL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	9/28/2012
LEDirect	NaturaLED	LED17PAR38/DIM/FL/30K	LED17PAR38/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	3/6/2012
LEDirect	NaturaLED	LED17PAR38/DIM/NFL/30K	LED17PAR38/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	3/6/2012
LEDirect	NaturaLED	LED17PAR38/DIM/NFL/30K	LED17PAR38/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	3	9/28/2012
LEDirect	NaturaLED	LED17PAR38/DIM/NFL/40K	LED17PAR38/DIM/NFL/40K	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1051	17.0	N/A	25000	4100	0.8	3	8/1/2012
LEDirect	NaturaLED	LED17PAR38L/DIM/FL/27K	LED17PAR38L/DIM/NFL/27K; LED17PAR38/DIM/FL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	928	17.0	N/A	25000	2700	0.8	3	4/10/2012
LEDirect	NaturaLED	LED9PAR20/DIM/NFL/27K	LED9PAR20/DIM/NFL/27K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	452	9.0	N/A	25000	2700	0.8	3	6/14/2012
LEDirect	NaturaLED	LED9PAR20/DIM/NFL/30K	LED9PAR20/DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	3	10/3/2012
LEDirect	NaturaLED	LED9PAR20/DIM/NFL/40K	LED9PAR20/DIM/NFL/40K	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	519	8.0	N/A	25000	4100	0.8	3	7/31/2012
LEDirect	NaturaLED	LHO-4.5MR16/NFL/WW	LHO-4.5MR16/NFL/WW	MR - Multifaceted reflector	GU5.3	LED		194	4.26	N/A	25000	3000	0.618	3	3/2/2011
LEDirect	NaturaLED	LHO-4.5MR16/NFL/WW	N/A	MR - Multifaceted reflector	GU5.3	LED		194	4.26	N/A	25000	3000	0.62	3	12/15/2011
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR20-50-1WD-INFE	LED-PAR20-50-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	359	6.04	N/A	25000	3000	0.909	5	9/29/2011
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR30L-75-1WD-INFE	LED-PAR30L-75-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	769	15.15	N/A	25000	3000	0.929	5	11/27/2012
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR30S-75-1WD-INFE	LED-PAR30S-75-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	814	15.57	N/A	25000	3000	0.929	5	11/4/2011
LEDnovation, Inc.	LEDnovation EnhanceLite	LED-PAR38-90-1WD-INFE	LED-PAR38-90-1WD-INFE	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	914	18.29	N/A	25000	3000	0.936	5	1/17/2012
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	N2NR11		Bare-twin tube	E26/24 (Medium)	CFL		605	11	N/A	8000	2700	0.564	5	9/8/2010
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	N3NS15		Bare-Triple Tube	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.563	5	9/8/2010

Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR09		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.57	5	5/23/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR09 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100	0.57	5	5/23/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR11		Bare-ssiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.578	5	9/8/2010
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.54	9	3/18/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR14 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100	0.585	2	8/12/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSAR14 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.585	2	8/12/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR18		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.58	2	8/12/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR18 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.58	2	8/12/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR20		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR20 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR23		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	5	9/8/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSBR23 CT		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		5	8/3/2009
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC07		Bare-Mini-Spiral	E26/24 (Medium)	CFL		385	7	N/A	10000	2700	0.56	5	12/11/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC09		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.55	5	12/11/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC11		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.55	5	12/11/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC13 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.53	2	2/5/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSC14		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	2700	0.538	5	12/11/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSCT13	N/A	Bare-spiral	GU24	CFL		821	13.0	N/A	10000	2700	0.56	2	6/22/2010
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI18		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.53	5	11/5/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI18 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.58	2	8/12/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI18 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000	0.58	2	8/12/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI19 CT		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	4100	0.58	5	12/18/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI19 NT		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000	0.58	5	12/18/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 CT		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		7	9/4/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.532	5	10/25/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.587	5	1/18/2011
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI20 NT		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/25/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 IT		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/23/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.57	5	5/26/2009
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI23 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	5000	0.57	5	5/23/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSI26 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700	0.56	9	1/4/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18	N/A	Bare-ssiral	GU24	CFL		1243	18.64	N/A	10000	2700	0.58	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18	N/A	Bare-spiral	GU24	CFL		1369	19.33	N/A	10000	2700	0.583	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18CT	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.584	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR18CT	N/A	Bare-spiral	GU24	CFL		1431	19.19	N/A	10000	4100	0.582	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23	N/A	Bare-spiral	GU24	CFL		1508	21.9	N/A	10000	2700	0.607	2	5/15/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23	N/A	Bare-spiral	GU24	CFL		1704	23.59	N/A	10000	2700	0.628	2	5/15/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23CT	N/A	Bare-spiral	GU24	CFL		1625	21.348	N/A	10000	4100	0.566	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR23CT	N/A	Bare-ssiral	GU24	CFL		1721	23.036	N/A	10000	4100	0.568	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (2700K)	N/A	Bare-spiral	GU24	CFL		1710	25.393	N/A	10000	2700	0.576	2	10/27/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (2700K)	N/A	Bare-spiral	GU24	CFL		1722	26.086	N/A	10000	2700	0.572	2	10/27/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (4100K)	N/A	Bare-spiral	GU24	CFL		1704	25.687	N/A	10000	4100	0.575	2	10/27/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSSR26 (4100K)	N/A	Bare-spiral	GU24	CFL		1705	25.715	N/A	10000	4100	0.575	2	10/27/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST07 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		385	7	N/A	8000	2700	0.53	5	5/22/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST07 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		385	7	N/A	10000	2700	0.53	5	11/7/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 CT		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	8000	2700	0.53	7	11/7/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST09 NT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	5000		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST11 IT		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.53	5	11/7/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST13 CT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST13 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.555	5	11/5/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST13 NT		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000		5	6/6/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST15 IE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	2700	0.54	5	11/30/2007
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHST15 IT		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.54	9	1/4/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSTR13	N/A	Bare-spiral	GU24	CFL		828	12.52	N/A	10000	2700	0.547	2	5/15/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSTR13CT	N/A	Bare-ssiral	GU24	CFL		868	13.404	N/A	10000	4100	0.582	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSTR13CT	N/A	Bare-spiral	GU24	CFL		967	13.74	N/A	10000	4100	0.589	2	10/17/2008
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	NHSZR13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.573	5	12/10/2009
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	PAR30AL5		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.56	5	5/26/2009
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	PAR38A23		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.58	5	5/26/2009
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	R30AL5		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.55	5	5/26/2009
Leedarson Lighting (Xiamen) Co., Ltd.	LeeLite	R40A23		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.58	5	5/26/2009
Leeleds Lighting (Xiamen) Co., Ltd.	LEELEDS	A470L-A5	N/A	Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		483	8.0	N/A	25000	2700	0.8	3	10/11/2012
Leeleds Lighting (Xiamen) Co., Ltd.	LEELEDS	A470L-A5R	A470L-A5R	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	470	7.5	N/A	25000	2700	0.983	3	8/9/2012
Leeleds Lighting (Xiamen) Co., Ltd.	LEELEDS	A470L-A5-W	N/A	Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		483	8.0	N/A	25000	2700	0.8	3	10/11/2012
Leeleds Lighting (Xiamen) Co., Ltd.	LEELEDS	A470L-A7	N/A	Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		483	8.0	N/A	25000	2700	0.8	3	10/11/2012
Leeleds Lighting (Xiamen) Co., Ltd.	LEELEDS	M400L-A1	M400L-A1	Non-standard	GU10	LED		360	6.5	N/A	25000	3000	0.907	3	10/16/2012
Lemnis Inc.	Pharox	101300	101300	Non - Standard	E26/24 (Medium)	LED		326	5.56	N/A	25000	3000	0.824	3	12/13/2011

Light Efficient Design	Light Efficient Design	LED-1668-B	LED-1668B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	3	4/26/2012
Light Efficient Design	Light Efficient Design	LED-1690-B	LED-1690B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	3	4/26/2012
Light Efficient Design	Light Efficient Design	LED-4220	LED-4220	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	3	10/26/2012
Light Efficient Design	Light Efficient Design	LED-5220	LED-5220	Non-standard	GU10	LED	Dimmable	227	3.82	N/A	25000	3000	0.908	3	10/26/2012
Lightel Technologies, Inc.	ALEDDRA	MR16-2W3-25-30K	MR16 2W3 25 30K 12V	Multifaceted reflector	GX5.3	LED	Dimmable	261	5.0	N/A	25000	3000	1	3	9/14/2012
Lightel Technologies, Inc.	ALEDDRA	MR16-2W3-25-40K	MR16 2W3 25 40K 12V	Multifaceted reflector	GX5.3	LED	Dimmable	269	5.0	N/A	25000	4100	1	3	9/14/2012
Lightel Technologies, Inc.	ALEDDRA	PAR30-S-D-30-30K	PAR30-S-D-30-30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	535	9.0	N/A	25000	3000	0.97	3	1/25/2012
Lightel Technologies, Inc.	ALEDDRA	PAR30-S-D-30-40K	PAR30-S-D-30-40K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	568	9.0	N/A	25000	4100	0.97	3	1/25/2012
Light Emission Technology Inc.	LIGHT EMISSION TECHNOLOGY	E2162DC-E26-7-835	E2162DC-E26-7-835	G - Globe	E26/24 (Medium)	LED	Dimmable	307	7.33	N/A	15000	3500	0.992	3	10/23/2012
Light Emission Technology Inc.	LIGHT EMISSION TECHNOLOGY	E912DC-E26-7-835	E912DC-E26-7-835	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	363	6.75	N/A	25000	3500	0.952	3	10/23/2012
Light Emission Technology Inc.	LIGHT EMISSION TECHNOLOGY	E925DC-E26-12-835	E925DC-E26-12-835	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	712	12.07	N/A	25000	3500	0.966	3	10/23/2012
Light Emission Technology Inc.	LIGHT EMISSION TECHNOLOGY	E933DC-E26-17-835	E933DC-E26-17-835	PAR - Parabolic Aluminum	E26/24 (Medium)	LED	Dimmable	951	16.71	N/A	25000	3500	0.916	3	10/23/2012
Light Engine Ltd.	Optiled	P700 E26 WW	N/A	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	771	13.0	N/A	35000	2700	0.7	3	############################
Lighting Science Group, Corp	Definity	DFN 16 NW FL	7434000099	MR - Multifaceted reflector	GU5.3	LED	Dimmable	282	5.81	N/A	25000	4100	1	3	10/8/2010
Lighting Science Group, Corp	Definity	DFN 16 NW FL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	282	5.81	N/A	25000	4000	0.999	3	12/6/2010
Lighting Science Group, Corp	Definity	DFN 16 NW NFL	7434000010	MR - Multifaceted reflector	GU5.3	LED	Dimmable	276	5.92	N/A	25000	4100	1	3	10/18/2010
Lighting Science Group, Corp	Definity	DFN 16 NW NFL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	275	5.92	N/A	25000	4000	0.999	5	12/7/2010
Lighting Science Group, Corp	Definity	DFN 16 W27 FL	7434000054	MR - Multifaceted reflector	GU5.3	LED	Dimmable	246	5.52	N/A	25000	2700	1	3	10/18/2010
Lighting Science Group, Corp	Definity	DFN 16 W27 FL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	246	5.5	N/A	25000	2700	0.999	3	1/14/2011
Lightino Science Group. Coro	Definitv	DFN 16 W27 FL 120 GU10	DFN 16 W27 FL 120 GU10	Non-Standard	Multiple Pin Bases -GU10	LED		300	6.0	N/A	25000	2700	0.76	5	9/25/2012
Lighting Science Group, Corp	Definity	DFN 16 W27 NFL	7434000055	MR - Multifaceted reflector	GU5.3	LED	Dimmable	247	5.415	N/A	35000	2700	1	3	10/18/2010
Lightino Science Group. Coro	Definitv	DFN 16 W27 NFL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	247	5.4	N/A	25000	2700	0.999	3	1/14/2011
Lighting Science Group, Corp	Definity	DFN 16 W27 NFL GU10	61588	Non-Standard	Multiple Pin Bases -GU10	LED		300	6.0	N/A	25000	2700	0.748	5	9/25/2012
Lighting Science Group, Corp	Definity	DFN 16 WW FL	7434000009	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.75	N/A	35000	3000	1	3	1/24/2011
Lighting Science Group, Corp	Definity	DFN 16 WW FL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	263	5.85	N/A	25000	3000	1	3	10/20/2010
Lighting Science Group, Corp	Definity	DFN 16 WW FL GU10	61541	Non-Standard	GU10	LED		333	6.0	N/A	25000	3000	0.791	3	3/28/2012
Lighting Science Group, Corp	Definity	DFN 16 WW NFL	7434000010	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.62	N/A	35000	3000	1	3	1/24/2011
Lighting Science Group, Corp	Definity	DFN 16 WW NFL		MR - Multifaceted reflector	GU5.3	LED	Dimmable	262	5.85	N/A	25000	3000	1	3	10/20/2010
Lightino Science Group. Coro	Definitv	DFN 16 WW NFL 120 E26	61544	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		304	6.0	N/A	25000	3000	0.737	3	3/29/2012
Lighting Science Group, Corp	Definity	DFN 16 WW NFL GU10	61587	Non-Standard	GU10	LED		312	5.6	N/A	25000	3000	0.75	3	3/29/2012
Lightino Science Group. Coro	Definitv	DFN 19 NW	7434000000	Non - Standard	E26/24 (Medium)	LED	Dimmable	412	8.0	N/A	50000	4100	0.931	5	3/31/2011
Lighting Science Group, Corp	Definity	DFN 19 WW	7434000000	Non - Standard	E26/24 (Medium)	LED	Dimmable	390	8.0	N/A	50000	3000	0.925	5	7/7/2011
Lighting Science Group, Corp	Definity	DFN 20 NW FL 120	7434000021	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	333	8.17	N/A	50000	4100	0.94	5	12/21/2011
Lightino Science Group. Coro	Definitv	DFN 20 NW NFL	7434000021	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	367	8.069	N/A	35000	4100	0.941	5	10/14/2011
Lighting Science Group, Corp	Definity	DFN 20 NW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	367	8.07	N/A	25000	4000	0.941	5	10/29/2010
Lighting Science Group, Corp	Definity	DFN 20 NW V2 FL	DFN 20 NW V2 FL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	25000	4000	0.977	5	8/10/2012
Lighting Science Group, Corp	Definity	DFN 20 W27 V2 FL 120	61641	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	376	8.355	N/A	25000	2700	0.975	5	3/22/2012
Lightino Science Group. Coro	Definitv	DFN 20 W27 V2 NFL	DFN 20 W27 V2 NFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	370	8.0	N/A	25000	2700	0.973	5	8/10/2012
Lighting Science Group, Corp	Definity	DFN 20 WW FL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	321	8.13	N/A	25000	3000	0.938	5	11/17/2010
Lighting Science Group, Corp	Definity	DFN 20 WW NFL	7434000011	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	7.85	N/A	50000	3000	0.952	5	12/20/2011
Lightino Science Group. Coro	Definitv	DFN 20 WW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	7.85	N/A	25000	3000	0.939	5	11/12/2010
Lighting Science Group, Corp	Definity	DFN 20 WW V2 FL	DFN 20 WW V2 FL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	415	8.0	N/A	25000	3000	0.973	5	9/25/2012
Lighting Science Group, Corp	Definity	DFN 20 WW V2 NFL	DFN 20 WW V2 NFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	380	8.0	N/A	25000	3000	0.976	5	8/10/2012
Lightino Science Group. Coro	Definitv	DFN 25 NW	7434000017	G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.01	N/A	35000	4100	0.941	5	3/31/2011
Lighting Science Group, Corp	Definity	DFN 25 NW 120		G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.01	N/A	15000	4000	0.943	5	12/7/2010
Lightino Science Group. Coro	Definitv	DFN 25 W27	7434000019	G - Globe	E26/24 (Medium)	LED	Dimmable	385	7.98	N/A	35000	2700	0.94	5	3/31/2011
Lighting Science Group, Corp	Definity	DFN 25 WW	7434000008	G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.18	N/A	35000	3000	0.944	5	3/31/2011
Lighting Science Group, Corp	Definity	DFN 25 WW 120		G - Globe	E26/24 (Medium)	LED	Dimmable	442	8.18	N/A	15000	3000	0.944	5	11/17/2010
Lighting Science Group, Corp	Definity	DFN 30 NW FL	7434000027	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	780	15.25	N/A	50000	4100	0.8	5	4/5/2011
Lighting Science Group, Corp	Definity	DFN 30 NW NFL	7434000002	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	822	15.22	N/A	50000	4000	0.774	5	9/27/2010
Lighting Science Group, Corp	Definity	DFN 30 NW NFL		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	822	15.22	N/A	25000	4000	0.794	5	10/19/2010
Lightino Science Group. Coro	Definitv	DFN 30 NW SP	7434000026	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	825	15.32	N/A	50000	4100	0.772	5	4/5/2011
Lighting Science Group, Corp	Definity	DFN 30 W27 FL	7434000033	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	721	15.37	N/A	25000	2700	0.777	5	3/31/2011
Lighting Science Group, Corp	Definity	DFN 30 W27 FL		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	722	15.37	N/A	25000	2700	0.779	5	1/14/2011
Lighting Science Group, Corp	Definity	DFN 30 W27 NFL	7434000034	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	703	15.23	N/A	25000	2700	0.798	5	3/31/2011
Lighting Science Group, Corp	Definity	DFN 30 W27 NFL		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	702	15.23	N/A	25000	2700	0.795	5	1/14/2011
Lighting Science Group, Corp	Definity	DFN 30 W27 SP	61600	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	713	15.18	N/A	25000	2700	0.798	5	4/5/2011
Lighting Science Group, Corp	Definity	DFN 30 WW FL	7434000003	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	761	15.17	N/A	25000	3000	0.8	5	5/25/2011
Lightino Science Group. Coro	Definitv	DFN 30 WW FL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	761	15.17	N/A	25000	3000	0.796	5	12/10/2010
Lighting Science Group, Corp	Definity	DFN 30 WW NFL	7434000002	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	752	15.37	N/A	25000	3000	0.801	5	5/25/2011
Lighting Science Group, Corp	Definity	DFN 30 WW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	752	15.37	N/A	25000	3000	0.8	5	12/13/2010
Lighting Science Group, Corp	Definity	DFN 30 WW SP	7434000004	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	714	15.11	N/A	25000	3000	0.786	5	5/25/2011
Lightino Science Group. Coro	Definitv	DFN 30 WW V2 FL	61648	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	995	18.0	N/A	25000	3000	0.74	5	7/25/2012
Lighting Science Group, Corp	Definity	DFN 30 WW V2 FL	61648	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1013	17.6	N/A	25000	3000	0.74	5	3/28/2012
Lighting Science Group, Corp	Definity	DFN 30 WW V2 NFL	DFN 30 WW V2 NFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1014	18.0	N/A	25000	3000	0.74	5	8/1/2012
Lightino Science Group. Coro	Definitv	DFN 30 WW V2 SP	61652	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1029	17.4	N/A	25000	3000	0.728	5	3/28/2012
Lighting Science Group, Corp	Definity	DFN 38 NW FL	7434000036	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	937	18.37	N/A	50000	4100	0.747	5	10/7/2010
Lighting Science Group, Corp	Definity	DFN 38 NW FL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	937	18.37	N/A	25000	4000	0.761	5	10/28/2010
Lighting Science Group, Corp	Definity	DFN 38 NW NFL	7434000007	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	970	18.07	N/A	50000	4100	0.778	5	10/7/2010
Lighting Science Group, Corp	Definity	DFN 38 NW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	970	18.07	N/A	25000	4000	0.778	5	11/12/2010
Lighting Science Group, Corp	Definity	DFN 38 NW SP	7434000035	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	994	18.33	N/A	50000	4100	0.776	5	12/17/2010
Lighting Science Group, Corp	Definity	DFN 38 NW SP 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	994	18.3	N/A	25000	4000	0.772	5	10/28/2010
Lighting Science Group, Corp	Definity	DFN 38 W27 FL	7434000042	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	841	18.21	N/A	25000	2700	0.777	5	5/25/2011
Lighting Science Group, Corp	Definity	DFN 38 W27 NFL	7434000043	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	858	18.18	N/A	25000	2700	0.75	5	5/25/2011
Lighting Science Group, Corp	Definity	DFN 38 W27 SP	7434000041	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	853	18.19	N/A	25000	2700	0.753	5	5/25/2011
Lighting Science Group, Corp	Definity	DFN 38 WW FL	7434000006	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	891	18.2	N/A	25000	3000	0.778	5	4/6/2011
Lightino Science Group. Coro	Definitv	DFN 38 WW NFL	7434000005	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	895	18.22	N/A	25000	3000	0.746	5	9/21/2010
Lighting Science Group, Corp	Definity	DFN 38 WW NFL 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	904	18.22	N/A	25000	3000	0.747	5	9/27/2010
Lighting Science Group, Corp	Definity	DFN 38 WW SP	7434000007	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	877	18.4	N/A	25000	3000	0.784	5	10/7/2010

Lighting Science Group, Corp	Definitiv	DFN 38 WW SP 120		PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	18	N/A	25000	3000	0.779	5	10/12/2010
Lighting Science Group, Corp	Definitiv	DFN 38 WW V2 FL	61619	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1322	24.478	N/A	25000	3000	0.716	5	4/5/2012
Lighting Science Group, Corp	Definitiv	DFN 38 WW V2 NFL	61615	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	24.41	N/A	25000	3000	0.717	5	4/5/2012
Lighting Science Group, Corp	Definitiv	DFN 38 WW V2 SP	61623	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1338	24.39	N/A	25000	3000	0.715	5	4/5/2012
Lighting Science Group, Corp	Definitiv	DFN A19 W27 V1	61575	A-Arbitrary (Standard Incandescent Shape)	E26/24 (Medium)	LED	Dimmable	450	9.0	N/A	25000	2700	0.977	5	9/13/2012
Lighting Science Group, Corp	Definitiv	DFN A19 W27 V2 120	DFN A19 W27 V2 120	A - Arbitrary (Standard Incandescent Shape)	E26/24 (Medium)	LED	Dimmable	800	13.5	N/A	25000	2700	0.99	5	9/18/2012
Lighting Science Group, Corp	Definitiv	DFN A19 WW V1 120	DFN A19 WW V1 120	A-Arbitrary (Standard Incandescent Shape)	E26/24 Medium	LED	Dimmable	450	8.5	N/A	25000	3000	0.976	5	9/13/2012
Lighting Science Group, Corp	Definitiv	DFN A19 WW V2 120	61578	A - Arbitrary (Standard Incandescent Shape)	E26/24 (Medium)	LED	Dimmable	809	13.5	N/A	25000	3000	0.99	5	7/10/2012
Lighting Science Group, Corp	Definitiv	DFN BR30 W27 120	DFN BR30 W27 120	Non-Standard	E26/24 (Medium)	LED	Dimmable	800	14.0	N/A	25000	2700	0.791	5	7/19/2012
Lighting Science Group, Corp	Definitiv	DFN BR40 NW 120	DFN BR40 NW 120	Non - Standard	E26/24 (Medium)	LED	Dimmable	1080	17.509	N/A	25000	4100	0.754	5	9/21/2012
Lighting Science Group, Corp	Definitiv	DFN BR40 WW 120	DFN BR40 WW 120	Non-Standard	E26/24 (Medium)	LED	Dimmable	990	18.0	N/A	25000	3000	0.76	5	7/19/2012
Lighting Science Group, Corp	EcoSmart	ECS 16 WW FL GU10	402-649	Non - Standard	GU10	LED		320	6.056	N/A	25000	3000	0.765	3	11/9/2012
Lightkiwi, LLC	Lightkiwi	LK-MR16-3BV40	LK-MR16-3BV40	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	6/25/2012
Lightkiwi, LLC	Lightkiwi	LK-PAR30-6BV40	LK-PAR30-6BV40Â	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	5/25/2012
Lightkiwi, LLC	Lightkiwi	LK-PAR38-10BV40	LK-PAR38-10BV40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	5/25/2012
Lights of America	Everyday Living	2824L-BXEL	2824L-BXEL, 2824L-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	10/3/2011
Lights of America	Everyday Living	2824L-BXEL		Bare-Spiral	E26	CFL		1600	23	N/A	10000	2700	0.58	2	10/3/2011
Lights of America	Lights of America	2202LEDNR30-LF3	2202LEDNR30-LF3	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		743	15.28	N/A	25000	3000	0.864	3	6/20/2012
Lights of America	Lights of America	2203LEDNP38-LF3	2203LEDNP38-LF3	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		878	17.66	N/A	25000	3000	0.865	3	6/20/2012
Lights of America	Lights of America	2212DLEDCR30-LF3	2212DLEDCR30-LF3	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	884	16.201	N/A	35000	3000	0.879	3	9/17/2012
Lights of America	Lights of America	22149DLEDS-LF3	22149DLEDS-LF3	Non - Standard	E26/24 (Medium)	LED	Dimmable	578	9.8	N/A	35000	3000	0.88	3	10/31/2012
Lights of America	Lights of America	2425LEDE12-LF3	2425LEDE12-LF3	C - Candle	E12 (Candelabra)	LED		129	2.351	N/A	25000	3000	0.403	3	2/14/2012
Lights of America	Lights of America	2509L		Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/26/2010
Lights of America	Lights of America	2525LEDSE12-LF3	2525LEDSE12-LF3	C - Candle	E12 (Candelabra)	LED		213	3.942	N/A	25000	3000	0.394	3	10/15/2012
Lights of America	Lights of America	2525LEDS-LF3	2525LEDSE12-LF3	C - Candle	E26/24 (Medium)	LED		213	3.942	N/A	15000	3000	0.394	3	6/25/2012
Lights of America	Lights of America	2526LEDS-LF3	2526LEDS-LF3	G - Globe	E26/24 (Medium)	LED		201	3.7	N/A	20000	3000	0.393	3	10/31/2012
Lights of America	Lights of America	2713C-GU24	N/A	Bare-spiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	5/25/2010
Lights of America	Lights of America	2713-GU24	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	5/25/2010
Lights of America	Lights of America	2718C-GU24	N/A	Bare-spiral	GU24	CFL		1379	18.15	N/A	10020	4100	0.558	2	5/25/2010
Lights of America	Lights of America	2718-GU24	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	5/25/2010
Lights of America	Lights of America	2723C-GU24	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.563	2	5/25/2010
Lights of America	Lights of America	2723-GU24	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	5/25/2010
Lights of America	Lights of America	2725	2725BX-16	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23.0	N/A	10000	2700		7	11/5/2006
Lights of America	Lights of America	2725D-BX	2725D-2VP-BX	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	11/23/2010
Lights of America	Lights of America	2809-GU24	N/A	Bare-spiral	GU24	CFL		570	9.15	N/A	10000	2700	0.585	2	5/13/2009
Lights of America	Lights of America	2809L	2809L-BXEL, 2809L-2VP-BXEL	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	5/1/2007
Lights of America	Lights of America	2809S	2809S-BXEL, 2809S-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	6500	0.569	2	10/7/2011
Lights of America	Lights of America	2811L		Bare-Mini-Soiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	5/1/2007
Lights of America	Lights of America	2813		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	10/26/2009
Lights of America	Lights of America	2814-GU24	N/A	Bare-soiral	GU24	CFL		949	14.0	N/A	10000	2700	0.562	2	5/13/2009
Lights of America	Lights of America	2814S	2814S-BXEL, 2814S-2VP-BXEL, 2814S-4VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	6500	0.6	2	10/6/2011
Lights of America	Lights of America	2814S-L	2814S-6VP BX, 2814SBX-16	Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	8000	6500		2	5/30/2007
Lights of America	Lights of America	2814W	2814WBX-16, 2814W-BXEL, 2814W-2VP-BXEL, 2814W-4VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	1/25/2010
Lights of America	Lights of America	2819	2819BX-16, 2819-BXEL, 2819-2VP-BXEL	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	4/3/2008
Lights of America	Lights of America	2819D	2819DBX-16; 2819D-5VPBX, 2819D-BXEL, 2819D-2VP-BXEL	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000		2	8/19/2009
Lights of America	Lights of America	2819-GU24	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	5/13/2009
Lights of America	Lights of America	2819W	2819WBX-16	Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700		2	4/1/2010
Lights of America	Lights of America	2823-GU24	N/A	Bare-spiral	GU24	CFL		1606	23.0	N/A	10000	2700	0.514	2	5/13/2009
Lights of America	Lights of America	2824D	2824DBX-16, 2824D-5VPBX	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	8/19/2009
Lights of America	Lights of America	2824L	2824L-BX	Bare-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	10/3/2011
Lights of America	Lights of America	2824L		Bare-Spiral	E26	CFL		1600	23	N/A	10000	2700	0.58	2	10/3/2011
Lights of America	Lights of America	2824W	2824WBX-16	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/25/2010
Lights of America	Lights of America	2827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	4/3/2008
Lights of America	Lights of America	2842	2842-3VPBX	Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	10000	2700		2	7/14/2008
Lights of America	Lights of America	2915 L1		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	7/9/2009
Lights of America	Lights of America	2949DLEDS-LF3	2949DLEDS-LF3	Non - Standard	E26/24 (Medium)	LED	Dimmable	451	8.25	N/A	25000	3000	0.869	3	12/22/2011
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	11325		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	2/16/2007
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	11327	11979; 11981	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		9	2/16/2007
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	11738	11741	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	5/5/2008
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	11799		Bare-spiral	E26/24 (Medium)	CFL		840	14	N/A	10000	2700		2	2/4/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	11800		Bare-spiral	E26/24 (Medium)	CFL		840	14	N/A	10000	2700		2	2/4/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	11982		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700		2	3/18/2008
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13080		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	4/7/2008
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13174 (1-pk box)		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.55	2	4/15/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13352		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	6/17/2009
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13353		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	6/17/2009
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13434 (2-pk box)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.55	2	4/15/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13469 (1-pk box)		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.55	2	4/15/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13470		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	6/22/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13602		Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/19/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13602		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		9	7/19/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	13668		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/22/2010
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	30410159	14151, 14152, 14164	Bare-soiral	E26/24 (Medium)	CFL		1610	23	N/A	10000	2700	0.553	2	9/12/2011
L'Image Home Products Inc., a licensee selling Sunbeami¿½ branded products	Sunbeam	30410255	13383	Bare-spiral	E26/24 (Medium)	CFL		1206	18	N/A	10000	2700	0.547	2	9/29/2011

L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411274	14272½54459	CA - Candle with angular tip	E12	LED	Dimmable	240	4.0	N/A	25000	3000	0.696	3	5/10/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411441	30411441	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	340	7.0	N/A	40000	3000	0.771	3	5/9/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411442	30411442	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	300	7.0	N/A	40000	3000	0.788	3	5/9/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411445	3041144S	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	550	11.0	N/A	40000	3000	0.836	3	5/9/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411446	30411446	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	11.0	N/A	40000	3000	0.819	3	5/9/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411449	30411449	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	900	17.0	N/A	40000	3000	0.728	3	5/9/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411450	30411450	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	17.0	N/A	40000	3000	0.76	3	5/9/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411523		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	#ERROR	#ERROR	2	11/14/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411524		Bare-spiral	E26/24 (Medium)	CFL		1500	19	N/A	10000	#ERROR	#ERROR	2	11/14/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411525		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	#ERROR	#ERROR	2	11/14/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411527		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	#ERROR	#ERROR	2	11/16/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	30411528		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	#ERROR	#ERROR	2	11/16/2012
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	6482		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	2/20/2007
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	6593	11978; 6593; 11326; 11980	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		10	4/30/2007
L'Image Home Products Inc., a licensee selling Sunbeam¿ ½ branded products	Sunbeam	6625		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	2/8/2007
Litetronics International Inc.	Earthmate	E145218LW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	4/21/2011
Litetronics International Inc.	Earthmate	E155250-1		Covered Reflector	E26	CFL		750	15	N/A	10000	2700	0.59	7	11/5/2012
Litetronics International Inc.	Earthmate	E1552AK2LW		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700		2	4/8/2011
Litetronics International Inc.	Earthmate	E2052AK2LW		Bare-spiral	E26/24 (Medium)	CFL		1295	20	N/A	10000	2700		2	4/8/2011
Litetronics International Inc.	Earthmate	E2352AJ	E2352AJ, E2352AJLW	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1650	23.0	N/A	10000	2700	0.959	9	3/8/2012
Litetronics International Inc.	Earthmate	E2352AK2LW		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	4/8/2011
Litetronics International Inc.	Earthmate	E2752AJLW		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1975	27	N/A	10000	2700		9	4/21/2011
Litetronics International Inc.	Earthmate	E3052AELW		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		9	4/21/2011
Litetronics International Inc.	Earthmate	E3362ANLW		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	2225	N/A	12/22/33	10000	2700		2	4/8/2011
Litetronics International Inc.	Earthmate	ES1352AK		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	4/30/2010
Litetronics International Inc.	Earthmate	ES3362AN		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	2225	N/A	12/22/33	10000	2700		2	7/20/2010
Litetronics International Inc.	harmony	SSS27		Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700		1	1/9/2004
Litetronics International Inc.	Harmony Lighting	SSS20		Bare-spiral	E26/24 (Medium)	CFL		1230	20.0	N/A	10000	2700		1	5/1/2003
Litetronics International Inc.	Harmony Lighting	SSS25		Bare-spiral	E26/24 (Medium)	CFL		1625	25.0	N/A	10000	2700		1	5/1/2003
Litetronics International Inc.	Lightwiz	E3052AELW		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		2	4/8/2011
Litetronics International Inc.	Lightwiz	H15027S		Bare-spiral	E26/24 (Medium)	CFL		925	15.0	N/A	10000	2700		5	11/1/2003
Litetronics International Inc.	Lightwiz	H150MS		Bare-spiral	E26/24 (Medium)	CFL		925	15.0	N/A	10000	2700		5	10/10/2002
Litetronics International Inc.	Lightwiz	H25027S		Bare-spiral	E26/24 (Medium)	CFL		1625	25.0	N/A	10000	2700		5	11/1/2003
Litetronics International Inc.	Lightwiz	H27027S		Bare-spiral	E26/24 (Medium)	CFL		1990	27	N/A	10000	2700		2	1/9/2004
Litetronics International Inc.	Lightwiz	H30027S		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	10000	2700		2	12/31/2003
Litetronics International Inc.	Lightwiz	H33327S-B		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	2225	N/A	12/22/33	10000	2700		2	3/6/2007
Litetronics International Inc.	Litetronics	E145218		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/8/2011
Litetronics International Inc.	Litetronics	EL-13527		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.574	1	12/18/2009
Litetronics International Inc.	Litetronics	EL-13541		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		1	12/22/2009
Litetronics International Inc.	Litetronics	EL-13550		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.541	1	12/22/2009
Litetronics International Inc.	Litetronics	EL-18527		Bare-spiral	E26/24 (Medium)	CFL		1325	18	N/A	10000	2700		2	7/17/2012
Litetronics International Inc.	Litetronics	EL-18541		Bare-spiral	E26/24 (Medium)	CFL		1320	20	N/A	10000	#ERROR	#ERROR	1	11/5/2012
Litetronics International Inc.	Litetronics	EL-18550		Bare-spiral	E26/24 (Medium)	CFL		1325	18	N/A	10000	#ERROR	#ERROR	1	11/5/2012
Litetronics International Inc.	Litetronics	EL-20527		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	2700		1	12/22/2009
Litetronics International Inc.	Litetronics	EL-20541		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	4100		1	12/22/2009
Litetronics International Inc.	Litetronics	EL-20550		Bare-spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	5000		1	12/22/2009
Litetronics International Inc.	Litetronics	EL-23527		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		1	3/17/2008
Litetronics International Inc.	Litetronics	EL-23527		Bare-spiral	E26/24 (Medium)	CFL		1610	23	N/A	12000	#ERROR	#ERROR	1	10/26/2012
Litetronics International Inc.	Litetronics	EL-23541		Bare-spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	4100	0.566	1	7/10/2012
Litetronics International Inc.	Litetronics	ELB-13527		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		1	9/26/2008
Litetronics International Inc.	Litetronics	ELB-20527		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1350	20	N/A	10000	2700		1	9/26/2008
Litetronics International Inc.	Litetronics	ELB-23527		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	9/26/2008
Litetronics International Inc.	Litetronics	HLT3S13W/4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.55	1	7/10/2012
Litetronics International Inc.	Litetronics	L-1382		Covered reflector	E26/24 (Medium)	CFL		775	15	N/A	8000	4100		1	1/26/2010
Litetronics International Inc.	Litetronics	L-1385		Covered reflector	E26/24 (Medium)	CFL		775	15	N/A	8000	3500		1	1/26/2010
Litetronics International Inc.	Litetronics	L-13C27	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	8/20/2008
Litetronics International Inc.	Litetronics	L-13C27	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	10/13/2008
Litetronics International Inc.	Litetronics	L-14527A19		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		1	4/3/2009
Litetronics International Inc.	Litetronics	L-14527A19-1	L-14527A19-1	Covered A-line	E26/24 (Medium)	CFL		850	14.0	N/A	8000	2700	0.569	1	10/11/2012
Litetronics International Inc.	Litetronics	L-14527A19-1		Covered A-line	E26	CFL		850	14	N/A	8000	2700	0.57	1	10/11/2012
Litetronics International Inc.	Litetronics	L-14527G25		Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		1	4/14/2009
Litetronics International Inc.	Litetronics	L-1471		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		1	10/21/2009
Litetronics International Inc.	Litetronics	L-1472		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	4100		1	2/24/2011
Litetronics International Inc.	Litetronics	L-15527R30-1		Covered Reflector	E26	CFL		750	15	N/A	10000	2700	0.59	1	11/5/2012
Litetronics International Inc.	Litetronics	L-1572		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		1	10/21/2009
Litetronics International Inc.	Litetronics	L-18C27	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	10/13/2008
Litetronics International Inc.	Litetronics	L-18C27	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10000	2700	0.559	2	8/20/2008
Litetronics International Inc.	Litetronics	L-23527D	L-23527D	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1650	23.0	N/A	10000	2700	0.959	1	3/8/2012
Litetronics International Inc.	Litetronics	L-23C27	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10000	2700	0.566	2	8/20/2008
Litetronics International Inc.	Litetronics	L-23C27	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	10/13/2008
Litetronics International Inc.	Litetronics	L-27427		Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700	0.6	1	5/12/2009
Litetronics International Inc.	Litetronics	L-27527D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	2000	27	N/A	10000	2700		1	12/4/2009
Litetronics International Inc.	Litetronics	L-30427		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	15000	2700		1	11/12/2007
Litetronics International Inc.	Litetronics	L-314		Bare-spiral	E26/24 (Medium)	CFL		950	15.0	N/A	10000	2700		1	1/13/2003
Litetronics International Inc.	Litetronics	L-33627		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2245	N/A	11/22/33	10000	2700		1	11/12/2007
Litetronics International Inc.	Litetronics	L-400	L-400	Bare-spiral	E26/24 (Medium)	CFL		2015	27	N/A	10000	2700	0.6	2	2/1/2007
Litetronics International Inc.	Litetronics	LP06560NF2D	LP06560NF2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	399	6.37	N/A	25000	2700	0.711	5	9/21/2012
Litetronics International Inc.	Litetronics	LP06560NF4D	LP06560NF4D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	443	6.45	N/A	25000	3000	0.717	5	9/18/2012
Litetronics International Inc.	Litetronics	LP10562FL2D	LP10562FL2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	699	10.42	N/A	25000	2700	0.97	5	9/4/2012
Litetronics International Inc.	Litetronics	LP10562FL4D	LP10562FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	603	10.45	N/A	25000	3000	0.972	5	1/30/2012
Litetronics International Inc.	Litetronics	LP10562WF2D	LP10562WF2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	697	10.54	N/A	25000	2700	0.971	5	9/4/2012
Litetronics International Inc.	Litetronics	LP10564FL2D	LP10564FL2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	698	10.52	N/A	25000	2700	0.971	5	9/4/2012

Litetronics International Inc.	Litetronics	LP10564FL4D	LP10564FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	594	10.49	N/A	25000	3000	0.971	5	2/9/2012
Litetronics International Inc.	Litetronics	LP10564SP4D	LP10564SP4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	594	10.49	N/A	25000	3000	0.971	5	2/9/2012
Litetronics International Inc.	Litetronics	LP10564WF2D	LP10564WF2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	702	10.61	N/A	25000	2700	0.971	5	9/5/2012
Litetronics International Inc.	Litetronics	LP10566FL4D	LP10566FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	585	9.17	N/A	25000	3000	0.949	5	1/30/2012
Litetronics International Inc.	Litetronics	LP15566FL2D	LP15566FL2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	981	14.16	N/A	25000	2700	0.973	5	9/5/2012
Litetronics International Inc.	Litetronics	LP15566FL4D	LP15566FL4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	929	14.22	N/A	25000	3000	0.976	5	1/30/2012
Litetronics International Inc.	Litetronics	LP15566SP4D	LP15566SP4D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	929	14.22	N/A	25000	3000	0.976	5	2/9/2012
Litetronics International Inc.	Litetronics	LP15566WF2D	LP15566WF2D	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED	Dimmable	982	13.91	N/A	25000	2700	0.972	5	9/10/2012
Litetronics International Inc.	Litetronics	NL-10127	NL-10127	Bare-Mini-Spiral	E26/24 (Medium)	CFL		635	10	N/A	10000	2700		1	12/19/2006
Litetronics International Inc.	Litetronics	NL-10427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		635	10	N/A	10000	2700		1	11/12/2007
Litetronics International Inc.	Litetronics	NL-13127	NL-13127	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	1/2/2007
Litetronics International Inc.	Litetronics	NL-13427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		1	11/12/2007
Litetronics International Inc.	Litetronics	NL-15127	NL-15127	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1005	15	N/A	10000	2700		2	1/2/2007
Litetronics International Inc.	Litetronics	NL-15427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1005	15	N/A	10000	2700		1	11/12/2007
Litetronics International Inc.	Litetronics	NL-20127	NL-20127	Bare-spiral	E26/24 (Medium)	CFL		1295	20	N/A	10000	2700		2	1/3/2007
Litetronics International Inc.	Litetronics	NL-20427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1295	20	N/A	12000	2700		1	11/12/2007
Litetronics International Inc.	Litetronics	NL-23127	NL-23127	Bare-spiral	E26/24 (Medium)	CFL		1660	23	N/A	10000	2700		2	1/3/2007
Litetronics International Inc.	Litetronics	NL-23427		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1660	23	N/A	12000	2700	0.545	1	11/12/2007
Litetronics International Inc.	Litetronics	SSS30		Bare-spiral	E26/24 (Medium)	CFL		2050	30	N/A	15000	2700		1	1/13/2004
Loblaws Inc.	Everyday Essentials	11156		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/28/2012
Loblaws Inc.	Everyday Essentials	11160		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/28/2012
Loblaws Inc.	Everyday Essentials	58703111547	111547	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	9	8/28/2012
Loblaws Inc.	Everyday Essentials	58703111547		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.62	9	8/28/2012
Loblaws Inc.	Everyday Essentials	58703111554	111554	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	9	8/28/2012
Loblaws Inc.	Everyday Essentials	58703111554		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.62	9	8/28/2012
London Drugs LTD	London Lights	94939	446383	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500		9	7/13/2010
London Drugs LTD	London Lights	94940	4463824	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/13/2010
Lotus LED Lights	LOTUS	LL10PAR38	LL10PAR38	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1011	15.0	N/A	25000	3000	0.984	5	8/3/2012
Lotus LED Lights	LOTUS	LL10PAR38/40D	LL10PAR38/40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	6/13/2012
Lotus LED Lights	LOTUS	LL3MR16	LL3MR16	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	8/17/2012
Lotus LED Lights	LOTUS	LL6PAR30	LL6PAR30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	8/3/2012
Lotus LED Lights	LOTUS	LL6PAR30/40D	LL6PAR30/40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	6/13/2012
Lotus LED Lights	LOTUS LED LIGHTS	LL10PAR38	LL10PAR38	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1011	15.0	N/A	25000	3000	0.984	3	3/9/2012
Lotus LED Lights	LOTUS LED LIGHTS	LL6PAR30	LL6PAR30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	3	3/9/2012
Lowe's Home Improvement	Bright Effects	0020928	LBP9T2/27K	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		2	4/28/2010
Lowe's Home Improvement	Bright Effects	0020928		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700	0.67	2	9/18/2009
Lowe's Home Improvement	Bright Effects	0021926	LBP13T2/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.579	2	9/30/2009
Lowe's Home Improvement	Bright Effects	0021926	LBP13T2/7K	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.577	2	4/23/2010
Lowe's Home Improvement	Bright Effects	0079261	L13T4/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.573	2	10/2/2009
Lowe's Home Improvement	Bright Effects	0079658	L18TM/4/35K	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500	0.551	2	5/24/2010
Lowe's Home Improvement	Bright Effects	0082382	LBP16AM2	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.604	2	6/1/2010
Lowe's Home Improvement	Bright Effects	0088959	L18TM4/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	6500		2	10/2/2009
Lowe's Home Improvement	Bright Effects	022419	LBP15BR302/27K	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	6/30/2009
Lowe's Home Improvement	Bright Effects	0252475	L23TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.59	2	4/15/2010
Lowe's Home Improvement	Bright Effects	0269883	LBP23TM/35K	Bare-ssiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.595	2	9/30/2009
Lowe's Home Improvement	Bright Effects	0296878	LBP15BR30/35K	Covered reflector	E26/24 (Medium)	CFL		640	15	N/A	8000	3500	0.53	2	9/30/2009
Lowe's Home Improvement	Bright Effects	0296879	LBP15BR30/65K	Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500		2	10/2/2009
Lowe's Home Improvement	Bright Effects	0296883	LBP23TM/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	9/30/2009
Lowe's Home Improvement	Bright Effects	0296884	LBP18TM/65K/N	Bare-ssiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	6500		2	10/2/2009
Lowe's Home Improvement	Bright Effects	0296885	LBP18TM/35K	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500	0.551	2	5/24/2010
Lowe's Home Improvement	Bright Effects	073511	L23TM4/35K	Bare-ssiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.595	2	9/30/2009
Lowe's Home Improvement	Bright Effects	073511	L23TM4/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	7/27/2009
Lowe's Home Improvement	Bright Effects	077180	L13T4/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	8000	3500	0.578	2	9/30/2009
Lowe's Home Improvement	Bright Effects	079653	L18TM/3/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.575	2	10/7/2009
Lowe's Home Improvement	Bright Effects	079658	L18TM/4/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.575	2	10/7/2009
Lowe's Home Improvement	Bright Effects	084878		Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700	0.55	2	4/7/2009
Lowe's Home Improvement	Bright Effects	124690	LBP30T	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	8000	2700		2	2/10/2006
Lowe's Home Improvement	Bright Effects	135653	135653	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	8/4/2004
Lowe's Home Improvement	Bright Effects	146558	29071	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	8/4/2004
Lowe's Home Improvement	Bright Effects	153972	29636; 29441	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/22/2006
Lowe's Home Improvement	Bright Effects	153972/L23TM4	153972, L23TM4, 252475; L23TM6/27K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	9/13/2007
Lowe's Home Improvement	Bright Effects	168725	LBP18R402	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	8/27/2010
Lowe's Home Improvement	Bright Effects	20845	LBP13T2/27K	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.577	2	4/23/2010
Lowe's Home Improvement	Bright Effects	210691	LBP23TM2	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	2/10/2006
Lowe's Home Improvement	Bright Effects	21692	L13T2C4/27K, LBP13T2C4/27K	Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	2700		2	6/30/2009
Lowe's Home Improvement	Bright Effects	22419	LBP15BR302/27K/G\	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700	0.5	2	8/25/2009
Lowe's Home Improvement	Bright Effects	22519	LBP18R402/27K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	6/30/2009
Lowe's Home Improvement	Bright Effects	23582	LBP18TM2/27K; 252480/LBP18TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.55	2	7/28/2009
Lowe's Home Improvement	Bright Effects	236707		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	3/13/2006
Lowe's Home Improvement	Bright Effects	23790	LBP23TM2/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/28/2010
Lowe's Home Improvement	Bright Effects	252003	L13T6/27K	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.577	2	4/23/2010
Lowe's Home Improvement	Bright Effects	252480	L18TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	7/19/2010
Lowe's Home Improvement	Bright Effects	275632/LBP12GTM2	275632. LBP12GTM2	Covered globe	E26/24 (Medium)	CFL		640	12	N/A	8000	2700		2	9/13/2007
Lowe's Home Improvement	Bright Effects	296863	LBP18R40/35K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500	0.6	2	4/3/2009
Lowe's Home Improvement	Bright Effects	296864	LBP18R40/65K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	6500	0.565	2	10/7/2009
Lowe's Home Improvement	Bright Effects	296869	LBP12GTM2/35K	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500	0.6	2	10/5/2009
Lowe's Home Improvement	Bright Effects	296871	LBP7C/35K	Covered-Candle	E26/24 (Medium)	CFL		280	7	N/A	8000	3500	0.52	2	10/1/2009
Lowe's Home Improvement	Bright Effects	296872	LBP7C/35K	Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	3500		2	10/1/2009
Lowe's Home Improvement	Bright Effects	296873	LBP11R20TM/35K	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500	0.56	2	4/3/2009
Lowe's Home Improvement	Bright Effects	296875	LBP11R20TM/65K	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	6500	0.56	2	4/3/2009
Lowe's Home Improvement	Bright Effects	296882/LBP23TM/65K	076275/L23TM4/65K	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	3/27/2009
Lowe's Home Improvement	Bright Effects	296884/LBP18TM/65K	0889599/L18TM4/65K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500		2	3/27/2009
Lowe's Home Improvement	Bright Effects	296885	LBP18TM/35K(N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.575	2	10/7/2009
Lowe's Home Improvement	Bright Effects	296888	LBP13T/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	8000	3500	0.578	2	9/30/2009
Lowe's Home Improvement	Bright Effects	296889	LBP13T/65K(N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.573	2	10/2/2009
Lowe's Home Improvement	Bright Effects	296889/LB13T/65K	079261/L13T4/65K	Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500		2	3/27/2009
Lowe's Home Improvement	Bright Effects	296889/LB13T/65K	079261/L13T4/65K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	3/27/2009
Lowe's Home Improvement	Bright Effects	296890	LBP50/150T/65K(E)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/21/32	8000	6500		2	10/7/2010
Lowe's Home Improvement	Bright Effects	296891	LBP50/150T/35K(E)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2262	N/A	12/21/32	8000	3500		2	10/7/2010
Lowe's Home Improvement	Bright Effects	46428	29072; 252003; L13T6-27k	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	4/6/2007
Lowe's Home Improvement	Bright Effects	46428		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	3/13/2006
Lowe's Home Improvement	Bright Effects	75316	LBP18PAR2/36	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700	0.67	2	5/6/2004
Lowe's Home Improvement	Bright Effects	80201	L13T(E)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	9/22/2004
Lowe's Home Improvement	Bright Effects	82382	LBP16AM2(E)	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	4/30/2009

Lowe's Home Improvement	Bright Effects	95996		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	6000	2700		2	3/13/2006
Lowe's Home Improvement	Bright Effects	BE10T3/BW	0296886	Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	8000	3500		2	10/6/2010
Lowe's Home Improvement	Bright Effects	BE10T3/O	296887	Bare-Mini-Spiral	E26/24 (Medium)	CFL		490	10	N/A	8000	6500		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE10T3/SW	020928	Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	10	N/A	8000	2700		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE10T3/SW	0380376	Bare-spiral	E26/24 (Medium)	CFL		520	10	N/A	10000	2700	0.5	2	1/13/2012
Lowe's Home Improvement	Bright Effects	BE13T3/BW	0296888, 0077180	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		2	10/6/2010
Lowe's Home Improvement	Bright Effects	BE13T3/SW	021926, 020845, 252003, 0306204	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE15R30/SW	022419; 0099816	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	2700		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE15T3/O	296889; 079261	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	6500		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE20T3/BW	0296885, 0079658	Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	3500		2	10/6/2010
Lowe's Home Improvement	Bright Effects	BE20T3/O	296884; 088959	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1150	20	N/A	8000	6500		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE20T3/SW	023582, 252480	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE26PAR38/SW	075232	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE26T3/BW	026883, 007351	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	3500		2	10/6/2010
Lowe's Home Improvement	Bright Effects	BE26T3/O	296882; 076275	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE26T3/SW	023790, 252475	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		2	12/1/2008
Lowe's Home Improvement	Bright Effects	BE26T3/SW	0380377	Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.5	2	1/18/2012
Lowe's Home Improvement	Bright Effects	LBP13T2/27K(N)	L13T6/27K(N), 252003,020845	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	7/11/2008
Lowe's Home Improvement	Bright Effects	LBP13T2/283477	283477	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	1/11/2008
Lowe's Home Improvement	Bright Effects	LBP13T/35K(E)	L13T4/35K(E), 077180, 296888	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		2	12/8/2008
Lowe's Home Improvement	Bright Effects	LBP18TM2/27K(N)	023582, 252480	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	7/8/2008
Lowe's Home Improvement	Bright Effects	LBP18TM2/280589	280589	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	1/11/2008
Lowe's Home Improvement	Bright Effects	LBP23TM2/27K(N)	LBP23TM6/27K(N), 252475, 023790	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	7/11/2008
Lowe's Home Improvement	Bright Effects	LBP23TM/35K(E)	L23TM4/35K(E), 073511, 296883	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500		2	12/8/2008
Lowe's Home Improvement	Utilitech	0017593	LBP12GTM2/35K/CAN	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500		2	9/21/2012
Lowe's Home Improvement	Utilitech	0017636	LBP12GTM2/27K/CAN	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	2700		2	9/21/2012
Lowe's Home Improvement	Utilitech	0017911	LBP13T2/27K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	#ERROR	0.573	2	9/24/2012
Lowe's Home Improvement	Utilitech	0018223	LBP13TZC4/27K/CAN	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	9/13/2012
Lowe's Home Improvement	Utilitech	0018545	LBP15BR302/27K/CAN	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	9/13/2012
Lowe's Home Improvement	Utilitech	0018600	LBP15BR30/35K/CAN	Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	3500		2	9/18/2012
Lowe's Home Improvement	Utilitech	0018814	LBP15BR30/65K/CAN	Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500		2	9/18/2012
Lowe's Home Improvement	Utilitech	0019017	LBP15R30DM/27K/CAN	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	6000	2700		2	9/18/2012
Lowe's Home Improvement	Utilitech	0019125	LBP18R402/27K/CAN	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700		2	9/18/2012
Lowe's Home Improvement	Utilitech	0019153	LBP18R40/35K/CAN	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500		2	9/18/2012
Lowe's Home Improvement	Utilitech	0019170	LBP18R40/65K/CAN	Covered reflector	E26/24 (Medium)	CFL		900	18	N/A	8000	6500		2	9/18/2012
Lowe's Home Improvement	Utilitech	0019182	LBP23PAR2/CAN	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	9/18/2012
Lowe's Home Improvement	Utilitech	0020845	LBP13T2/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/18/2011
Lowe's Home Improvement	Utilitech	0020845	LBP13T2/27K/N	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	1/20/2011
Lowe's Home Improvement	Utilitech	0020845	UHS132	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/15/2010
Lowe's Home Improvement	Utilitech	0020928	LBP9T2/27K (N).	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		2	1/19/2011
Lowe's Home Improvement	Utilitech	0020928	UHS092	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	2/17/2011
Lowe's Home Improvement	Utilitech	0021692	LBP13TZC4/27K	Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	2700		2	8/25/2011
Lowe's Home Improvement	Utilitech	0021692 (UT213C4)		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	4/25/2012
Lowe's Home Improvement	Utilitech	0022419	LBP15BR302/27K	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	8/16/2011
Lowe's Home Improvement	Utilitech	0022419	LBP15BR302/27K(G)	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	5/9/2011
Lowe's Home Improvement	Utilitech	0022419 (UR3152)		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	2700		2	5/10/2012
Lowe's Home Improvement	Utilitech	0022519	LBP18R402/27K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	2700	0.557	2	9/2/2011
Lowe's Home Improvement	Utilitech	0023582	LBP18TM2/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	1/20/2011
Lowe's Home Improvement	Utilitech	0023582	UHS182	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	2/17/2011
Lowe's Home Improvement	Utilitech	0023790	LBP23TM2/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/18/2011
Lowe's Home Improvement	Utilitech	0023790	LBP23TM2/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/20/2011
Lowe's Home Improvement	Utilitech	0023790	UHS232	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/17/2011
Lowe's Home Improvement	Utilitech	00345551	UHS184DLB	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		9	3/4/2011
Lowe's Home Improvement	Utilitech	0067731		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR	0.566	2	9/21/2012
Lowe's Home Improvement	Utilitech	0073511	L23TM4/35K	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500		2	8/26/2011
Lowe's Home Improvement	Utilitech	0073511	L23TM4/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	9/2/2011
Lowe's Home Improvement	Utilitech	0073511	UHS234BWB	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	12/15/2010
Lowe's Home Improvement	Utilitech	0075232	LBP23PAR2	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.588	2	9/26/2011
Lowe's Home Improvement	Utilitech	0075232	LBP23PAR2 (G)	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.55	2	10/19/2011
Lowe's Home Improvement	Utilitech	0077180	L13T4/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500		2	8/24/2011
Lowe's Home Improvement	Utilitech	0077180	L13T4/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500	0.574	2	9/2/2011
Lowe's Home Improvement	Utilitech	0077180	UHS134BWB	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		2	12/20/2010
Lowe's Home Improvement	Utilitech	0079658	L18TM4/35K	Bare-spiral	E26/24 (Medium)	CFL		1205	18	N/A	8000	3500		2	3/7/2011
Lowe's Home Improvement	Utilitech	0079658	L18TM4/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		1270	18	N/A	8000	3500	0.575	2	9/2/2011
Lowe's Home Improvement	Utilitech	0079658	UHS184WB	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		9	2/17/2011
Lowe's Home Improvement	Utilitech	0079761	LBP23TM2/27K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR	0.566	2	9/21/2012
Lowe's Home Improvement	Utilitech	0080190	LBP23TDM/CAN	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	#ERROR	0.979	2	9/28/2012
Lowe's Home Improvement	Utilitech	0082339	LBP7C2/27K/CAN	Covered-Candle	E12 (Candelabra)	CFL		280	7	N/A	8000	2700		2	9/21/2012
Lowe's Home Improvement	Utilitech	0082382	LBP16AM2 (H)	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.58	2	10/17/2011
Lowe's Home Improvement	Utilitech	0099816	L15BR306	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	8/16/2011
Lowe's Home Improvement	Utilitech	0126286	LBP13T2/35K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	#ERROR	0.574	2	9/24/2012
Lowe's Home Improvement	Utilitech	0126900	LBP13T2/65K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.573	2	9/21/2012
Lowe's Home Improvement	Utilitech	0127131	LBP23TM2/35K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	#ERROR	0.56	2	9/28/2012
Lowe's Home Improvement	Utilitech	0127803	L23TM6/35K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	#ERROR	0.56	2	9/28/2012
Lowe's Home Improvement	Utilitech	0128315	L13T6/35K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	#ERROR	0.574	2	9/24/2012
Lowe's Home Improvement	Utilitech	0128940	L13T6/65K/CAN (N)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.573	2	9/21/2012
Lowe's Home Improvement	Utilitech	0136233	LBP15TDM/CAN	Bare-spiral	E26/24 (Medium)	CFL		1025	15	N/A	8000	#ERROR	#ERROR	2	9/28/2012
Lowe's Home Improvement	Utilitech	0136251	LBP9T2/27K/CAN	Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700		2	9/13/2012
Lowe's Home Improvement	Utilitech	0136466		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	#ERROR	0.573	2	9/24/2012
Lowe's Home Improvement	Utilitech	0211661	LBP11R20DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	380	11	N/A	8000	2700		2	3/7/2011
Lowe's Home Improvement	Utilitech	0213568	LBP15TDM	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1025	15	N/A	8000	2700		2	12/22/2010
Lowe's Home Improvement	Utilitech	0252003	L13T6/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/18/2011
Lowe's Home Improvement	Utilitech	0252003	L13T6/27K (M)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/22/2011
Lowe's Home Improvement	Utilitech	0252003	L13T6/27K (N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.573	2	9/2/2011
Lowe's Home Improvement	Utilitech	0252003	UHS136B	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/17/2011
Lowe's Home Improvement	Utilitech	0252475	L23TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/18/2011
Lowe's Home Improvement	Utilitech	0252475	L23TM6/27K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/20/2011
Lowe's Home Improvement	Utilitech	0252475	UHS236B	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/15/2010
Lowe's Home Improvement	Utilitech	0252480	L18TM6/27K	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	1/20/2011
Lowe's Home Improvement	Utilitech	0252480	UHS186B	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	2/18/2011
Lowe's Home Improvement	Utilitech	0275632	LBP12GTM2/27K	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	2700		2	3/24/2011
Lowe's Home Improvement	Utilitech	0280590	LBP50/150T/E1)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/21/32	8000	2700	0.554	2	10/24/2011
Lowe's Home Improvement	Utilitech	0296863	LBP18R40/35K	Covered reflector	E26/24 (Medium)	CFL		950	18	N/A	8000	3500		2	9/1/2011
Lowe's Home Improvement	Utilitech	0296869	LBP12GTM2/35K	Covered globe	E26/24 (Medium)	CFL		600	12	N/A	8000	3500		2	9/1/2011
Lowe's Home Improvement	Utilitech	0296873	LBP11R20TM/35K	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500		2	8/26/2011
Lowe's Home Improvement	Utilitech	0296878	LBP15BR30/35K	Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	3500		2	1/19/2011
Lowe's Home Improvement	Utilitech	0296891	LBP50/150T/35K(E)	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2262	N/A	12/21/32	8000	3500	0.567	2	9/26/2011
Lowe's Home Improvement	Utilitech	0306204	L13T18/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/22/2011
Lowe's Home Improvement	Utilitech	0306204	L13T18/27K (N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	5/12/2011

Lowe's Home Improvement	Utilitech	0338898	L7PAR20/DM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	316	7.09	N/A	30000	3000	0.845	3	8/5/2011
Lowe's Home Improvement	Utilitech	0338902	L18PAR38/DM/LED	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	889	16.62	N/A	30000	3000	0.853	3	8/5/2011
Lowe's Home Improvement	Utilitech	0340252	LBP13T2/35K	Bare-spiral	E26/24 (Medium)	CFL		835	13	N/A	10000	3500		2	8/24/2011
Lowe's Home Improvement	Utilitech	0340252	UHS132BW	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		2	3/4/2011
Lowe's Home Improvement	Utilitech	0340280	LBP13T2/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	1/20/2011
Lowe's Home Improvement	Utilitech	0340280	UHS132DL	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000		2	2/18/2011
Lowe's Home Improvement	Utilitech	0340286	LBP23TM2/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	1/20/2011
Lowe's Home Improvement	Utilitech	0340286	UHS232DL	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	2/18/2011
Lowe's Home Improvement	Utilitech	0340289	LBP23TM2/35K	Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	8000	3500	0.595	2	8/25/2011
Lowe's Home Improvement	Utilitech	0340289	LBP23TM2/35K (N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.56	2	9/1/2011
Lowe's Home Improvement	Utilitech	0340289	UHS232BW	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	2/18/2011
Lowe's Home Improvement	Utilitech	0340445	LBP23TDM	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	12/22/2010
Lowe's Home Improvement	Utilitech	0340446	LBP15R30DM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	6000	2700		2	8/4/2011
Lowe's Home Improvement	Utilitech	0345544	L23TM4/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	1/20/2011
Lowe's Home Improvement	Utilitech	0345544	UHS234DLB	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	12/20/2010
Lowe's Home Improvement	Utilitech	0345548	L13T4/5K(N)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	1/20/2011
Lowe's Home Improvement	Utilitech	0345548	UHS134DLB	Bare-ssiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000		2	12/15/2010
Lowe's Home Improvement	Utilitech	0345551	L18TM4/5K (N)	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	3/24/2011
Lowe's Home Improvement	Utilitech	0351531	LBP7CF/35K	Covered-Candle	E12 /Candelabra)	CFL		260	7	N/A	8000	3500		2	5/12/2011
Lowe's Home Improvement	Utilitech	0351541	LBP7CF2	Covered-Candle	E12 (Candelabra)	CFL		250	7	N/A	8000	2700		2	5/12/2011
Lowe's Home Improvement	Utilitech	0351620	LBP7EF2	Covered-Candle	E26/24 (Medium)	CFL		250	7	N/A	8000	2700		2	5/12/2011
Lowe's Home Improvement	Utilitech	0401538	LBP11R20TM/65K/CAN	Covered reflector	E26/24 (Medium)	CFL		365	11	N/A	8000	6500		2	9/14/2012
Lowe's Home Improvement	Utilitech	21926	LBP13T/27K	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/20/2012
Lowe's Home Improvement	Utilitech	296867	UT213C4BW	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	12000	3500	0.572	11	4/13/2012
Lowe's Home Improvement	Utilitech	296878	UR315BW	Covered reflector	E26/24 (medium)	CFL		650	15.0	N/A	8000	3500	0.63	7	8/14/2012
Lowe's Home Improvement	Utilitech	338900	L13PAR30L/DM/LED	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	650	13.5	N/A	30000	3000	0.938	5	9/7/2011
Lowe's Home Improvement	Utilitech	338929	UHLBR3012W27K	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	650	12.0	N/A	25000	2700	0.912	3	3/19/2012
Lowe's Home Improvement	Utilitech	338931	LA19/OM800/LED	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		850	13.5	N/A	25000	3000	0.88	5	5/4/2012
Lowe's Home Improvement	Utilitech	346992	UT213C4DL	Bare-spiral	E26/24 (medium)	CFL		750	13.0	N/A	10000	5000	0.56	11	4/24/2012
Lowe's Home Improvement	Utilitech	346995	UR315DL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.63	7	4/13/2012
Lowe's Home Improvement	Utilitech	354618	LBP11R20Z/27K	Covered reflector	E26/E24 (Medium)	CFL		430	11.0	N/A	8000	2700	0.553	2	3/28/2011
Lowe's Home Improvement	Utilitech	354618		Covered Reflector	E26	CFL		430	11	N/A	8000	2700	0.55	2	3/28/2011
Lowe's Home Improvement	Utilitech	401536	LBP11R20TM/35K/CAN	Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	8000	3500	0.565	2	10/5/2012
Lowe's Home Improvement	Utilitech	BR20/LED	LR20DM/LED	R - Reflector	E26/24 (Medium)	LED		450	7.93	N/A	25000	2700	0.757	3	9/10/2012
Lowe's Home Improvement	Utilitech	BR30/LED	LBR30DM/LED	BR - Bulged Reflector	E26/24 (Medium)	LED		750	12.47	N/A	25000	2700	0.756	3	9/10/2012
Lowe's Home Improvement	Utilitech	BR40/LED	L17BR40DM/LED	BR - Bulged Reflector	E26/24 (Medium)	LED		1065	16.55	N/A	25000	2700	0.734	3	9/10/2012
Lowe's Home Improvement	Utilitech	UT15R30/BW	0296878	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3500	0.5	2	1/4/2012
Lowe's Home Improvement	Utilitech	UT15R30/SW	0022419, 0099816	Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	2700	0.5	2	1/4/2012
Lowe's Home Improvement	Utilitech	UT15T3/CW	0331191	Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.5	2	1/4/2012
Lowe's Home Improvement	Utilitech	UT26PAR38/SW	0075232	Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700	0.5	2	1/4/2012
Lumena SSL Inc.	Lumena SSL Inc	AL-G60-120V-6W-30	AL-G60-120V-6W-30	Non-standard	E26/24 (Medium)	LED	Dimmable	595	6.13	N/A	25000	3000	0.735	3	10/17/2012
Lumena SSL Inc.	Lumena SSL Inc	AL-G70-120V-8W-30	AL-G70-120V-8W-30	Non-standard	E26/24 (Medium)	LED	Dimmable	730	7.87	N/A	25000	3000	0.807	3	10/17/2012
Lumena SSL Inc.	Lumena SSL Inc	MS-MR16-ES-12V	MS-MR16-ES-12V	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	7/12/2012
Lumena SSL Inc.	Lumena SSL Inc	MS-PAR30-ES-120V	MS-PAR30-ES-120V	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	7/12/2012
Lumena SSL Inc.	Lumena SSL Inc	MS-PAR38-ES-120V	MS-PAR38-ES-120V	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	7/12/2012
Main Power Electrical (Guiyang) Co., Ltd.	GY Main Power	MPL101M450	MPL101M450	Non-standard	E26	LED		500	8.5	N/A	25000	3000	0.872	3	6/14/2012
Main Power Electrical (Guiyang) Co., Ltd.	GY Main Power	MPL101M450	MPL101M450	Non-standard	E26/24 (Medium)	LED		485	8.0	N/A	25000	3000	0.872	3	1/30/2012
Main Power Electrical (Guiyang) Co., Ltd.	GY Main Power	MPL103M600	MPL103M600	Non-standard	E26	LED		600	9.5	N/A	25000	3000	0.99	3	6/14/2012
Main Power Electrical (Guiyang) Co., Ltd.	GY Main Power	MPL103M600	MPL103M600	Non-standard	E26/24 (Medium)	LED		581	9.9	N/A	25000	3000	0.99	3	1/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-A19-8-DIM	ENV-LED-A19-8-DIM	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.765	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-B11-5-DIM	ENV-LED-B11-5-DIM	C - Candle	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	25000	3000	0.693	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-BR30-15-DIM	ENV-LED-BR30-15-DIM	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-G25-8-DIM	ENV-LED-G25-8-DIM	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	40000	3000	0.823	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-MR16-GU10-6.5-DIM	ENV-LED-MR16-GU10-6.5-DIM	Non-standard	GU10	LED	Dimmable	320	6.5	N/A	40000	3000	0.781	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-MR16-GU5.3-6.5-DIM	ENV-LED-MR16-GU5.3-6.5-DIM	MR - Multifaceted reflector	GU5.3	LED	Dimmable	320	6.5	N/A	40000	3000	0.923	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-PAR20-7-DIM	ENV-LED-PAR20-7-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-PAR30-15-DIM	ENV-LED-PAR30-15-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	10/30/2012
Marketing Power Inc dba - EnviroTech	Enviro Tech	ENV-LED-PAR38-20-DIM	ENV-LED-PAR38-20-DIM	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	10/30/2012
Marote Lighting Industrial Co. Ltd.	Bri-Star	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/2003
Marote Lighting Industrial Co. Ltd.	Bri-Star	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/2005
Marote Lighting Industrial Co. Ltd.	Halo	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/2003
Marote Lighting Industrial Co. Ltd.	Halo	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/2005
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/2003
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-15WL		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	15.0	N/A	8000	2700	0.64	2	9/29/2003
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-20WL		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700		2	3/3/2005
Marote Lighting Industrial Co. Ltd.	Hi-Lux	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	1/13/2005
Marote Lighting Industrial Co. Ltd.	Lumina	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/2003
Marote Lighting Industrial Co. Ltd.	Lumina	CL-25WL		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/2005
Marote Lighting Industrial Co. Ltd.	Marote	CL-10WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/2003
Marote Lighting Industrial Co. Ltd.	Marote	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/2005
Marote Lighting Industrial Co. Ltd.	Solendor	CL-10WL		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		600	10	N/A	15000	2700		2	10/1/2003
Marote Lighting Industrial Co. Ltd.	Splendor	CL-25WL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	25	N/A	12000	2700	0.66	2	3/4/2005
Maxlite	MaxLED	HCG08DLED30	HCG08DLED30	G - Globe	E26/24 (Medium)	LED	Dimmable	415	8.0	N/A	25000	3000	0.719	3	1/26/2012
Maxlite	MaxLED	HCR3011FLDLED30	HCR3011FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	560	11.0	N/A	25000	3000	0.819	3	2/17/2012
Maxlite	MaxLED	SKG08DLED30	SKG08DLED30	G - Globe	E26/24 (Medium)	LED	Dimmable	415	8.0	N/A	25000	3000	0.719	3	1/26/2012
Maxlite	MaxLED	SKR2007FLDLED30	SKR2007FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	25000	3000	0.788	3	2/17/2012
Maxlite	MaxLED	SKR2007SPDLED30	SKR2007SPDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	345	7.0	N/A	25000	3000	0.771	3	2/17/2012
Maxlite	MaxLED	SKR3011FLDLED30	SKR3011FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	560	11.0	N/A	25000	3000	0.819	3	2/17/2012
Maxlite	MaxLED	SKR3011SPDLED30	SKR3011SPDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	535	11.0	N/A	25000	3000	0.836	3	2/17/2012
Maxlite	MaxLED	SKR3013DLED30-136	SKR3013DLED30-136, HCR3013DLED30-136	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	717	13.0	N/A	25000	3000	0.773	5	8/27/2012
Maxlite	MaxLED	SKR3817FLDLED30	SKR3817FLDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	17.0	N/A	25000	3000	0.76	3	2/17/2012
Maxlite	MaxLED	SKR3817SPDLED30	SKR3817SPDLED30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	840	17.0	N/A	25000	3000	0.728	3	2/17/2012
Maxlite	MaxLED	SKR3820DLED30-136	SKR3820DLED30-136, HCR3820DLED30-136	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1216	20.0	N/A	25000	3000	0.781	5	8/27/2012
Maxlite	MaxLite	HC15R30WW		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	12/30/2010

Maxlite	MaxLite	HC23R40WW		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	12/30/2010
Maxlite	MaxLite	HC807DLED30	SKB07DLED30	Non-standard	E26/24 (Medium)	LED	Dimmable	470	7.0	N/A	25000	3000	0.788	5	8/31/2012
Maxlite	MaxLite	HCB11WW	115776	Covered A-line	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	6/20/2008
Maxlite	MaxLite	HCB13CW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	6/30/2009
Maxlite	MaxLite	HCB13WW	115783	Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700		2	7/3/2008
Maxlite	MaxLite	HCB13WW-144		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/30/2011
Maxlite	MaxLite	HCB20WW		Covered A-line	E26/24 (Medium)	CFL		1050	20	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	HCB7WW		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	6/22/2009
Maxlite	MaxLite	HCB9WW		Covered A-line	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/2009
Maxlite	MaxLite	HCCSWW		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	10000	2700	0.526	2	12/30/2009
Maxlite	MaxLite	HCC7CWW-144	HCC7CWW-144	Covered-Candle	E12 (Candelabra)	CFL		350	6.0	N/A	10000	2700	0.58	2	8/10/2012
Maxlite	MaxLite	HCCC4.0DLED30F	HCCC4.0DLED30F	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	241	4.0	N/A	20000	3000	0.696	5	8/15/2012
Maxlite	MaxLite	HCG11WW		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700	0.558	2	12/30/2009
Maxlite	MaxLite	HCG14WW	115820: 115226	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	7/3/2008
Maxlite	MaxLite	HCG9WW		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/2009
Maxlite	MaxLite	HCMR1604LED30	HCMR1604LED30	MR - Multifaceted reflector	GU5.3	LED		169	4.0	N/A	40000	3000	1	5	7/10/2012
Maxlite	MaxLite	HCPAR3015WW-136	HCPAR3015WW6-136	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	5/29/2012
Maxlite	MaxLite	HCR2009WW		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		2	4/3/2009
Maxlite	MaxLite	HCR315FLD30		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	8000	3000		2	5/2/2011
Maxlite	MaxLite	HCR315WW		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700		2	4/3/2009
Maxlite	MaxLite	HCR3820CW	116612	Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	7/9/2008
Maxlite	MaxLite	HCR3820WW		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700		2	4/24/2012
Maxlite	MaxLite	HCR3823WW6-156		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	3/19/2012
Maxlite	MaxLite	HCS11T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	HCS11WW	HCS114WW	Bare-Mini-Spiral	E26/24 (Medium)	CFL		690	11	N/A	10000	2700		2	2/15/2008
Maxlite	MaxLite	HCS13CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	HCS13CW-144	HCS13CW6-144	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	4100		2	5/14/2012
Maxlite	MaxLite	HCS13DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	6/30/2009
Maxlite	MaxLite	HCS13DL-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000	0.613	2	9/19/2011
Maxlite	MaxLite	HCS13T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	HCS13T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	HCS13T2WW	116926 (HCS13T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	HCS13T2WW	HCS13T2WW	Bare-Soiral	Medium E26/24	CFL		848	13.0	N/A	10000	2700	0.58	2	8/10/2012
Maxlite	MaxLite	HCS13WW	HCS134WW6, HCS13WW/TR, HCS13WW6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/2/2007
Maxlite	MaxLite	HCS13WW-107	HCS134WW-107	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/12/2012
Maxlite	MaxLite	HCS13WW-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	8/30/2011
Maxlite	MaxLite	HCS13WW6		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	7/6/2011
Maxlite	MaxLite	HCS14T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	6/30/2009
Maxlite	MaxLite	HCS14T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	6/30/2009
Maxlite	MaxLite	HCS15DWW	115714	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	6000	2700		2	6/20/2008
Maxlite	MaxLite	HCS19T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	HCS20T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	HCS20T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	HCS20T2WW	116933 (HCS20T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	HCS23CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	HCS23DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	HCS23T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	HCS23T2DL		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	HCS23T2WW	116940 (HCS23T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	HCS23WW	HCS23/ HCS23-4	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/2/2007
Maxlite	MaxLite	HCS23WW-131	HCS23WWTR-131	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/14/2012
Maxlite	MaxLite	HCS253WWW	115769	Bare-soiral	E26/24 (Medium)	CFL	Three Wav	1600	N/A	13/20/25	8000	2700		2	6/20/2008
Maxlite	MaxLite	HCS253WWW6-110		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700		2	6/29/2012
Maxlite	MaxLite	HCS25DWW	115738	Bare-soiral	E26/24 (Medium)	CFL	Dimmable	1600	25	N/A	6000	2700		2	6/20/2008
Maxlite	MaxLite	HCS26T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	HCS30WW		Bare-Mini-Soiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		2	3/27/2009
Maxlite	MaxLite	HCS42WW		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	4/10/2009
Maxlite	MaxLite	HCS9CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	HCS9T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	HCS9T2WW	116919 (HCS9T2WW6)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	9	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	HCS9WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	4/24/2009
Maxlite	MaxLite	HCT14WW	116452	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	7/3/2008
Maxlite	MaxLite	HCT19CW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	4100	0.551	2	7/7/2009
Maxlite	MaxLite	HCT19WW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	2700	0.552	2	7/7/2009
Maxlite	MaxLite	MLB13GUWW	N/A	Covered	GU24	CFL		770	13.54	N/A	8000	2700	0.57	2	9/3/2008
Maxlite	MaxLite	MLFC26, MLEC26	N/A	Bare-spiral	GU24	CFL	Dimmable	1184	26.1	N/A	8000	2700	0.572	2	9/24/2008
Maxlite	MaxLite	MLG13GUWW	N/A	Covered	GU24	CFL		742	14.01	N/A	8000	2700	0.573	2	9/3/2008
Maxlite	MaxLite	MLM20SCW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	MLM20SDL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	MLM20SWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	4/20/2005
Maxlite	MaxLite	MLM23SH		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700		2	3/24/2006
Maxlite	MaxLite	MLM23SHLCW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	MLM23SHLDL		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	MLM23SHLWW	900402; 410291	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	5/13/2008
Maxlite	MaxLite	MLM25SCW		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	MLM25SDL	MLM25SDL	Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	5000		2	1/2/2007
Maxlite	MaxLite	MLM25SWW		Bare-soiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700		2	7/29/2005
Maxlite	MaxLite	MLM30SWW	41022; 90021; 90008; 90009	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		2	3/16/2006
Maxlite	MaxLite	MLM42SWW		Bare-soiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		2	4/10/2009
Maxlite	MaxLite	MLR315FLWW		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700		2	12/30/2010
Maxlite	MaxLite	MLR423FLWW		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	12/30/2010
Maxlite	MaxLite	MLS11T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	MLS13GU30	N/A	Bare-spiral	GU24	CFL		963	14.472	N/A	10000	2700	0.518	2	1/16/2009
Maxlite	MaxLite	MLS13GUCW	N/A	Bare-spiral	GU24	CFL		868	13.404	N/A	10000	4100	0.582	2	12/20/2010
Maxlite	MaxLite	MLS13GUSWW	N/A	Bare-spiral	GU24	CFL		963	14.472	N/A	10000	2700	0.518	2	4/28/2008
Maxlite	MaxLite	MLS13GUWW	MLS13GUWW	Bare-Spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.548	3	5/22/2012
Maxlite	MaxLite	MLS13GUWW	N/A	Bare-spiral	GU24	CFL		963	14.472	N/A	10000	2700	0.518	2	4/28/2008
Maxlite	MaxLite	MLS13T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	MLS13T2DL		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	MLS13T2WW	116889	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	MLS14T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	6/30/2009
Maxlite	MaxLite	MLS14T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	6/30/2009
Maxlite	MaxLite	MLS15EADWW		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15.0	N/A	6000	2700		2	3/29/2004
Maxlite	MaxLite	MLS15GUDWW	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	880	14.62	N/A	8000	2700	0.716	2	8/26/2008
Maxlite	MaxLite	MLS18GU30	N/A	Bare-spiral	GU24	CFL		1366	20.02	N/A	10000	2700	0.555	2	1/16/2009
Maxlite	MaxLite	MLS18GUCW	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.584	2	12/20/2010
Maxlite	MaxLite	MLS18GUSWW	N/A	Bare-spiral	GU24	CFL		1366	20.02	N/A	10000	2700	0.555	2	4/28/2008
Maxlite	MaxLite	MLS18GUWW	N/A	Bare-soiral	GU24	CFL		1366	20.02	N/A	10000	2700	0.555	2	4/28/2008
Maxlite	MaxLite	MLS19T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	MLS20T2CW		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/24/2009

Maxlite	MaxLite	MLS20T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	MLS20T2WW	116896	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	MLS23EA65		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	12/10/2008
Maxlite	MaxLite	MLS23T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	MLS23T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	5000		2	4/24/2009
Maxlite	MaxLite	MLS23T2WW	116902	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	MLS25EA3		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		1	10/7/2002
Maxlite	MaxLite	MLS25EA3WW - 110		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700	0.56	2	2/10/2012
Maxlite	MaxLite	MLS25EADL		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	5000	0.56	2	12/15/2011
Maxlite	MaxLite	MLS25EADWW		Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	1600	25.0	N/A	6000	2700		1	3/29/2004
Maxlite	MaxLite	MLS25GUDWW	N/A	Bare-Mini-Spiral	GU24	CFL	Dimmable	1755	26.68	N/A	8000	2700	0.711	2	8/26/2008
Maxlite	MaxLite	MLS26GU30	N/A	Bare-ssiral	GU24	CFL		1842	25.448	N/A	10000	3000	0.551	2	6/28/2008
Maxlite	MaxLite	MLS26GUCW	N/A	Bare-spiral	GU24	CFL		1705	25.715	N/A	10000	4100	0.575	2	3/10/2011
Maxlite	MaxLite	MLS26GUSWW	N/A	Bare-ssiral	GU24	CFL		1842	25.448	N/A	11367	2700	0.551	2	5/28/2008
Maxlite	MaxLite	MLS26GUWW	N/A	Bare-spiral	GU24	CFL		1842	25.448	N/A	10000	2700	0.551	2	5/28/2008
Maxlite	MaxLite	MLS26T2WW		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	6/30/2009
Maxlite	MaxLite	MLS32GUWW	N/A	Bare-spiral	GU24	CFL		2221	28.7	N/A	10097	2700	0.533	2	9/23/2009
Maxlite	MaxLite	MLS33EA3WW		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2100	N/A	12/22/33	10000	2700		2	1/20/2011
Maxlite	MaxLite	MLS42GUWW	N/A	Bare-spiral	GU24	CFL		2703	38.34	N/A	10000	2700	0.557	2	1/5/2010
Maxlite	MaxLite	MLS9T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	MLS9T2WW	116872	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	9	N/A	10000	2700		2	9/2/2008
Maxlite	MaxLite	NHSSR26 (4100K)	N/A	Bare-spiral	GU24	CFL		1704	25.687	N/A	10000	4100	0.575	2	3/10/2011
Maxlite	MaxLite	SKB07DLED30	SKB07DLED30	Non-standard	E26/24 (Medium)	LED	Dimmable	470	7.0	N/A	25000	3000	0.788	5	8/31/2012
Maxlite	MaxLite	SKB11EAWW		Covered A-line	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	6/9/2004
Maxlite	MaxLite	SKB13EACW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		2	6/30/2009
Maxlite	MaxLite	SKB13EAP		Covered A-line	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	6/8/2006
Maxlite	MaxLite	SKB13EAWW		Covered A-line	E26/24 (Medium)	CFL		650	13	N/A	10000	2700		2	5/21/2004
Maxlite	MaxLite	SKB13EAWW-144		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	8/30/2011
Maxlite	MaxLite	SKB20EAWW		Covered A-line	E26/24 (Medium)	CFL		1050	20.0	N/A	10000	2700		2	3/30/2002
Maxlite	MaxLite	SKB7EAWW		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		2	12/7/2004
Maxlite	MaxLite	SKC5CWW		Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	10000	2700	0.526	2	12/30/2009
Maxlite	MaxLite	SKC5EWW		Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	10000	2700	0.526	2	12/30/2009
Maxlite	MaxLite	SKC7CWW-144	SKC7CWW-144	Covered-Candle	E12 (Candelabra)	CFL		350	6.0	N/A	10000	2700	0.58	2	8/10/2012
Maxlite	MaxLite	SKCC4.0DLED30F	SKCC4.0DLED30F	CA - Candle with angular tip	E12 (Candelabra)	LED	Dimmable	241	4.0	N/A	20000	3000	0.696	5	8/15/2012
Maxlite	MaxLite	SKM11EGWW		Covered globe	E26/24 (Medium)	CFL		550	11	N/A	10000	2700	0.558	2	12/30/2009
Maxlite	MaxLite	SKM14ECWW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/24/2009
Maxlite	MaxLite	SKM14EGWW		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	4/10/2009
Maxlite	MaxLite	SKM19ECCW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	4100	0.551	2	9/28/2009
Maxlite	MaxLite	SKM19ECWW		Covered-post	E26/24 (Medium)	CFL		1350	19	N/A	8000	2700	0.552	2	9/28/2009
Maxlite	MaxLite	SKM9EAWW		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/2009
Maxlite	MaxLite	SKM9EGWW		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/24/2009
Maxlite	MaxLite	SKMR1604.5WWLED	N/A	MR - Multifaceted reflector	GU5.3	LED		194	4.26	N/A	25000	3000	0.62	3	12/15/2011
Maxlite	MaxLite	SKMR1604LED30	SKMR1604LED30	MR - Multifaceted reflector	GU5.3	LED		169	4.0	N/A	40000	3000	1	5	7/10/2012
Maxlite	MaxLite	SKPAR3015WW-136	SKPAR3015WW-136	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	5/29/2012
Maxlite	MaxLite	SKR2009FLWW		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700		2	2/14/2008
Maxlite	MaxLite	SKR315FLD30		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	8000	3000		2	5/2/2011
Maxlite	MaxLite	SKR315FLWW		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	10000	2700	0.532	2	8/18/2006
Maxlite	MaxLite	SKR3820FLCW		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	3/24/2006
Maxlite	MaxLite	SKR3823FLCW		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		2	4/3/2009
Maxlite	MaxLite	SKR3823FLWW-156		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	1/5/2012
Maxlite	MaxLite	SKS11EA		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	8000	2700		2	5/13/2004
Maxlite	MaxLite	SKS11EAWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		690	11	N/A	10000	2700		2	4/23/2009
Maxlite	MaxLite	SKS13EA65		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500		2	6/14/2012
Maxlite	MaxLite	SKS13EACW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	SKS13EACW-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	4100		2	5/14/2012
Maxlite	MaxLite	SKS13EADL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	4/24/2009
Maxlite	MaxLite	SKS13EADL-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000	0.61	2	10/25/2011
Maxlite	MaxLite	SKS13EAWW	HCS134WW6, HCS13WW/TR, HCS13WW6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/10/2009
Maxlite	MaxLite	SKS13EAWW-107		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/12/2012
Maxlite	MaxLite	SKS13EAWW-144		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	8/30/2011
Maxlite	MaxLite	SKS13GUWW	N/A	Bare-spiral	GU24	CFL		969	13.8	N/A	10000	2700	0.58	2	7/26/2010
Maxlite	MaxLite	SKS13T2CW		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100	0.579	2	9/19/2011
Maxlite	MaxLite	SKS13T2DL		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000		2	4/29/2011
Maxlite	MaxLite	SKS13T2WW-107	SKS13T2WW-107	Bare-Spiral	Medium E26/24	CFL		848	13.0	N/A	10000	2700	0.58	2	8/10/2012
Maxlite	MaxLite	SKS13T2WW-144		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		2	2/24/2012
Maxlite	MaxLite	SKS15EACW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	15	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	SKS15EAHLWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	8000	2700		2	4/3/2009
Maxlite	MaxLite	SKS15EAWW		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	10/8/1999
Maxlite	MaxLite	SKS18EAWW-107		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700		2	5/15/2012
Maxlite	MaxLite	SKS18GUWW	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	7/26/2010
Maxlite	MaxLite	SKS20EP		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	2700		2	2/13/2006
Maxlite	MaxLite	SKS23EAWW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	5/14/2012
Maxlite	MaxLite	SKS23T2DL		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	5000		2	7/1/2011
Maxlite	MaxLite	SKS23T2WW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.588	2	9/19/2011
Maxlite	MaxLite	SKS30EA3WW	116957	Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2100	N/A	13/22/30	10000	2700		2	7/9/2008
Maxlite	MaxLite	SKS30EA3WW-110		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/23/30	10000	2700		2	2/29/2012
Maxlite	MaxLite	SKS7EAWW		Bare-ssiral	E26/24 (Medium)	CFL		385	7	N/A	10000	2700		2	4/13/2011
Maxlite	MaxLite	SKS9EACW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	4/24/2009
Maxlite	MaxLite	SKS9EAWW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	4/24/2009
Maxlite	MaxLite	SKS9T2CW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100		2	6/30/2009
Maxlite	MaxLite	SKS9T2DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	5000		2	6/30/2009
Maxlite	MaxLite	SKS9T2WW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	6/30/2009
Maxlite	MAXLITE	HCS18WW	HCS18, HCS184	Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	2700		2	4/18/2007
Maxlite	MAXLITE	MLS18T2WW		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		2	3/24/2011
Maxlite	MAXLITE	MLS25EAWW		Bare-spiral	E26/24 (Medium)	CFL		1600	25	N/A	10000	2700		2	7/21/2011
Maxlite	MAXLITE	SKS23T2CW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/12/2011
Maxlite	Spiralmax	SKS15EADL		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	5000		2	4/2/2007
Maxon Technologies. LLC	Maxon	L-PAR30-27-0006	L-PAR30-27-0006	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	6/13/2012
Maxon Technologies, LLC	Maxon	L-PAR30-27-0007	L-PAR30-27-0007	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	6/13/2012
Maxon Technologies, LLC	Maxon	L-PAR38-27-0011	L-PAR38-27-0011	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	6/13/2012
Maxon Technologies. LLC	Maxon	L-PAR38-27-0012	L-PAR38-27-0012	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	6/13/2012
Maxon Technologies, LLC	Maxon	L-PAR38-27-0013	L-PAR38-27-0013	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	6/13/2012
Megalight Inc.	EcoWatt	S38013-27	S38213-27, S38313-27, S38413-27. S38613-27, S38813-27	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/26/2007
Megalight Inc.	MegaLight	A1901327		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.5	2	2/23/2012
Megalight Inc.	MegaLight	S28010-27		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		9	5/2/2011
Megalight Inc.	MegaLight	S28010-41		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	4100		9	5/11/2011
Megalight Inc.	MegaLight	S28010-65		Bare-ssiral	E26/24 (Medium)	CFL		520	10	N/A	10000	6500		9	5/11/2011

Megalight Inc.	MegaLight	S28013-27	S2801327; S28213-27; S28613-27; S28813-27; S28013-2700-6	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/26/2007
Megalight Inc.	MegaLight	S28013-278		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	2700		7	6/22/2007
Megalight Inc.	MegaLight	S28013-41		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	5/11/2011
Megalight Inc.	MegaLight	S28013-65		Bare-spiral	E26/24 (Medium)	CFL		750	13	N/A	10000	6500		9	5/11/2011
Megalight Inc.	MegaLight	S28015-27		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		9	5/2/2011
Megalight Inc.	MegaLight	S28015-41		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		9	5/11/2011
Megalight Inc.	MegaLight	S28018-27	S28118-27	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		7	7/24/2007
Megalight Inc.	MegaLight	S28020-27		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		9	5/2/2011
Megalight Inc.	MegaLight	S28020-41		Bare-soiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	4100		9	5/11/2011
Megalight Inc.	MegaLight	S28020-65		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	10000	6500		9	5/11/2011
Megalight Inc.	MegaLight	S28026-27		Bare-soiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		9	5/11/2011
Megalight Inc.	MegaLight	S28026-41		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100		9	5/11/2011
Megalight Inc.	MegaLight	S28026-65		Bare-soiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	6500		9	5/11/2011
Megalight Inc.	MegaLight	ST201327		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/9/2012
Megalight Inc.	MegaLight	ST28013278		Bare-soiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	6/15/2011
Megalight Inc.	MegaLight	ST2801927		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	9/11/2012
Megalight Inc.	MegaLight	ST2802327		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/11/2012
Meijer Incorporated	Meijer	0070277	2672061	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		9	8/24/2009
Meijer Incorporated	Meijer	0070577	2672095	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	12/14/2009
Meijer Incorporated	Meijer	0070877	2672068	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	12/14/2009
Meijer Incorporated	Meijer	0071077	2672047	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		9	12/14/2009
Meijer Incorporated	Meijer	0071477	2672091	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		9	8/24/2009
Meijer Incorporated	Meijer	0722177	104699	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	0737177	241278	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		9	6/10/2009
Meijer Incorporated	Meijer	0744477	248426	Covered reflector	E26/24 (Medium)	CFL		1040	23	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	0750277	251669	Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	0760077	192655	Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	0760477	140270	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	0860277	225827	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	11/19/2007
Meijer Incorporated	Meijer	0860377	295678	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	11/5/2008
Meijer Incorporated	Meijer	2860377	269696	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	11/5/2008
Meijer Incorporated	Meijer	2860477	211003	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		9	4/1/2009
Meijer Incorporated	Meijer	6870277	314306	Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	6880477	166393	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	8760577	171140	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	11/19/2007
Meijer Incorporated	Meijer	ET09MGL-IS	2885027	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	12/14/2010
Meijer Incorporated	Meijer	ET13MSLDM	2884978	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	10000	2700		2	12/15/2010
Meijer Incorporated	Meijer	ET13MSLT2E	2884951. 2884952. 2885036	Bare-soiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/11/2012
Meijer Incorporated	Meijer	ET13MSLT2E-35	2884952884955	Bare-spiral	Medium E26/24	CFL		900	13.0	N/A	12000	3500	0.555	2	4/19/2012
Meijer Incorporated	Meijer	ET13MSLT2E-35		Bare-Mini Soiral	E26	CFL		900	13.68	N/A	12000	3500	0.56	2	4/19/2012
Meijer Incorporated	Meijer	ET13MSLT2E-65	2884956, 2884962	Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	12000	6500		2	4/11/2012
Meijer Incorporated	Meijer	ET13MSLT2F	2884951; 2885036; 2884952	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700		2	12/14/2010
Meijer Incorporated	Meijer	ET13MSLT2F-41	2884954; 2884955	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		7	12/31/2010
Meijer Incorporated	Meijer	ET14MALCAN-IS	2885031	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/14/2010
Meijer Incorporated	Meijer	ET16MRL-IS	2884975; 2885040	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	12/14/2010
Meijer Incorporated	Meijer	ET18MSLT2	2884966, 2885038, 2884963	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		2	12/13/2010
Meijer Incorporated	Meijer	ET18MSLT2E	2884963;2884966,2885038	Bare-spiral	Medium E26/24	CFL		1250	18.0	N/A	12000	2700	0.565	2	4/19/2012
Meijer Incorporated	Meijer	ET18MSLT2E		Bare-Mini Spiral	E26	CFL		1250	18.15	N/A	12000	2700	0.56	2	4/19/2012
Meijer Incorporated	Meijer	ET18MSLT2E-35	2884967	Bare-spiral	Medium E26/24	CFL		1250	18.0	N/A	12000	3500	0.564	2	4/19/2012
Meijer Incorporated	Meijer	ET18MSLT2E-35		Bare-Mini Spiral	E26	CFL		1250	18.38	N/A	12000	3500	0.56	2	4/19/2012
Meijer Incorporated	Meijer	ET18MSLT2E-65	2884968	Bare-spiral	Medium E26/24	CFL		1200	18.0	N/A	12000	6500	0.563	2	4/19/2012
Meijer Incorporated	Meijer	ET18MSLT2E-65		Bare-Mini Spiral	E26	CFL		1200	18.45	N/A	12000	6500	0.56	2	4/19/2012
Meijer Incorporated	Meijer	ET23MSLT2	2884969; 2885039; 2884971	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/13/2010
Meijer Incorporated	Meijer	ET23MSLT2-65	2884973	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		2	12/13/2010
Meijer Incorporated	Meijer	ET23MSLT2E	2884969;2884971;2885039	Bare-spiral	Medium E26/24	CFL		1600	23.0	N/A	12000	2700	0.557	2	4/19/2012
Meijer Incorporated	Meijer	ET23MSLT2E		Bare-Mini Spiral	E26	CFL		1600	23.84	N/A	12000	2700	0.56	2	4/19/2012
Meijer Incorporated	Meijer	ET23MSLT2E-35	2884972	Bare-soiral	Medium E26/24	CFL		1600	23.0	N/A	12000	3500	0.551	2	4/19/2012
Meijer Incorporated	Meijer	ET23MSLT2E-35		Bare-Mini Spiral	E26	CFL		1600	22.43	N/A	12000	3500	0.55	2	4/19/2012
Meijer Incorporated	Meijer	ET23MSLT2E-65	2884973	Bare-soiral	Medium E26/24	CFL		1500	23.0	N/A	12000	6500	0.553	2	4/19/2012
Meijer Incorporated	Meijer	ET23MSLT2E-65		Bare-Mini Spiral	E26	CFL		1500	22.71	N/A	12000	6500	0.55	2	4/19/2012
Meijer Incorporated	Meijer	ET3W25S	2885024	Bare-soiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	13/20/25	8000	2700		2	12/14/2010
Meijer Incorporated	Meijer	ET9MSLT2E	2884929, 2884945	Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700		2	4/1/2012
MSI SSL	MSI	IPAR3827P21N	IPAR3827P21N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		812	15.4	N/A	25000	2700	0.9	3	5/17/2012
MSI SSL	MSI	IPAR3830161N	IPAR3830161N	PAR - Parabolic Aluminum Reflector	E26/24 (medium	LED		663	12.09	N/A	25000	3000	0.896	5	11/23/2011
MSI SSL	MSI, SSL	IPAR3830101D	IPAR3830101D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	785	16.25	N/A	25000	3000	0.982	5	2/7/2012
MSI SSL	MSI, SSL	IPAR3830161D	IPAR3830161D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	757	16.264	N/A	25000	3000	0.979	5	3/16/2012
MSI SSL	PAR38 Non-Dimmable	IPAR3827221N	IPAR3827221N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		592	12.04	N/A	25000	2700	0.897	5	5/10/2011
MSI SSL	PAR38 Non-Dimmable	IPAR3830101N	IPAR3830101N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		651	12.3	N/A	25000	3000	0.897	5	4/18/2011
MSI SSL	PAR38 Non-Dimmable	IPAR3830221N	IPAR3830221N	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		636	12.38	N/A	25000	3000	0.922	5	5/10/2011
Nash Finch Company	Our Family	ESL13TI/OOF		Bare-soiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500	0.609	2	12/16/2011
Nash Finch Company	Our Family	ESL13TI/OF	ESL13T/3/OF	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.577	2	12/16/2011
Nash Finch Company	Our Family	ESL15BR30/OF		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.587	2	1/3/2012
Nash Finch Company	Our Family	ESL16AT/OF		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	8000	2700	0.604	2	1/3/2012
Nash Finch Company	Our Family	ESL23TM/OF		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.548	2	12/16/2011
Natech Industrie	Natech	NTA19-8W-DIM1SSTW	NTA19-8W-DIM1SSTW	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.765	3	10/18/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALCND 250L CSG DIM M60	N/A	Candle	E12 (Candelabra)	LED	Dimmable	250	4.0	N/A	25000	3000	0.6	5	10/10/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALCND 250L FSG DIM M60	N/A	Candle	E12 (Candelabra)	LED	Dimmable	250	5.0	N/A	25000	3000	0.5	5	10/10/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALGP 250L DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	250	5.0	N/A	25000	3000	0.6	5	10/10/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALGP 420L DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	451	7.0	N/A	25000	3000	0.7	5	6/19/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALGP 620L DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	679	10.0	N/A	25000	3000	0.7	5	10/10/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSMR16 140L 40K M60	N/A	MR - Multifaceted reflector	GU5.3	LED		139	3.0	N/A	25000	4100	0.6	5	1/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSMR16 140L M60	N/A	MR - Multifaceted reflector	GU5.3	LED		139	3.0	N/A	25000	3000	0.6	5	1/17/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP20 480L 40K DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	496	7.0	N/A	25000	4100	0.7	5	6/19/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP20 480L DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	473	7.0	N/A	25000	2700	0.7	5	6/19/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP20 530L 45 40K DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	541	8.0	N/A	25000	4100	0.7	5	6/19/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP20 530L 45 DIM M60	N/A	Non-standard	E26/24 (Medium)	LED	Dimmable	525	7.9	N/A	25000	2700	0.7	5	6/19/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP30S 500L 40K DIM M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	515	10.0	N/A	25000	4100	0.7	5	6/22/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP30S 500L DIM M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	506	10.0	N/A	25000	2700	0.7	5	6/22/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 30K M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1245	19.0	N/A	25000	3000	0.9	5	3/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 40K DIM M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1266	18.0	N/A	25000	4100	0.9	5	2/20/2012

Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 40K M24	ALSP38 1200L 40K M24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1298	18.7	N/A	25000	4000	0.906	5	2/15/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 45 30K M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1244	19.0	N/A	25000	3000	0.9	5	3/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 45 40K DIM M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1275	18.0	N/A	25000	4100	0.9	5	2/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 45 40K M24	ALSP38 1200L 45 40K M24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1285	18.5	N/A	25000	4000	0.906	5	2/15/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 45 DIM M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1280	18.0	N/A	25000	2700	0.9	5	2/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L 45 M24	ALSP38 1200L 45 M24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1305	18.5	N/A	25000	2700	0.906	5	2/15/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L DIM M24	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1232	18.0	N/A	25000	2700	0.9	5	2/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 1200L M24	ALSP38 1200L M24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1242	18.5	N/A	25000	2700	0.908	5	2/15/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 900L 40K R9 M24	ALSP38 900L 40K R9 M24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		952	18.5	N/A	25000	4000	0.909	5	2/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 900L GU24 R9 M24	ALSP38 900L GU24 R9 M24	PAR - Parabolic Aluminum Reflector	GU24	LED		947	18.7	N/A	25000	2700	0.907	5	2/20/2012
Neonlite Electronic & Lighting (H.K.) Ltd.	acculamp	ALSP38 900L R9 M24	ALSP38 900L R9 M24	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		947	18.7	N/A	25000	2700	0.907	5	2/20/2012
NextBulb Lighting Co., Ltd.	NextBulb	NBMR16A3G1-27KFL	NBMR16A3G1-27KFL	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	7/18/2012
NextBulb Lighting Co., Ltd.	NextBulb	NBMR16A3G1-27KNFL	NBMR16A3G1-27KNFL	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	7/18/2012
NextBulb Lighting Co., Ltd.	NextBulb	NBP30A6G1-30KFL	NBP30A6G1-30KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	7/12/2012
NextBulb Lighting Co., Ltd.	NextBulb	NBP30A6G1-30KNFL	NBP30A6G1-30KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	7/12/2012
NextBulb Lighting Co., Ltd.	NextBulb	NBP38A10G1-30KFL	NBP38A10G1-30KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	7/12/2012
NextBulb Lighting Co., Ltd.	NextBulb	NBP38A10G1-30KNFL	NBP38A10G1-30KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	7/12/2012
Niagara Conservation Corporation	EarthBrite	N0413M		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	9/24/2007
Niagara Conservation Corporation	EarthBrite	N0420M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700		2	1/10/2007
Niagara Conservation Corporation	EarthBrite	N0423M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	1/10/2007
Niagara Conservation Corporation	EarthBrite	N13WDIM-2700		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	8000	2700		2	11/11/2010
Niagara Conservation Corporation	EarthBrite	N13WGU24-2700	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N13WGU24-2700	N/A	Bare-ssiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N13WGU24-2700	N/A	Bare-spiral	GU24	CFL		910	13.86	N/A	10020	2700	0.601	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N13WMST2	None	Bare-spiral	E26	CFL		900	13.0	N/A	12000	#ERROR	0.587	2	8/22/2012
Niagara Conservation Corporation	EarthBrite	N13WMST2-2700		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.56	2	1/5/2012
Niagara Conservation Corporation	EarthBrite	N14WA-2700		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	6/27/2008
Niagara Conservation Corporation	EarthBrite	N14WC-2700		Covered-Candle	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N14WG-2700		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N14WR20-2700		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N15WPAR30-3000		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	3000		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N16WR30-2700		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N16WR30DIM-2700		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	16	N/A	8000	2700		2	5/26/2011
Niagara Conservation Corporation	EarthBrite	N18WDIM-2700		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1250	18	N/A	8000	2700		2	11/11/2010
Niagara Conservation Corporation	EarthBrite	N18WGU24-2700	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N18WGU24-2700	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N18WGU24-2700	N/A	Bare-ssiral	GU24	CFL		1383	18.66	N/A	10020	2700	0.556	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N18WMST2-2700	N18WMST2-2700	Bare-spiral	Medium E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.565	2	1/12/2012
Niagara Conservation Corporation	EarthBrite	N18WMST2-2700		Bare-Mini Spiral	E26	CFL		1250	18.15	N/A	12000	2700	0.56	2	1/12/2012
Niagara Conservation Corporation	EarthBrite	N23WDIM-2700		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	11/11/2010
Niagara Conservation Corporation	EarthBrite	N23WGU24-2700	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N23WGU24-2700	N/A	Bare-spiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N23WGU24-2700	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	11/8/2010
Niagara Conservation Corporation	EarthBrite	N23WMST2-2700	N23WMST2-2700	Bare-ssiral	Medium E26/24 (medium)	CFL		1655	23.0	N/A	12000	2700	0.557	2	1/12/2012
Niagara Conservation Corporation	EarthBrite	N23WMST2-2700		Bare-Mini Spiral	E26	CFL		1655	23.84	N/A	12000	2700	0.56	2	1/12/2012
Niagara Conservation Corporation	EarthBrite	N23WPAR38-3000		Covered reflector	E26/24 (Medium)	CFL		1280	23	N/A	10000	3000		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N23WR40-2700		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N9WG-2700		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	12/28/2010
Niagara Conservation Corporation	EarthBrite	N9WPAR20-2700		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	10000	2700		2	12/28/2010
Nu Vue Lighting	NUE VUE	NVPAR30ES/6.1/D/WW/NFL/26/CX	815975017898	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	3	4/27/2012
Nu Vue Lighting	NUE VUE	NVPAR38ES/10.1/D/WW/FL/26/CX	815975017935	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	3	4/27/2012
Nu Vue Lighting	NUE VUE	NVPAR38ES/10.1/D/WW/NFL/26/CX	815975017928	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	3	4/27/2012
Nu Vue Lighting	Nu Vue	NVMR16/6.1/WW/FL/53/CG	815975015801	MR - Multifaceted reflector	GU5.3	LED		379	6.0	N/A	25000	3000	1	3	9/20/2012
Nu Vue Lighting	Nu Vue	NVMR16/6.1/WW/NFL/53/CG	815975015795	MR - Multifaceted reflector	GU5.3	LED		346	6.0	N/A	25000	3000	1	3	9/20/2012
Nu Vue Lighting	Nu Vue	NVMR16/6.1/WW/WFL/53/CG	815975015849	MR - Multifaceted reflector	GU5.3	LED		392	6.0	N/A	25000	3000	1	3	9/20/2012
Nu Vue Lighting	Nu Vue	NVMR16ES/3.1/D/W27/NFL/53/CG	815975017942	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	8/3/2012
Nu Vue Lighting	Nu Vue	NVPAR30ES/6.1/D/WW/FL/26/CX	NVIPAR30ES/6.1/D/WW/FL/26/CX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	7/12/2012
OEM LED LIGHT LTD	eStar	ES-LEDA1960B1-8-D	ES-LEDA1960B1-8-D	Non Standard	E26/24 (Medium), A19	LED	Dimmable	500	8.0	N/A	40000	3000	0.737	3	4/26/2012
OEM LED LIGHT LTD	eStar	ES-LEDA1960G1-12-D	ES-LEDA1960G1-12-D	Non Standard	E26/24 (Medium), A19	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	4/26/2012
OEM LED LIGHT LTD	eStar	ES-LEDA1960G1-7.5-D	ES-LEDA1960G1-7.5-D	Non-standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	2700	0.784	3	4/26/2012
Office Depot, Inc	Office Depot Green	125-530		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	2700		9	1/7/2009
Office Depot, Inc	Office Depot Green	386-500		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700		9	1/7/2009
Office Depot, Inc	Office Depot Green	386-550		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700		9	1/7/2009
Office Depot, Inc	Office Depot Green	416-110	416-105	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/2009
OptoLight	OptoLight	OP-ALAMP-14W	OP-ALAMP-14W2P; OP-ALAMP-14W4P	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/4/2009
OptoLight	OptoLight	OP-ALAMP-14WB	OP-ALAMP-14W2PB;OP-ALAMP-14W4PB	Covered no reflector	Medium E26/24 (medium)	CFL		839	14.37	N/A	8000	2700	0.569	2	7/26/2012
OptoLight	OptoLight	OP-ALAMP-14WB		Other	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	7/26/2012
OptoLight	OptoLight	OP-ALAMP-18W	OP-ALAMP-18W2P	Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	4/26/2011
OptoLight	OptoLight	OP-ALAMP-18WB		Covered A-line	E26	CFL		1150	18	N/A	8000	2700	0.57	2	11/8/2012
OptoLight	OptoLight	OP-CFL-20W	OP-CFL-20W4PK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700		2	1/23/2007
OptoLight	OptoLight	OP-CFL-23W	OP-CFL-23W4pk	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		2	1/23/2007
OptoLight	OptoLight	OP-CFL-3W-26W		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700	0.562	2	7/15/2009
OptoLight	OptoLight	OP-CFL-3W-26W2P		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	2700		2	2/18/2011
OptoLight	OptoLight	OP-DM-15W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1000	15	N/A	10000	2700		2	10/14/2009
OptoLight	OptoLight	OP-DM-20W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1350	20	N/A	10000	2700		2	10/14/2009
OptoLight	OptoLight	OP-GU24-14W	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.562	2	6/17/2009
OptoLight	OptoLight	OP-GU24-19W	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	6/17/2009
OptoLight	OptoLight	OP-GU24-23W	N/A	Bare-spiral	GU24	CFL		1606	23.0	N/A	10000	2700	0.514	2	2/15/2010
OptoLight	OptoLight	OP-N2-23W	OP-N2-23W, OP-N2-23W2P, OP-N2-23W4P	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	2/3/2012

OptoLight	OptoLight	OP-N2-23W		Bare-Spiral	E26	CFL		1600	23	N/A	10000	2700	0.58	2	2/3/2012
OptoLight	OptoLight	OP-R2-13W	OP-R2-13W2P, OP-R2-13W4P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/8/2010
OptoLight	OptoLight	OP-R2-13W4P		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/18/2010
OptoLight	OptoLight	OP-R2-18W	OP-R2-18W2P	Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	2700		2	9/13/2010
OptoLight	OptoLight	OP-R2-19W	OP-R2-19W4P; OP-R2-19W2P	Bare-spiral	E26/24 (Medium)	CFL		1260	19	N/A	10000	2700		2	1/15/2010
OptoLight	OptoLight	OP-R2-20W	OP-R2-20W2P, OP-R2-20W4P	Bare-spiral	E26/24 (Medium)	CFL		1260	20	N/A	10000	2700		2	11/19/2010
OptoLight	OptoLight	OP-R2-23W	OP-R2-23W4P; OP-R2-23W2P	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/15/2010
OptoLight	OptoLight	OP-R30-15W		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	2700		2	10/19/2010
OptoLight	OptoLight	OP-R3-31W	OP-R3-31W2P	Bare-spiral	E26/24 (Medium)	CFL		2100	31	N/A	10000	2700		2	4/26/2011
OptoLight	OptoLight	OP-R3-32W	OP-R3-32W2P	Bare-ssiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700	0.547	2	1/17/2012
OptoLight	OptoLight	OP-R38-23W	OP-R38-23W2P	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700	0.53	2	11/19/2010
OptoLight	OptoLight	OP-R40-23W		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		2	10/19/2010
OptoLight	OptoLight	OP-T2-19W	OP-T2-19W4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	2/12/2009
Ortech Industries Inc.	Glow Brite	GU24 26W-2700K	N/A	Bare-ssiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	4/28/2011
Ortech Industries Inc.	Glow Brite	GU24 26W-5000K	N/A	Bare-spiral	GU24	CFL		1578	24.7	N/A	10000	5000	0.52	2	4/28/2011
Ortech Industries Inc.	Glow Brite	GU24 HS 26W-2700K	N/A	Bare-ssiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	4/28/2011
Ortech Industries Inc.	Glow Brite	GU24 HS 26W-5000K	N/A	Bare-spiral	GU24	CFL		1689	24.7	N/A	10000	5000	0.52	2	4/28/2011
OSRAM SYLVANIA	BUYERS CHOICE	27787	29041	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	9	8/28/2012
OSRAM SYLVANIA	BUYERS CHOICE	27787		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.62	9	8/28/2012
OSRAM SYLVANIA	BUYERS CHOICE	29678	29678	Covered reflector	E26/24 (medium)	CFL		750	16.0	N/A	8000	2700	0.9	7	10/19/2011
OSRAM SYLVANIA	BUYERS CHOICE	29678		Covered Reflector	E26	CFL		750	16.0000	N/A	8000	2700	0.9	7	10/19/2011
OSRAM SYLVANIA	BUYERS CHOICE	CF9EL/G25/RP/3PK/BUYERSCHOICE/ZJ		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	4/10/2012
OSRAM SYLVANIA	Sylvania	29036	29036	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	8000	2700	0.628	7	8/28/2012
OSRAM SYLVANIA	Sylvania	29036		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	8000	2700	0.62	7	8/28/2012
OSRAM SYLVANIA	Sylvania	29460	29460	Bare-spiral	E26/24 (medium)	CFL		1640	23.0	N/A	12000	2700	0.56	11	2/23/2012
OSRAM SYLVANIA	Sylvania	29460		Bare-Spiral	E26	CFL		1640	23.0000	N/A	12000	2700	0.56	11	2/23/2012
OSRAM SYLVANIA	Sylvania	29710	29041	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	9	8/28/2012
OSRAM SYLVANIA	Sylvania	29710	29710	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	7	8/28/2012
OSRAM SYLVANIA	Sylvania	29710		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.62	7	8/28/2012
OSRAM SYLVANIA	Sylvania	29710		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.63	9	8/28/2012
OSRAM SYLVANIA	Sylvania	29751	29751	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	7	8/28/2012
OSRAM SYLVANIA	Sylvania	29751		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.62	7	8/28/2012
OSRAM SYLVANIA	Sylvania	CE14EL/TWIST827/DIM/RP (29969)	29969	Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	3/27/2009
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/BL2/1K (26957)	26957	Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	12000	2700		11	3/11/2010
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/RP2 (29401)	29401	Bare-ssiral	E26/24 (Medium)	CFL		600	10	N/A	12000	2700		11	6/26/2009
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/RP3/1K (26944	26944	Bare-spiral	E26/24 (Medium)	CFL		600	10	N/A	10000	2700		9	5/10/2010
OSRAM SYLVANIA	Sylvania	CF10EL/MICRO/827/RP3 (27760)	27760	Bare-ssiral	E26/24 (Medium)	CFL		600	10	N/A	10000	2700		9	7/25/2011
OSRAM SYLVANIA	Sylvania	CF11EL/MINI/827/BL6/PLT/ZJ (2999	29994	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	8/10/2009
OSRAM SYLVANIA	Sylvania	CF11EL/MINI/827/BL6/ZJ (29894)	29894	Bare-ssiral	E26/24 (Medium)	CFL		660	11	N/A	10000	2700		9	5/3/2010
OSRAM SYLVANIA	Sylvania	CF11EL/MINI/830 (29378)	29378	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	8000	3000		1	7/1/2009
OSRAM SYLVANIA	Sylvania	CF11EL/MINITWIST/BL6 (29894)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	3000	0.567	7	3/25/2009
OSRAM SYLVANIA	Sylvania	CF11EL/MINITWIST/RP/6 (29891)	29891	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	8000	3000		7	7/15/2009
OSRAM SYLVANIA	Sylvania	CF11EL/MINITWIST/V1 (29378)	29378	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11.0	N/A	8000	2700		1	8/10/2007
OSRAM SYLVANIA	Sylvania	CF11EL/SUPER/827/MC/RP3 (29767	29767	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		9	7/15/2009
OSRAM SYLVANIA	Sylvania	CF11EL/SUPER/827/RP (29708)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.56	9	10/9/2007
OSRAM SYLVANIA	Sylvania	CF11EL/Super/827/RP2/CDN (20007	20007	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		9	6/24/2009
OSRAM SYLVANIA	Sylvania	CF11EL/SUPER/827/RP/ZH (26921)	26921	Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		9	4/26/2010
OSRAM SYLVANIA	Sylvania	CF11EL/SUPERMINI/T/BL (29766)	29766	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11.0	N/A	10000	3000		9	7/10/2007
OSRAM SYLVANIA	Sylvania	CF11EL/SUPERMINI/T/RP/3 (29767)	29767	Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	11.0	N/A	10000	3000		7	7/3/2007
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827	28957	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	4/29/2008
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/BL	29162	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.582	2	7/1/2009
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/BL	29162	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.582	2	7/26/2010
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/RP	29957	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.582	2	7/1/2009
OSRAM SYLVANIA	Sylvania	CF13EL/GU24/827/RP	29957	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.582	2	7/26/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/2RP (29727)	29727	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	3000	0.572	11	6/29/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL2/1K (26959)	26959	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	3/16/2010
OSRAM SYLVANIA	Svlvania	CF13EL/MICRO/827/BL4/1K (26964)	CF13EL/MICRO/827/BL4/1K (26964), CF13EL/MICRO/827/BL4/1K	Bare-ssiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	3/11/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL4 (26964)	CF13EL/MICRO/827/BL4/96/CS, CF13EL/MICRO/827/BL4/DIS 26962	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	1/19/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/BL4 (29408)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	5/19/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/BL2/1K (2694	CF13EL/MICRO/C/865/BL2/1K (26936)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700	0.555	11	6/1/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/BL2/1K (2695	CF13EL/MICRO/827/C/BL2/1K (26955), CF13EL/MICRO/827/C/BL2/1K	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	3/17/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/BL2 (27780)	27780	Bare-spiral	E12 (Candelabra)	CFL		825	13	N/A	12000	2700		11	7/25/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/C/RP2 (29734)	29734	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	8/6/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/C/BL2/1K (2	26938	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	9/30/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/C/BL2/1K (2	28935	Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	12000	2700		11	6/8/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2/1K (265	26922	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700	0.555	11	6/3/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2/1K (286	28933	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	6/8/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2 (29972	29972, 29976	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	4/14/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/LS/RP2/CDN/1K	29420	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		11	12/20/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/RP2/CDN/1K (2	29430	Bare-ssiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	6/15/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/RP3/1K (26943	26943	Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.555	9	5/28/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/827/RP3 (27761)	27761	Bare-ssiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	7/25/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/830/ECO/1K (29898	29898	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	3000	0.572	11	5/26/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/BL2/1K (26967)	26967	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	3500		11	3/12/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/C/BL2 (27781)	27781	Bare-spiral	E12 (Candelabra)	CFL		820	13	N/A	12000	3500		11	8/30/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/RP3/1K (26927	26927	Bare-ssiral	E26/24 (Medium)	CFL		820	13	N/A	10000	3500		9	8/23/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/835/RP3/CDN (2776	27762	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	10000	3500		9	7/27/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/C/827/BL2 (29759)		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		11	5/21/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MICRO/C/835/BL2/1K (2693	26932	Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	12000	3500		11	12/17/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/BL8/2M (29024)	CF13EL/MINI/827/BL8/CLUBP/AL/2M (29017)	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	4/1/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/BL8/PLT/2M (2908	29084	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.573	9	4/16/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/CVP (29149)	29149	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/29/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/CVP/YX (29120)	CF13EL/MINI/827/CVP/YX (29120)	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/29/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/MC/RP (29609)	29609	Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700	0.58	7	2/23/2007
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/MC/RP3/DIS (296	29610	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/6/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/T/RP3 (29610)	29610	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/30/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/Y/RP (29609)	29609	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700	0.63	7	3/27/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/827/Y/RP3/DIS (29610)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/2008
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/830 (29376)	29376	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		1	7/1/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/830/YX (29376)	29376	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		2	7/20/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/835/DAY/RP (29709)	29709	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		2	4/2/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/835/DAY/RP (29781)	29781	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	4/2/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINI/T/BL8 (29024)	29024	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/24/2009
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29001)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	7/31/2008
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29148)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/2008
OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29155)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/2008

OSRAM SYLVANIA	Sylvania	CF13EL/Minitwist (29631)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/31/2008
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/2/POPUP(29159)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		6	4/16/2004
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/3SOK/BL/3/10 (	29052	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		7	6/29/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/3BL (29146)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000	0.63	7	3/31/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/BLK (29098)	29098	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/BLK/4PAL (2954	29544	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWISTFD/BL2/2M (29(	29036	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	5/18/2010
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWISTFD/BL2/YX (29(	29036	Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/27/2011
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/RP/8/CLUBPALLET (29000)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		7	3/26/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/T/827BL/2 (290	29036	Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		5	4/10/2006
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/V6/60 (29653)	29653	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3000		7	7/9/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/VDAY/BL/1 (29-	29433	Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		7	8/10/2007
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/Y/BL/1 (29432)	29432	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	7/7/2009
OSRAM SYLVANIA	Sylvania	CF13EL/MINITWIST/Y/DAY/BL/1 (29-	29433	Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3500		7	11/7/2005
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/CVP/CDN (2962	29627	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/16/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP2 (29529)	29529	Bare-ssiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	8/25/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP (29529)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	5/29/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP (29710)	29710; CF13EL/MINI/827/RP/DISS0 29751	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	3/7/2011
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP2/CDN (2001	20010	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/16/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP/2M (29710)	29710	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	6/7/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/2M (29041	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	10/1/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/BL (29041	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	7/13/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/VV (29041	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	1/26/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP3/YX (29041	29041	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	6/27/2011
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP4/CDN (2001	20011	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/16/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP6/CDN/ZJ (2	20012	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	6/29/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP7	29095	Bare-ssiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		2	6/25/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP7 (28999)	28999	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	10/7/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP7 (29095)	29095	Bare-ssiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		2	6/25/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/RP/ZH (26912)	26912	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	6/4/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/827/T/RP3/ZH (290	29041	Bare-ssiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700		9	6/17/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/830/RP4/CDN (29770)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	12/19/2007
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/DAY/RP3/YX (2	29780	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	6/29/2011
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/DAY/RP3/ZJ (2	29780	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	4/5/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/RP2/CDN/ZJ (2	20013	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500		9	5/3/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/RP4/CDN/ZJ (2	20014	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500	0.595	9	6/3/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/835/RP/ZJ (26916)	26916	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500	0.595	9	6/1/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/865/RP/ZJ (26918)	26918	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500	0.632	9	12/30/2010
OSRAM SYLVANIA	Sylvania	CF13EL/SUPERMINI/BL/CDN/6/60 (2	29604	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3000		9	6/29/2009
OSRAM SYLVANIA	Sylvania	CF13EL/SUPERMINI/CVP/12PK (29627)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	3000	0.61	9	4/9/2008
OSRAM SYLVANIA	Sylvania	CF13EL/SUPERMINI/DAY/V/2/CDN (27240)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	3500		7	1/28/2008
OSRAM SYLVANIA	Sylvania	CF13EL/SUPER/T827/RP (29710)		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700	0.56	2	6/5/2009
OSRAM SYLVANIA	Sylvania	CF13EL/TWIST/FO/BL (29096)	29096	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	9/30/2009
OSRAM SYLVANIA	Sylvania	CF14EL/A19/2PK (29519)		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	3000		7	11/7/2005
OSRAM SYLVANIA	Sylvania	CF14EL/A19/3K/V1/BL (29485)	29485	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		7	8/10/2007
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/BL (29485)	29485	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/30/2009
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/FD/BL/ZJ (28994)	28994	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/18/2010
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/CDN/ZJ	27800	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/30/2012
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZH (28961)	28961	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/22/2011
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZH (29680)	29680	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/22/2011
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZJ (28961)	28961	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.602	7	6/3/2010
OSRAM SYLVANIA	Sylvania	CF14EL/A19/827/RP/ZJ (29680)	29680	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/16/2010
OSRAM SYLVANIA	Sylvania	CF14EL/A19/830/ZJ (29468)	29468	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		1	6/15/2010
OSRAM SYLVANIA	Sylvania	CF14EL/A19/BL/3 (20106)		Covered A-line	E26/24 (Medium)	CFL		700	14	N/A	8000	3000		7	10/9/2007
OSRAM SYLVANIA	Sylvania	CF14EL/A19/BL3 (20106)	20106; CF14EL/A19/827/BL3/ZJ (20108)	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/15/2009
OSRAM SYLVANIA	Sylvania	CF14EL/A19/SUPER/830 (29680)		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		7	10/23/2007
OSRAM SYLVANIA	Sylvania	CF14EL/A19/SUPER/830 (29680)		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000		7	11/15/2007
OSRAM SYLVANIA	Sylvania	CF14EL/G25/827/BL/ZH (28977)	28977	Covered globe	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		7	7/9/2010
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/BL (29587)	29587	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	6/30/2009
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/BL/ZH (29562)	29562	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	7/25/2011
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/DIM/RP (28998)	28998	Covered reflector	E26/24 (Medium)	CFL	Dimmable	500	14	N/A	8000	2700		2	6/26/2009
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/RP (29595)		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		2	4/2/2009
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/RP/CDN/ZJ (27807		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700	0.54	7	4/30/2012
OSRAM SYLVANIA	Sylvania	CF14EL/R20/827/RP/ZJ (29760)	29760	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	7/9/2010
OSRAM SYLVANIA	Sylvania	CF14EL/R20/830 (29634)		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	3000		1	4/2/2009
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL/1 (29587)	29587	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL (29562\		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	12/21/2007
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL2/DISPLAY (29572)	29572	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL2/DISPLAY/CDN (2(	29448	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL/4 (29774)	29774	Covered reflector	E26/24 (Medium)	CFL		495	14.0	N/A	8000	3000		7	7/21/2007
OSRAM SYLVANIA	Sylvania	CF14EL/R20/BL4 (29774)	29774, 29457 CF14EL/TWIST/827/DIM/BL/NC (26900)	Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	9/30/2009
OSRAM SYLVANIA	Sylvania	CF14EL/TWIST/827/DIM/BL/NC (269		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		7	3/19/2010
OSRAM SYLVANIA	Sylvania	CF14EL/TWIST/DIM/827/BL (29454\		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	4/30/2009
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/DIM (29496, 29761)		Covered reflector	E26/24 (Medium)	CFL		600	15	N/A	6000	3000		5	10/9/2007
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/DIM/3000K (29761)		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	6000	3000		5	4/14/2009
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/DIM/830 (29496)		Covered reflector	E26/24 (Medium)	CFL	Dimmable	600	15	N/A	6000	3000		5	6/12/2009
OSRAM SYLVANIA	Sylvania	CF15EL/BR30/MC/27614\	CF15EL/BR30/MC(27614)	Covered reflector	E26/24 (Medium)	CFL		560	15	N/A	6000	3000		5	9/10/2007
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/1BL/6 (29565)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	11/2/2005
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/1BL/CDN/6/CS (29447)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	2/5/2006
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/2700K (29591)	29591	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		1	4/10/2006
OSRAM SYLVANIA	Sylvania	CF16EL/BR30 (29590)	29590	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		1	7/8/2009
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/BL (29440)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	5/15/2009
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/BL3/PLT (29998)	29998, inner SKU 29773	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	8/26/2009
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/BL3/ZJ (29998)	29998	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	4/16/2010
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/DIS/CDN/ZJ	27809	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		2	4/30/2012
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/RP (29566)	29566	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	4/29/2009
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/827/RP/ZJ (28972)	28972	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700	0.552	7	6/4/2010
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/830/BL (29440)	29440	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	7/8/2009
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/830/DIS (29293)	29293	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	7/8/2009
OSRAM SYLVANIA	Sylvania	CF16EL/BR30/BL3 (29773)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	5/15/2009
OSRAM SYLVANIA	Sylvania	CF19EL/MINI/827/BL6/PLT/YX		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	6/21/2012
OSRAM SYLVANIA	Sylvania	CF19EL/MINI/830/RP/6 (29639)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3000		7	5/19/2009
OSRAM SYLVANIA	Sylvania	CF19EL/MINI/BL6/PLT/ZJ	29996	Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		2	6/21/2012
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/1PK/RP/ZJ (296	29611	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	2700		7	6/17/2010
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/MC/1PK/RP (29	29611	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	8000	3000		7	2/5/2006
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/MC/BL/1 (29347	29347	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3000		7	7/6/2009
OSRAM SYLVANIA	Sylvania	CF19EL/MINITWIST/V/4/40 (29655)	29655	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	3000		7	2/23/2007
OSRAM SYLVANIA	Sylvania	CF19EL/SUPER/827/RP/ZH (26913)	26913	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		9	4/30/2010
OSRAM SYLVANIA	Sylvania	CF19EL/SUPER/827/Y/RP (29726)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	6/16/2009

OSRAM SYLVANIA	Sylvania	CF19EL/SUPER/830 (29693)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000			9	11/15/2007
OSRAM SYLVANIA	Sylvania	CF20/BR40/3000		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	3000			7	7/13/2009
OSRAM SYLVANIA	Sylvania	CF20EL/BR40/RP (29740)		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	3000			7	7/13/2009
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/2RP (29728)	29728	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	3000			11	6/29/2009
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/BL2/1K (26960)	26960	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700			11	3/19/2010
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP2/1K (26924	26924	Bare-spiral	E26/24 (Medium)	CFL		1355	20	N/A	15000	2700			13	6/24/2010
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP2 (29728)	29728	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700	0.52		11	5/25/2007
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP2/CDN/1K (2	29459	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	12000	2700			11	10/18/2010
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP3/1K (26925	26925	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700	0.5175		9	6/1/2010
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/827/RP3 (27764)	27764	Bare-spiral	E26/24 (Medium)	CFL		1280	20	N/A	10000	2700			9	7/25/2011
OSRAM SYLVANIA	Sylvania	CF20EL/MICRO/830/ECO/1K (29899	29899	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	3000			11	7/9/2010
OSRAM SYLVANIA	Sylvania	CF23BR40/3000	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000	0.564		7	1/20/2010
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/BL3 (29463)	29463	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700			7	7/7/2009
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/827/RP/2J (26915)	26915	Covered reflector	E26/24 (Medium)	CFL		1225	23	N/A	8000	2700			7	8/26/2010
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/830/BL (29706)		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700			7	12/21/2007
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL/1 (29442)	29442	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000			7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL/3 (29772)	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	3000			7	1/20/2010
OSRAM SYLVANIA	Sylvania	CF23EL/BR40/BL3/ZH (29772)	29772	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700			7	7/25/2011
OSRAM SYLVANIA	Sylvania	CF23EL/GU24/827/BL	29163	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.566		2	7/1/2009
OSRAM SYLVANIA	Sylvania	CF23EL/GU24/827/BL	29163	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.566		2	7/26/2010
OSRAM SYLVANIA	Sylvania	CF23EL/GU24/827/RP	29172	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.566		2	7/1/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/BL2/1K (26958	26958	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700			11	3/12/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/BL4/1K (26963)	CF23EL/MICRO/827/BL4/1K (26963), CF23EL/MICRO/827/BL4/1K	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700			11	3/12/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP2/1K (26939	26939	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	15000	2700			13	6/24/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP2 (29729)	CF23EL/MICRO/827/RP2/WING (29729)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700			11	4/9/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP3/1K (28976	28976	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	4/16/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP3 (27767)	27767	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			2	7/25/2011
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/827/RP3 (27768)	27768	Bare-spiral	E26/24 (Medium)	CFL		1630	23	N/A	10000	3500			9	7/25/2011
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/835/BL2/1K (26961)	26961	Bare-spiral	E26/24 (Medium)	CFL		1630	23	N/A	12000	3500			11	3/16/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/835/RP3/1K (26928	26928	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1630	23	N/A	10000	3500			9	8/23/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/C/827/BL2/1K (2690	26904	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700			11	6/27/2011
OSRAM SYLVANIA	Sylvania	CF23EL/MICRO/C/827/BL2/1K (2690	26906	Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700			11	9/14/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/2RP (29729)	29729	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	3000			11	6/29/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827 (29397)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700			1	6/16/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL (29673)	29673	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700			7	9/18/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL/2M (29673)	29673	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700			7	4/26/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL6/2M (29490)	29490	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	4/7/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL6/2M (29997)	29997	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	5/10/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL6/ZH (29997)	29997	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	7/25/2011
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/BL/ZH (29673)	29673	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700			7	4/26/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/CVP (29614)	29614	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700			7	10/16/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/D/CVP (29614-2)	CF23EL/MINI/827/D/CVP	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	4/24/2009
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/ECO/N2/12 (29400)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	3000			7	3/28/2008
OSRAM SYLVANIA	Sylvania	CF23EL/MINI/827/TRP/2H (29612)	29612	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700			7	6/17/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINITWIST/T/3PK/RP/ZH (2	29613	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700	0.558		7	6/3/2010
OSRAM SYLVANIA	Sylvania	CF23EL/MINITWIST/V4/4/0 (29657)	29657	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000			7	2/23/2007
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/BL1/ZH (29625)	29625	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700			7	7/25/2011
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/BL3/PLT (2945	29456	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700			7	10/7/2009
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/RP (29597)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700			7	6/4/2009
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/RP/CDN/ZJ	27811	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700			2	4/30/2012
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/827/RP/ZJ	28956	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700			2	4/16/2012
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/830 (29635)	29635	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000			1	7/6/2009
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL/1 (29625)	29625	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000			1	7/6/2009
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL/1/CDN (29488)	29488	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000			7	4/10/2006
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/BL3 (29652)	29652	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000			7	7/20/2009
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/CL/PALLET (29776)	CF23EL/PAR38/CL/PALLET (29776), CF23EL/PAR38/CL/PALLET (29990)	Covered reflector	E26/24 (Medium)	CFL		1240	23	N/A	8000	3000			7	7/20/2007
OSRAM SYLVANIA	Sylvania	CF23EL/PAR38/Y/2700K (29359)	29359	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700			1	6/27/2007
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP2/CDN (2002	20020	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	7/2/2009
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP2/CDN/ZJ (2	20020	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	7/6/2010
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP3 (29694)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	6/16/2009
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP4/CDN (2002	20021	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700			9	7/2/2009
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP/Y (29712)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56		5	5/18/2009
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/827/RP/ZH (26914)	26914	Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	2700	0.558		9	6/4/2010
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/830 (29712)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000			9	10/9/2007
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835 (29723)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500			9	10/18/2007
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/MC/RP (2	29784	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500			9	6/29/2009
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/RP (29784)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.55		2	4/18/2008
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/RP4/CDN	20023	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500			9	8/8/2010
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/DAY/YRP (297	29784	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500			9	6/29/2009
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/RP (29723)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.576		9	4/18/2008
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/RP2/CDN (2002	20022	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500			9	6/7/2010
OSRAM SYLVANIA	Sylvania	CF23EL/SUPER/835/RP/ZJ (26917)	26917	Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	3500	0.561		9	6/4/2010
OSRAM SYLVANIA	Sylvania	CF23EL/SUPERMINI/3500K (29714)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500			9	4/5/2008
OSRAM SYLVANIA	Sylvania	CF23EL/SUPERMINI/Y/RP/3 (29694)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000			9	6/16/2009
OSRAM SYLVANIA	Sylvania	CF24EL/TWIST/827/DIM/RP (29968)		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1500	24	N/A	8000	2700			7	6/16/2009
OSRAM SYLVANIA	Sylvania	CF24EL/TWIST/DIM/827/BL (29453)		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	24	N/A	8000	2700			2	4/30/2009
OSRAM SYLVANIA	Sylvania	CF28EL/3WAY/TWIST/830 (29168)		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000			5	10/23/2007
OSRAM SYLVANIA	Sylvania	CF28EL/3WAY/TWIST/BL/2/830 (29	29763	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000			5	8/10/2007
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/827/RP/1K (28967)	28967	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.528		2	6/3/2010
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/827/RP/1K (29792)	29792	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700			9	5/10/2010
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/827/RP/CDN/1K	27834	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700			9	4/30/2012
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/830 (29395)	29395	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	3000			1	7/8/2009
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/830 (29792)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2000	30	N/A	6000	3000			5	10/10/2007
OSRAM SYLVANIA	Sylvania	CF30EL/TWIST/835/DAY/RP (29793	29793	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	3500			9	9/28/2009
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/1K (29747)	29747	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700			9	6/21/2011
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/BL3/1K (26945)	26945	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700			9	4/13/2010
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/BL3/1K (29471)	29471	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700			9	5/18/2010
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/827/RP (29913)		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Three Way	2000	N/A	12/22/33	10000	2700			9	5/21/2009
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/830/RP/1K (29913)	29913	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	3000			9	6/21/2010
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/830/RP/CDN/1K	27855	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/23/33	10000	3000			2	4/30/2012
OSRAM SYLVANIA	Sylvania	CF33EL/3WAY/TWIST/827/BL/1K (2	28973	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700			9	4/5/2010
OSRAM SYLVANIA	Sylvania	CF40ET/TWIST/827/BL/1K (26951)	26951	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700			9	3/10/2010
OSRAM SYLVANIA	Sylvania	CF40ET/TWIST/827/BL (29481)	29481	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700			9	9/30/2009
OSRAM SYLVANIA	Sylvania	CF40ET/TWIST/827/RP	27836	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700			2	4/18/2012
OSRAM SYLVANIA	Sylvania	CF40ET/TWIST/827/RP/1K (28965)	28965	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700	0.553		9	6/1/2010
OSRAM SYLVANIA	Sylvania	CF40ET/TWIST/827/RP (29786)	29786	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700			9	10/1/2009
OSRAM SYLVANIA	Sylvania	CF40ET/TWIST/827/RP/CDN/1K	27836	Bare-spiral	E26/24 (Medium)	CFL		2720	40	N/A	10000	2700			2	4/30/2012
OSRAM SYLVANIA	Sylvania	CF40EL/TWIST/830 (29786)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2600	40	N/A	6000	3000			5	10/10/2007

OSRAM SYLVANIA	Sylvania	CF4EL/SUPER/827/RP (29733)	29733	Bare-spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		7	6/25/2009
OSRAM SYLVANIA	Sylvania	CF9ELIA15/827/BL2/ZJ	29791, 28963	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		1	4/17/2012
OSRAM SYLVANIA	Sylvania	CF9EL/A15/827/RP2 (29546)		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	3/30/2009
OSRAM SYLVANIA	Sylvania	CF9EL/A15/827/RP2/CDN/ZJ	27814	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/30/2012
OSRAM SYLVANIA	Sylvania	CF9EL/FAN2BL (29526)	29526	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	7/7/2009
OSRAM SYLVANIA	Sylvania	CF9EL/G25/3K/1/BL (29495)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	3000		7	6/16/2009
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL2 (29528)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700	0.608	7	5/15/2009
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL (29474)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700	0.608	7	5/15/2009
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL/ZH (28959)	28959	Covered globe	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		7	5/18/2010
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/BL/ZJ	28959	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	4/9/2012
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/ZH (29414)	29414	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	4/8/2011
OSRAM SYLVANIA	Sylvania	CF9EL/G25/827/ZJ	29414	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	4/10/2012
OSRAM SYLVANIA	Sylvania	CF9EL/G25/830/BL (29474)		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	12/21/2007
OSRAM SYLVANIA	Sylvania	CF9EL/G25/BL/3 (29616)	CF9ELG25/BL3/CL/PALLET/ZJ 29732	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	3000		7	10/9/2007
OSRAM SYLVANIA	Sylvania	CFL13EL/MINITWIST FD/BL/2/YX	29036	Bare-spiral	E26/24 (Medium)	CFL		875	13	N/A	8000	2700		2	5/15/2012
OSRAM SYLVANIA	Sylvania	LED10PAR20/DIM/P/930/FL30	78748	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	541	10.717	N/A	50000	3000	0.97	5	9/26/2012
OSRAM SYLVANIA	Sylvania	LED10PAR20/DIM/P/930/FL30/CDN	78770	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	541	10.717	N/A	50000	3000	0.97	5	9/26/2012
OSRAM SYLVANIA	Sylvania	LED10PAR20/DIM/P/930/FL30/HVP	78752	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	541	10.717	N/A	50000	3000	0.97	5	9/26/2012
OSRAM SYLVANIA	Sylvania	LED10PAR20/DIM/P/930/FL30/HVP	78830	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	541	10.717	N/A	50000	3000	0.97	5	9/26/2012
OSRAM SYLVANIA	Sylvania	LED10PAR20/DIM/P/930/FL30/HVP/H	78843	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	541	10.717	N/A	50000	3000	0.97	5	9/26/2012
OSRAM SYLVANIA	Sylvania	LED10PAR20/GU24/DIM/P/930/FL30	78744	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	541	10.717	N/A	50000	3000	0.97	5	9/26/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/827/NFL25	78663	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	550	10.1	N/A	50000	2700	0.8	3	8/31/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/827/SP10	78662	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	573	10.17	N/A	50000	2700	0.8	3	8/29/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/827/WSP15	78576	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	572	10.1	N/A	50000	2700	0.8	3	3/12/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/830/NFL25	78666; 78725	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	591	10.0	N/A	50000	3000	0.8	3	3/13/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/830/NFL25/HV	78666; 78725	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	591	10.0	N/A	50000	3000	0.8	3	3/13/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/830/SP10	78664	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	576	10.2	N/A	50000	3000	0.8	3	3/12/2012
OSRAM SYLVANIA	Sylvania	LED10PAR30/DIM/SG/830/WSP15	78665	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	570	10.2	N/A	50000	2700	0.8	3	3/13/2012
OSRAM SYLVANIA	Sylvania	LED10PAR38/SG/830/WSP15	78735	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		667	9.63	N/A	50000	3000	0.88	3	3/8/2012
OSRAM SYLVANIA	Sylvania	LED12A19/DIM/O/827	78907	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	895	11.301	N/A	25000	2700	0.949	3	10/16/2012
OSRAM SYLVANIA	Sylvania	LED12A19/DIM/O/827/HVP	72976	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	895	11.301	N/A	25000	2700	0.949	3	10/16/2012
OSRAM SYLVANIA	Sylvania	LED12A19/DIM/O/827/HVP	78908	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	895	11.301	N/A	25000	2700	0.949	3	10/16/2012
OSRAM SYLVANIA	Sylvania	LED12A19/DIM/O/827/HVP/C	78910	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	895	11.301	N/A	25000	2700	0.949	3	10/16/2012
OSRAM SYLVANIA	Sylvania	LED12A19/DIM/O/827/HVP/CDN	78949	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	895	11.301	N/A	25000	2700	0.949	3	10/16/2012
OSRAM SYLVANIA	Sylvania	LED12A19/DIM/O/827/HVP/LW	78909	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	895	11.301	N/A	25000	2700	0.949	3	10/16/2012
OSRAM SYLVANIA	Sylvania	LED12BR30/DIM/827	78917	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	647	11.777	N/A	25000	2700	0.74	3	11/9/2012
OSRAM SYLVANIA	Sylvania	LED12BR30/DIM/827/HVP	78918	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	647	11.777	N/A	25000	2700	0.74	3	11/9/2012
OSRAM SYLVANIA	Sylvania	LED14B30/DIM/827/NS	78809	Non-Standard	E26/24 (Medium)	LED	Dimmable	815	14.0	N/A	25000	2700	0.791	3	7/20/2012
OSRAM SYLVANIA	Sylvania	LED14B30/DIM/827/NS/HVP	78824	Non-Standard	E26/24 (Medium)	LED	Dimmable	815	14.0	N/A	25000	2700	0.791	3	9/11/2012
OSRAM SYLVANIA	Sylvania	LED14B30/DIM/827/NS/HVP	78847	Non-Standard	E26/24 (Medium)	LED	Dimmable	815	14.0	N/A	25000	2700	0.791	3	8/24/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40	78747	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	50000	3000	0.806	5	5/18/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40	78773	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	25000	3000	0.806	5	12/21/2011
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40/CDN	78769	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	50000	3000	0.806	5	5/18/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40/HVP	78751	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	50000	3000	0.806	5	5/18/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40/HVP	78829	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	50000	3000	0.806	5	5/18/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30/DIM/P/930/FL40/HVP/H	78842	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	844	15.066	N/A	50000	3000	0.806	5	5/18/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30/GU24/DIM/P/930/FL40	78743	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	844	15.066	N/A	50000	3000	0.806	5	5/18/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM/827/FL40	78656;78655	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	712	14.68	N/A	25000	2700	0.8	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM827/NFL25	78656;78655	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	712	14.68	N/A	25000	2700	0.8	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM830/FL40	78639	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	721	15.23	N/A	50000	3000	0.774	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM830/NFL25	78638	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.802	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM830/NFL25/HVI	78494	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.802	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM830/NFL25/HVI	78494	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	744	14.74	N/A	25000	3000	0.802	3	10/22/2010
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM830/NFL25/HVI	78777	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.802	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED15PAR30L/NDIM830/NFL25/HVI	78739	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	675	14.69	N/A	50000	3000	0.802	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/827/SP10	78718	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	811	15.1	N/A	50000	2700	0.9	3	3/12/2012
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/827/WSP15	78719	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		789	15.11	N/A	50000	2700	0.9	3	5/4/2012
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/SP10	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	50000	3000	0.88	3	6/5/2012
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/SP10/HVP	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	50000	3000	0.88	3	6/5/2012
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/WSP12	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	50000	3000	0.88	3	6/5/2012
OSRAM SYLVANIA	Sylvania	LED15PAR38/SG/830/WSP15	78726;78796;78498;78795	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		786	14.9	N/A	50000	3000	0.88	3	6/5/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/FL40	78758	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	835	16.518	N/A	50000	3000	0.723	5	11/27/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/NFL25	78746	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/NFL25	78772	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/NFL25/C	78768	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/NFL25/H	78750	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/NFL25/H	78828	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/NDIM/P/930/NFL25/H	78841	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED17PAR30L/N/GU24/DIM/P/930/NF	78742	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	943	16.16	N/A	50000	3000	0.753	5	3/9/2012
OSRAM SYLVANIA	Sylvania	LED18BR40/DIM/827	78810	Non - Standard	E26/24 (Medium)	LED	Dimmable	1067	17.52	N/A	25000	2700	0.748	3	9/11/2012
OSRAM SYLVANIA	Sylvania	LED18BR40/DIM/827/HVP	78825	Non - Standard	E26/24 (Medium)	LED	Dimmable	1067	17.52	N/A	25000	2700	0.748	3	10/17/2012
OSRAM SYLVANIA	Sylvania	LED18BR40/DIM/827/HVP	78848	Non - Standard	E26/24 (Medium)	LED	Dimmable	1067	17.52	N/A	25000	2700	0.748	3	9/11/2012
OSRAM SYLVANIA	Sylvania	LED18PAR30L/NDIM830/NFL25	78804	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	995	18.0	N/A	25000	3000	0.7	3	4/10/2012
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/827/FL40	78658	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	868	18.25	N/A	25000	2700	0.7	3	8/1/2011
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/827/FL40/HVP	78729	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	868	18.25	N/A	25000	2700	0.7	3	8/1/2011
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/827/NFL25	78657	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	885	18.43	N/A	25000	2700	0.8	3	8/1/2011
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/FL40-2	78641	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	891	18.0	N/A	50000	3000	0.778	3	9/19/2012
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25	78640	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.748	3	2/2/2011

OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25/HVP	78495	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.748	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25/HVP	78778	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.748	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/830/NFL25HVPC	78740	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	911	18.86	N/A	50000	3000	0.748	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED18PAR38/DIM/840/FL40	78761	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	964	18.0	N/A	50000	4100	0.7	3	7/16/2012
OSRAM SYLVANIA	Sylvania	LED21PAR38/DIMP/930/FL30	78745	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1164	20.213	N/A	50000	3000	0.744	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED21PAR38/DIMP/930/FL30/CD	78767	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1164	20.213	N/A	50000	3000	0.744	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED21PAR38/DIMP/930/FL30/HVP	78749	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1164	20.213	N/A	50000	3000	0.744	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED21PAR38/DIMP/930/FL30/HVP	78827	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1164	20.213	N/A	50000	3000	0.744	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED21PAR38/DIMP/930/FL30/HVP/I	78840	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1164	20.213	N/A	50000	3000	0.744	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED21PAR38/GU24/DIM/P/930/FL30	78741	PAR - Parabolic Aluminum Reflector	GU24	LED	Dimmable	1164	20.213	N/A	50000	3000	0.744	5	5/17/2012
OSRAM SYLVANIA	Sylvania	LED4B10/BENT/DIM/827	78889	B - Bulged	E26/24 (Medium)	LED	Dimmable	201	4.2	N/A	15000	2700	0.91	3	11/15/2012
OSRAM SYLVANIA	Sylvania	LED4B10/BLUNT/DIM/827	78890	B - Bulged	E26/24 (Medium)	LED	Dimmable	201	4.2	N/A	15000	2700	0.91	3	11/15/2012
OSRAM SYLVANIA	Sylvania	LED4B10C/BENT/DIM/827	78811	B - Bulged	E12 (Candelabra)	LED	Dimmable	201	4.2	N/A	15000	2700	0.91	3	11/15/2012
OSRAM SYLVANIA	Sylvania	LED4B10C/BLUNT/DIM/827	78812	B - Bulged	E12 (Candelabra)	LED	Dimmable	201	4.2	N/A	15000	2700	0.91	3	11/15/2012
OSRAM SYLVANIA	Sylvania	LED4B10C/BLUNT/DIM/827/HVP	78891	B - Bulged	E12 (Candelabra)	LED	Dimmable	201	4.2	N/A	15000	2700	0.91	3	11/15/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/830/FL30	78831	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		319	5.3	N/A	50000	3000	0.778	3	3/6/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/830/FL30/HVP	78832	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		319	5.3	N/A	50000	3000	0.778	3	8/31/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/830/FL30/HVP	78833	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		319	5.3	N/A	50000	3000	0.778	3	3/6/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/830/FL30/HVP	78857	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		319	5.3	N/A	50000	3000	0.778	3	9/14/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/GU10/830/IFL30	78834	Non-standard	GU10	LED		319	5.3	N/A	50000	3000	0.778	3	3/6/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/GU10/830/IFL30/HVP	78836	Non-standard	GU10	LED		319	5.3	N/A	50000	3000	0.778	3	3/6/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/GU10/830/IFL30/HVP	78835	Non-standard	GU10	LED		319	5.3	N/A	25000	3000	0.778	3	9/14/2012
OSRAM SYLVANIA	Sylvania	LED5.5PAR16/GU10/830/IFL30/HVP	78856	Non-standard	GU10	LED		319	5.3	N/A	25000	3000	0.778	3	9/14/2012
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/827/FL36	78652;78730	MR - Multifaceted reflector	E26/24 (Medium)	LED		230	5.54	N/A	35000	2700	1	3	3/13/2012
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/827/FL36/HVP	78652;78730	MR - Multifaceted reflector	E26/24 (Medium)	LED		230	5.54	N/A	35000	2700	1	3	3/13/2012
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/FL36	78635	MR - Multifaceted reflector	GU5.3	LED	Dimmable	271	5.87	N/A	35000	3000	1	3	2/25/2011
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25	78634	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25/HVP	78492	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25/HVP	78775	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED6MR16/DIM/830/NFL25/HVP	78855	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.74	N/A	35000	3000	1	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8A19/DIM/O/827	78935	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	487	7.946	N/A	25000	2700	0.958	3	11/9/2012
OSRAM SYLVANIA	Sylvania	LED8A19/DIM/O/827/HVP	78936	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	487	7.946	N/A	25000	2700	0.958	3	11/9/2012
OSRAM SYLVANIA	Sylvania	LED8A19/DIM/O/827/HVP	78937	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	487	7.946	N/A	25000	2700	0.958	3	11/9/2012
OSRAM SYLVANIA	Sylvania	LED8A19/DIM/O/827/HVP/CDN	78948	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	487	7.946	N/A	25000	2700	0.958	3	11/9/2012
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/827/HVP	78732	G - Globe	E26/24 (Medium)	LED	Dimmable	417	7.77	N/A	25000	2700	0.934	3	10/17/2012
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/827	78661	G - Globe	E26/24 (Medium)	LED	Dimmable	444	8.0	N/A	15000	2700	0.953	3	3/5/2012
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/827/HVP	78651	G - Globe	E26/24 (Medium)	LED	Dimmable	444	8.0	N/A	15000	2700	0.953	3	3/5/2012
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830	78643	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.946	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVP	78559	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.946	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVP	78780	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.946	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVP	78858	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.946	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8G25/DIM/F/830/HVPC	78736	G - Globe	E26/24 (Medium)	LED	Dimmable	443	8.26	N/A	50000	3000	0.946	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/827/FL36	78654;78727	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	346	8.0	N/A	25000	2700	0.9	3	8/30/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/827/FL36/HVP	78654;78727	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	346	8.0	N/A	25000	2700	0.9	3	8/30/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/830/FL36	78637	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	334	8.3	N/A	50000	3000	0.941	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8/PAR20/DIM/830/NFL25	78636	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	341	8.1	N/A	50000	3000	0.921	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/830/NFL25/HVP	78493	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	341	8.1	N/A	50000	3000	0.921	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/830/NFL25/HVP	78776	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	341	8.1	N/A	50000	3000	0.921	3	2/2/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H830/FL36	78803	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	407	8.12	N/A	25000	3000	0.967	3	10/27/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H830/FL36/HVP	78817	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	407	8.12	N/A	25000	3000	0.967	3	11/18/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H830/FL36/HVP	78838	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	407	8.12	N/A	25000	3000	0.967	3	10/27/2011
OSRAM SYLVANIA	Sylvania	LED8PAR20/DIM/H830/NFL25	78802	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	409	8.12	N/A	25000	3000	0.967	3	10/27/2011
OSRAM SYLVANIA	Sylvania DULUX EL	CF11EL/MINITWIST (29891)	29891	Bare-spiral	E26/24 (Medium)	CFL		600	11	N/A	8000	2700		7	4/4/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MICROMINI/2RP (29727)	29727	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13.0	N/A	12000	2700		11	5/25/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/1/MC/BL/CDN (2	CF13EL/MINITWIST/MC/BL/2/CDN (27580), CF13EL/MINITWIST/MC/BL/3/CDN (27582)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		6	4/16/2004
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/2/12 (29031)	29031 (2-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	2/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST (29120)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		7	12/2/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST (29148)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	2/5/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST3/Y/BL (29146)	29146 (3-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/BL/B/CLUB (290	29001	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	4/10/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/BL/B/CLUB (290	29024	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000	0.63	7	5/12/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/DAY 72/CS 3/SKU	(29067)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3500		7	2/5/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/DAY/BL/3 (29004)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3500		7	12/10/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWISTPRCLUB (29000	29000 (8-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	3000		7	2/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/T/1 (29376)	29376	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		1	6/2/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/MINITWIST/Y/BL/1 (29116)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		7	4/2/2002
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/1/BL/10 (29449)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		9	8/30/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/3500K/BL (297	29713	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	3500		9	4/28/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/BL/CDN (29602	29602	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	3000		7	2/6/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/DAY/1BL (29464)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		9	5/26/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF13EL/SUPERMINI/V/1BL (29524)	29524	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		9	11/7/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF14EL/A19/3K/1BL (29485)		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	3000		7	6/13/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF14EL/MINI/1/BL (20482)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14.0	N/A	10000	3000		7	6/13/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30 (29475)	29475 (3-pack)	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	2/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30/2BL/CDN 12/CS (29446)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	2/5/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30/2PK/12 (29589)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	11/2/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF16EL/BR30/827/CVP (29573)		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	2/5/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF19EL/SUPERMINI/Y/BL (29689)	29689	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	3000		9	6/12/2009
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MICROMINI/2RP (29729)	29729	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	2700		11	5/30/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/3500/BL/1/5 (29	29661	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3500		7	4/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/BL/6/CLUB (294	29490	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3000	0.609	7	5/12/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/DAY/BL/1 (2941	29417	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3500		6	10/19/2004
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/MC/1PK/RP (29	29612	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000		5	2/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/MINITWIST/MC/3PK/RP (29	29613	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000		7	3/1/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/PAR38/3 (29652)	29652	Covered reflector	E26/24 (Medium)	CFL		950	23	N/A	8000	2700		7	2/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/PAR38/BL/1 (29586)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		7	12/2/2005

OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/PAR38/BL/2/12 (29569)	29569	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		7	8/30/2006
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/SUPERMINI/BL (29692)	29692	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	3000		6	4/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23EL/SUPERMINI/IR/3 (29694)	29694	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		9	4/11/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF23WELMINITWISTCLIB (29492	29492 (6-pack)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	3000	0.609	7	2/23/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/830/BL/1 (29349)		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		5	3/1/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/TWIST/1/BL (29698)	29698	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		5	6/29/2007
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/TWIST/2700K (29523)		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	2700		1	11/7/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF28EL/3WAY/TWIST/830/BL/1 (29351)		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	3000		2	3/1/2005
OSRAM SYLVANIA	Sylvania DULUX EL	CF30EL/TWIST/2700K (29415)	29415	Bare-spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700		1	3/24/2004
OSRAM SYLVANIA	Sylvania DULUX EL	CF9EL/FAN2BL (29526)	29526	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	3000		7	11/2/2005
Overdrive Electronics PVT. LTD.	Overdrive	502	502	Non-standard	E26/24 (Medium)	LED	Dimmable	472	8.0	N/A	25000	3000	0.728	3	4/13/2012
Overdrive Electronics PVT. LTD.	Overdrive	504	504	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	717	13.0	N/A	25000	3000	0.773	3	6/20/2012
Overdrive Electronics PVT. LTD.	Overdrive	505	505	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1216	20.0	N/A	25000	3000	0.781	3	6/20/2012
Overdrive Electronics PVT. LTD.	Overdrive	L8PAR20DIM/NFL/30K	L8PAR20DIM/NFL/30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	8.0	N/A	25000	3000	0.727	5	9/18/2012
Pacific Coast Lighting	Tesler	HCS13WW/PCL	K7795	Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.559	2	1/8/2010
Pacific Coast Lighting	Tesler	MLM25SWW/PCL	K7793	Bare-spiral	E26/24 (Medium)	CFL		1800	25	N/A	10000	2700	0.55	2	12/18/2009
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-GU10-4W	PL-GU10-4W	Non-standard	GU10	LED	Dimmable	227	3.82	N/A	25000	3000	0.908	5	11/5/2012
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-MR16-5W-V25	PL-MR16-5W-V25	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	11/5/2012
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-MR16-5W-V40	PL-MR16-5W-V40	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	11/5/2012
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-PAR30-10W-V25	PL-PAR30-10W-V25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	11/5/2012
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-PAR30-10W-V40	PL-PAR30-10W-V40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	11/5/2012
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-PAR38-15W-V25	PL-PAR38-15W-V25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	11/5/2012
Pacific LED-Tech Inc.	Pacific LED-Tech	PL-PAR38-15W-V40	PL-PAR38-15W-V40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	11/5/2012
Philips Lighting Company	AmbientLED	12E26A60	BC12A19/AMB/2700-800 120V (409904)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.756	3	6/13/2011
Philips Lighting Company	AmbientLED	12E26A60-1	BC12A19/AMB/2700 120V (423343)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.781	6	6/20/2012
Philips Lighting Company	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (409904)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.756	3	6/13/2011
Philips Lighting Company	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (409906)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.781	6	12/20/2011
Philips Lighting Company	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (410315)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.781	6	12/20/2011
Philips Lighting Company	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 120V (410316)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.756	3	6/13/2011
Philips Lighting Company	AmbientLED	12E26A60-1	BC12A19/AMB/2700-800 DIM (422154)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.781	6	6/20/2012
Philips Lighting Company	AmbientLED	12E26PAR30L-E2	12PAR30L/AMB/F25 3000 DIM 4/1 (410282);BC12PAR30L/AMB/3000 DIM 120V (424721);BC12PAR30L/AMB/3000 DIM 120V 2/1 (423293)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	665	12.0	N/A	25000	3000	0.8	6	7/20/2012
Philips Lighting Company	AmbientLED	17E26A21D	BC17A21/AMB/2700 DIM 120V (423301);BC17A21/AMB/2700 DIM 120V (422220);BC17A21/AMB/2700 DIM 120V (418400);BC17A21/AMB/2700 DIM 120V (418475)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	1277	16.0	N/A	25000	2700	0.7	3	9/28/2012
Philips Lighting Company	AmbientLED	17E26PAR38-E2	17PAR38/AMB/F25 3000 DIM 4/1(410290)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	871	17.0	N/A	25000	3000	0.8	6	1/5/2012
Philips Lighting Company	AmbientLED	18E26PAR38-2	18PAR38/AMB/3000K FL25 OD (422196)	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED		1074	16.94	N/A	25000	3000	0.743	6	9/7/2012
Philips Lighting Company	AmbientLED	18E26PAR38-2	BC18PAR38/AMB/3000K FL25 OD 120V (418434)	PAR - Parabolic Aluminum Reflector	E26/24(Medium)	LED		1074	16.94	N/A	25000	3000	0.743	6	9/7/2012
Philips Lighting Company	AmbientLED	18E26PAR38D-2	BC18PAR38/AMB/3000K FL25 DIM 120V (418442)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	951	18.38	N/A	25000	3000	0.761	3	5/24/2012
Philips Lighting Company	AmbientLED	18E26PAR38D-2	BC18PAR38/AMB/3000K FL25 DIM 120V (423285)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	951	18.38	N/A	25000	3000	0.761	3	8/30/2012
Philips Lighting Company	AmbientLED	5.5GU5.3MR16	BC5.5MR16/AMB/3000 12V (422212); BC5.5MR16/AMB/3000 12V (418418); BC5.5MR16/AMB/3000 12V	Multifaceted reflector	GU5.3	LED		345	5.6	N/A	25000	3000	0.6	3	8/31/2012
Philips Lighting Company	AmbientLED	7E26PAR20D-1	BC7PAR20/AMB/2700 FL25 Dim 120V (422139)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	355	6.5	N/A	25000	2700	0.711	6	10/4/2012
Philips Lighting Company	AmbientLED	7E26PAR20D-1	BC7PAR20/AMB/2700 FL25 DIM (422204)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	355	6.5	N/A	25000	2700	0.711	6	9/5/2012
Philips Lighting Company	AmbientLED	7E26PAR20D-1	BC7PAR20/AMB/2700 FL25 DIM (423277)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	355	6.5	N/A	25000	2700	0.711	6	9/5/2012
Philips Lighting Company	AmbientLED	9290001829	BC12.5A19/AMB/2700-800 120V (422154)	A - Arbitrary (standard incandescent shape)	E26	LED	Dimmable	887	12.42	N/A	25000	2700	0.732	6	6/11/2012
Philips Lighting Company	AmbientLED	9290001829	BC12.5A19/AMB/2700K_DIM_120V (425322)	A - Arbitrary (standard incandescent shape)	E26	LED	Dimmable	887	12.42	N/A	25000	2700	0.732	6	6/11/2012
Philips Lighting Company	AmbientLED	9290002097	10A19/LPRIZE/2700-900 DIM (420075)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	1008	9.76	N/A	25000	2700	0.765	3	5/4/2012
Philips Lighting Company	AmbientLED	9290002097	10A19/LPRIZE/2700-900 DIM (423244)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	1008	9.76	N/A	25000	2700	0.765	3	5/4/2012
Philips Lighting Company	AmbientLED	9290002097	10A19/LPRIZE/2700-900 DIM (423269)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	1008	9.76	N/A	25000	2700	0.765	3	5/4/2012
Philips Lighting Company	AmbientLED	9290002197	BC13BR30/AMB/2700 DIM 120V (420653)	BR - Bulged Reflector	E26	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	10/4/2012
Philips Lighting Company	AmbientLED	9290002197	BC13BR30/AMB/2700 DIM 120V (421941)	BR - Bulged Reflector	E26	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	6/27/2012
Philips Lighting Company	AmbientLED	9290002197	BC13BR30/AMB/2700 DIM 120V (421941)	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	6/27/2012
Philips Lighting Company	AmbientLED	9290002197	BC13BR30/AMB/2700 DIM 120V (423798)	BR - Bulged Reflector	E26	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	6/27/2012
Philips Lighting Company	AmbientLED	9290002197	BC13BR30/AMB/2700 DIM 120V (423798)	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	6/27/2012
Philips Lighting Company	AmbientLED	9290002199	BC14BR40/AMB/2700 DIM 120V (420661)	BR - Bulged Reflector	E26	LED	Dimmable	832	14.31	N/A	25000	2700	0.744	6	10/4/2012
Philips Lighting Company	AmbientLED	9290002199	BC14BR40/AMB/2700 DIM 120V (423756)	BR - Bulged Reflector	E26	LED	Dimmable	832	14.31	N/A	25000	2700	0.744	6	6/27/2012
Philips Lighting Company	AmbientLED	9290002199	BC14BR40/AMB/2700 DIM 120V (423756)	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	832	14.31	N/A	25000	2700	0.744	6	6/27/2012
Philips Lighting Company	AmbientLED	9290002201	13PAR30L/AMB/F25 DIM 3000 120V (420315)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	804	12.99	N/A	25000	3000	0.716	6	6/28/2012
Philips Lighting Company	AmbientLED	9290002201	13PAR30L/AMB/F25 DIM 3000 120V (420315)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	804	12.99	N/A	25000	3000	0.716	6	6/28/2012
Philips Lighting Company	AmbientLED	9290002241	BC10MR16/AMB/3000 DIM 12V (423760); BC10MR16/AMB/3000 12V (420687)	Multifaceted reflector	GU5.3	LED	Dimmable	531	10.0	N/A	25000	3000	0.7	6	9/28/2012
Philips Lighting Company	AmbientLED	9290002251	BC19.5PAR38/AMB/3000K FL25 DIM 120V (423426)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	1210	19.28	N/A	25000	3000	0.718	6	11/1/2012
Philips Lighting Company	AmbientLED	9290002267	BC8A19/AMB/2700 DIM 120V (424374)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	478	7.73	N/A	25000	2700	0.884	6	10/8/2012
Philips Lighting Company	AmbientLED	9290002268	BC11A19/AMB/2700 DIM 120V(424382)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	908	10.82	N/A	25000	2700	0.9	6	10/8/2012
Philips Lighting Company	AmbientLED	9290002321	BC19.5PAR38/AMB/2700K DIM 120V (425272)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	1172	18.72	N/A	25000	2700	0.718	6	11/1/2012
Philips Lighting Company	AmbientLED	9E26A19OCAAAA	BC6A19/AMB/3000K DIM ES 120V (417055)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.705	6	6/24/2011
Philips Lighting Company	AmbientLED	9E26A19DCAAAA	BC8A19/AMB/2700K DIM 120V (422239)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.705	6	10/16/2012
Philips Lighting Company	AmbientLED	9E26A19DCAAAA	BC8A19/AMB/3000K DIM ES 120V (417048)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.705	6	6/24/2011
Philips Lighting Company	AmbientLED	Sku No. is 046677410285	46677410285	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	665	12.09	N/A	25000	85	0.8	6	10/12/2011
Philips Lighting Company	AmbientLED	Sku No. is 046677410292	46677410292	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	871	16.32	N/A	25000	85	0.8	6	10/12/2011
Philips Lighting Company	EcoSmart	E12T14	240916	Bare-Spiral	E12 (Candelabra)	CFL		876	12.42	N/A	10000	2700	0.58	9	2/24/2012
Philips Lighting Company	EnduraLED	11E26PAR30L	11PAR30L/END/F25 2700 120V (406974)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		439	9.59	N/A	50000	2700	0.838	3	3/8/2011
Philips Lighting Company	EnduraLED	11E26PAR30L-E	11PAR30L/END/F22 2700 DIM 6/1 (408120)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	508	10.34	N/A	45000	2700	0.84	3	8/9/2012
Philips Lighting Company	EnduraLED	11E26PAR30L-E	11PAR30L/END/F22 3000 DIM6/1 (408138)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	501	9.806	N/A	45000	3000	0.837	3	8/9/2012
Philips Lighting Company	EnduraLED	11E26PAR30S-E	11PAR30S/END/F22 2700 DIM6/1 (408096)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	517	10.41	N/A	45000	2700	0.803	3	10/12/2012
Philips Lighting Company	EnduraLED	11E26PAR30S-E	11PAR30S/END/F22 3000 DIM6/1 (408104)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	512	10.36	N/A	45000	3000	0.797	3	10/12/2012

Philips Lighting Company	EnduraLED	12E26A60	12A19/END/800LM/2700/120V/DIM M (409946)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.756	3	6/13/2011
Philips Lighting Company	EnduraLED	12E26A60-1	12A19/END/800LM/2700/120V/DIM M (409944)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	832	12.03	N/A	25000	2700	0.781	3	12/20/2011
Philips Lighting Company	EnduraLED	12E26A60-1	12A19/END/800LM/2700/120V/DIM M (409948)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	817	12.52	N/A	25000	2700	0.756	3	6/13/2011
Philips Lighting Company	EnduraLED	12E26P30LDBAAAA	12PAR30L/END/F36 2700 DIM 6/1 (414573)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	641	12.0	N/A	45000	2700	0.8	3	6/20/2012
Philips Lighting Company	EnduraLED	12E26P30LDBAABA	12PAR30L/END/F36 3000 DIM 6/1 (414581)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	709	12.0	N/A	45000	3000	0.8	3	6/20/2012
Philips Lighting Company	EnduraLED	12E26P30LDBAAIAA	12PAR30L/END/S15 2700 DIM (414482)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	668	11.82	N/A	45000	2700	0.818	5	7/27/2012
Philips Lighting Company	EnduraLED	12E26P30LDBAAIBA	12PAR30L/END/S15 3000 DIM (414490)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	738	11.82	N/A	45000	3000	0.818	5	7/17/2012
Philips Lighting Company	EnduraLED	12E26PAR30L-E1	12PAR30L/END/2700/120V/DIMM/22D (410142)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	667	12.0	N/A	45000	2700	0.8	3	8/16/2012
Philips Lighting Company	EnduraLED	12E26PAR30L-E1	12PAR30L/END/3000/120V/DIMM/22D (410159)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	723	12.0	N/A	45000	3000	0.8	3	8/13/2012
Philips Lighting Company	EnduraLED	12E26PAR30SD-1	12PAR30S/END/F25 4000 800 DIM (414599)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	868	11.0	N/A	25000	4100	0.8	3	4/12/2012
Philips Lighting Company	EnduraLED	12E26PAR30S-E1	12PAR30S/END/2700/120V/DIMM/22D (410118)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	667	12.0	N/A	45000	2700	0.8	3	8/13/2012
Philips Lighting Company	EnduraLED	12E26PAR30S-E1	12PAR30S/END/3000/120V/DIMM/22D (410126)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	728	12.0	N/A	45000	3000	0.8	3	3/30/2012
Philips Lighting Company	EnduraLED	13E26P30SDBAAHBA	13PAR30S/END/S10 3000 DIM (414375)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	661	11.95	N/A	25000	3000	0.807	3	10/31/2012
Philips Lighting Company	EnduraLED	13E26PAR30L-2	13PAR30L/END/F25 2700-820 DIM (418566)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	906	13.2	N/A	25000	2700	0.724	3	6/11/2012
Philips Lighting Company	EnduraLED	13E26PAR38	13PAR38/END/F10 3000 120V 6/1 (407932)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		620	12.7	N/A	25000	3000	0.873	3	11/12/2010
Philips Lighting Company	EnduraLED	13E26PAR38	13PAR38/END/F10 3000 120V 6/2 (407932)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		619	12.71	N/A	45000	3000	0.874	3	3/8/2011
Philips Lighting Company	EnduraLED	13E26PAR38	PAR38/END/S1S 3000 120V 6/1 (410910)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		596	13.26	N/A	45000	3000	0.869	3	4/20/2011
Philips Lighting Company	EnduraLED	13E26PAR38	PAR38/END/S1S 3000 120V 6/2 (410910)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		623	12.8	N/A	25000	3000	0.847	3	11/19/2010
Philips Lighting Company	EnduraLED	17E26A21D	17A21/END/2700-1100 DIM (418590)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	1277	16.0	N/A	25000	2700	0.7	3	10/25/2012
Philips Lighting Company	EnduraLED	17E26P38DBAAAAA	17PAR38/END/F36 2700 DIM 6/1 (414607)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	866	16.7	N/A	25000	2700	0.8	3	7/20/2012
Philips Lighting Company	EnduraLED	17E26P38DBAAABA	17PAR38/END/F36 3000 DIM 6/1 (414615)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	970	17.0	N/A	25000	3000	0.8	3	6/22/2012
Philips Lighting Company	EnduraLED	17E26P38DBAAHBA	17PAR38/END/S10 3000 DIM (414433)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	966	16.43	N/A	45000	3000	0.775	5	7/25/2012
Philips Lighting Company	EnduraLED	17E26P38DBAAIAA	17PAR38/END/S1S 2700 DIM (414516)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	904	16.59	N/A	40000	2700	0.775	5	7/25/2012
Philips Lighting Company	EnduraLED	17E26PAR38-E1	17PAR38/END/2700/120V/DIMM/22D (410175)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	901	17.0	N/A	45000	2700	0.7	3	11/14/2012
Philips Lighting Company	EnduraLED	17E26PAR38-E1	17PAR38/END/3000/120V/DIMM/22D (410183)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	964	17.0	N/A	45000	3000	0.7	3	11/14/2012
Philips Lighting Company	EnduraLED	18E26PAR38-2	18PAR38/END/F25 3000-1050 OD (418558)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1077	17.63	N/A	25000	3000	0.746	3	5/3/2012
Philips Lighting Company	EnduraLED	18E26PAR38-3	18PAR38/END/S1S 3000-1200 DIM (418525)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	1284	17.94	N/A	25000	3000	0.731	3	6/11/2012
Philips Lighting Company	EnduraLED	18E26PAR38-4	18PAR38/END/F25 3000-1200 DIM (418533)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	1261	17.99	N/A	25000	3000	0.716	3	6/11/2012
Philips Lighting Company	EnduraLED	4GU5.3MR16-1	4MR16/END/2700 12V 10/1 (408757)	MR - Multifaceted reflector	GU5.3	LED		153	3.671	N/A	45000	2700	0.553	3	3/8/2011
Philips Lighting Company	EnduraLED	4GU5.3MR16-1	4MR16/END/2700 12V 10/2 (408757)	MR - Multifaceted reflector	GU5.3	LED		152	3.67	N/A	25000	2700	0.55	3	10/20/2010
Philips Lighting Company	EnduraLED	4GU5.3MR16-1	4MR16/END/3000 12V 10/1 (408278)	MR - Multifaceted reflector	GU5.3	LED		165	3.677	N/A	45000	3000	0.554	3	3/8/2011
Philips Lighting Company	EnduraLED	4GU5.3MR16-1	4MR16/END/3000 12V 10/2 (408278)	MR - Multifaceted reflector	GU5.3	LED		165	3.68	N/A	25000	3000	0.55	3	10/25/2010
Philips Lighting Company	EnduraLED	4GU5.3MR16-1	4MR16/END/4000 12V 10/1 (408286)	MR - Multifaceted reflector	GU5.3	LED		184	3.759	N/A	45000	4100	0.57	3	3/8/2011
Philips Lighting Company	EnduraLED	4GU5.3MR16-1	4MR16/END/4000 12V 10/1 (408286)	MR - Multifaceted reflector	GU5.3	LED		184	3.76	N/A	25000	4000	0.55	3	10/25/2010
Philips Lighting Company	EnduraLED	5.5GU5.3MR16	5MR16/END/F24 2700 (420398)	Multifaceted reflector	GU5.3	LED		324	5.5	N/A	25000	2700	0.6	3	4/12/2012
Philips Lighting Company	EnduraLED	5.5GU5.3MR16	5MR16/END/F24 3000 (420380)	Multifaceted reflector	GU5.3	LED	Dimmable	337	5.0	N/A	25000	3000	0.6	3	4/18/2012
Philips Lighting Company	EnduraLED	7E26PAR20D-1	7PAR20/END/F25 2700-280 DIM (418574)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	357	6.75	N/A	25000	2700	0.724	3	5/4/2012
Philips Lighting Company	EnduraLED	7E26PAR20D-1	7PAR20/END/F25 3000-280 DIM (418582)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	366	7.0	N/A	25000	3000	0.715	3	6/11/2012
Philips Lighting Company	EnduraLED	9290001829	12A19/END/2700-800 DIM (409946)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	887	12.42	N/A	25000	2700	0.732	6	6/27/2012
Philips Lighting Company	EnduraLED	9290002097	10A19/LPRIZE-PRO/2700-900 DIM (420224)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	1008	9.76	N/A	25000	2700	0.765	3	5/4/2012
Philips Lighting Company	EnduraLED	9290002193	10MR16/END/F24 2700 DIM (420166)	Multifaceted reflector	GU5.3	LED	Dimmable	516	10.0	N/A	25000	2700	0.9	3	4/11/2012
Philips Lighting Company	EnduraLED	9290002194	10MR16/END/F24 3000 DIM (420174)	Multifaceted reflector	GU5.3	LED	Dimmable	547	10.0	N/A	25000	3000	0.9	3	4/11/2012
Philips Lighting Company	EnduraLED	9290002195	10MR16/END/F35 2700 DIM (420182)	Multifaceted reflector	GU5.3	LED	Dimmable	517	10.0	N/A	25000	2700	0.9	3	4/11/2012
Philips Lighting Company	EnduraLED	9290002196	10MR16/END/F35 3000 DIM (420190)	Multifaceted reflector	GU5.3	LED	Dimmable	528	10.0	N/A	25000	3000	0.9	3	4/11/2012
Philips Lighting Company	EnduraLED	9290002197	13BR30/END/F90 2700-700 DIM SM (420554)	BR - Bulged Reflector	E26	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	6/27/2012
Philips Lighting Company	EnduraLED	9290002197	13BR30/END/F90 2700-700 DIM SM (420554)	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	6/27/2012
Philips Lighting Company	EnduraLED	9290002197	13BR30/END/F90 2700-700 DIM SM (421248)	BR - Bulged Reflector	E26	LED	Dimmable	721	12.7	N/A	25000	2700	0.758	6	9/5/2012
Philips Lighting Company	EnduraLED	9290002199	14BR40/END/F90 2700-800 DIM SM (420562)	BR - Bulged Reflector	E26	LED	Dimmable	832	14.31	N/A	25000	2700	0.744	6	6/27/2012
Philips Lighting Company	EnduraLED	9290002199	14BR40/END/F90 2700-800 DIM SM (420562)	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	832	14.31	N/A	25000	2700	0.744	6	6/27/2012
Philips Lighting Company	EnduraLED	9290002233	13PAR30L/END/F25 2700 DIM SM (420471)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	784	12.92	N/A	25000	2700	0.716	6	11/8/2012
Philips Lighting Company	EnduraLED	9290002234	13PAR30L/END/F36 2700 DIM SM (420497)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	770	12.85	N/A	25000	2700	0.721	6	11/8/2012
Philips Lighting Company	EnduraLED	9290002235	13PAR30L/END/F36 3000 DIM SM (420505)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	778	12.77	N/A	25000	3000	0.715	6	11/8/2012
Philips Lighting Company	EnduraLED	9290002236	18PAR38/END/F25 2700 DIM SM (420513)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1276	17.0	N/A	25000	2700	0.7	3	6/28/2012
Philips Lighting Company	EnduraLED	9290002237	18PAR38/END/F25 3000-950 DIM SM (420521)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1061	17.0	N/A	25000	3000	0.7	3	6/26/2012
Philips Lighting Company	EnduraLED	9290002239	18PAR38/END/F25 2700-1150 DIM (420547)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1276	18.0	N/A	25000	2700	0.7	3	7/30/2012
Philips Lighting Company	EnduraLED	9290002244	13PAR30L/END/F25 3000 DIM SM (420802)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	793	12.91	N/A	25000	3000	0.714	6	9/11/2012
Philips Lighting Company	EnduraLED	9290002245	18PAR38/END/F36 2700-900 DIM SM (420885)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	938	16.0	N/A	25000	2700	0.7	3	6/28/2012
Philips Lighting Company	EnduraLED	9290002246	18PAR38/END/F36 3000-950 DIM SM (420893)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1063	17.0	N/A	25000	3000	0.7	3	6/26/2012
Philips Lighting Company	EnduraLED	9290002250	13PAR30S/END/F25 2700-850 DIM (421230)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1002	13.0	N/A	25000	2700	0.7	3	7/30/2012
Philips Lighting Company	EnduraLED	9290002252	19PAR38/END/F25 2700-1100 DIM SM (421214)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1183	19.52	N/A	25000	2700	0.718	6	9/24/2012
Philips Lighting Company	EnduraLED	9290002252	19PAR38/END/F25 2700-1100 DIM SM (423657)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1183	19.52	N/A	25000	2700	0.718	6	9/4/2012
Philips Lighting Company	EnduraLED	9290002253	19PAR38/END/F25 3000-1200 DIM SM (421222)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1212	19.4	N/A	25000	3000	0.717	6	9/24/2012
Philips Lighting Company	EnduraLED	9290002253	19PAR38/END/F25 3000-1200 DIM SM (423665)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1212	19.4	N/A	25000	3000	0.717	6	9/4/2012
Philips Lighting Company	EnduraLED	9290002267	8A19/END/2700 DIM (423483)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	478	7.73	N/A	25000	2700	0.884	6	10/8/2012
Philips Lighting Company	EnduraLED	9290002268	11A19/END/2700 DIM (423491)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	908	10.82	N/A	25000	2700	0.9	6	10/8/2012
Philips Lighting Company	EnduraLED	9290002284	13PAR30S/END/F25 2700 DIM SM (423442)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	745	12.57	N/A	25000	2700	0.738	6	11/8/2012
Philips Lighting Company	EnduraLED	9290002285	13PAR30S/END/F36 2700 DIM SM (423467)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	761	12.68	N/A	25000	2700	0.746	6	11/8/2012
Philips Lighting Company	EnduraLED	9290002286	13PAR30S/END/F25 3000 DIM SM (423459)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	787	12.27	N/A	25000	3000	0.744	6	11/8/2012
Philips Lighting Company	EnduraLED	9290002287	13PAR30S/END/F36 3000 DIM SM (423475)	PAR - Parabolic Aluminum Reflector	E26	LED	Dimmable	763	12.26	N/A	25000	3000	0.744	6	11/12/2012
Philips Lighting Company	EnduraLED	9E26A19DCAAAA	8A19/END/2700-450 DIM ES 6/1 (414639)	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	508	8.77	N/A	25000	2700	0.705	3	6/24/2011
Philips Lighting Company	EnduraLED PAR38 25D 2700K CRI90 DIM	17E26PAR38D-2	16PAR38/END/F25 2700-750 DIM (418541)	Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	841	15.0	N/A	25000	2700	0.7	3	7/20/2012
Philips Lighting Company	Enerov Saver	405837		Bare-soiral	E26/24 (Medium	CFL	Dimmable	1150	20	N/A	10000	2700	0.675	9	5/10/2010
Philips Lighting Company	Energy Saver	415034	415034	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.56	7	4/22/2011

Philips Lighting Company	Energy Saver	415042	415042	Covered A-line	E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.6	7	4/22/2011
Philips Lighting Company	Energy Saver	415059	415059	Covered A-line	E26/24 (medium)	CFL		290	5.0	N/A	8000	2700	0.55	7	4/22/2011
Philips Lighting Company	Energy Saver	415067	415067	Covered A-line	E12 (Candelabra)	CFL		520	9.0	N/A	8000	2700	0.55	7	4/22/2011
Philips Lighting Company	Energy Saver	415075	415075	Covered-Candle	E26/24 (medium)	CFL		1100	18.0	N/A	8000	2700	0.58	7	4/22/2011
Philips Lighting Company	Energy Saver	415083	415083	Covered-Candle	E12 (Candelabra)	CFL		215	5.0	N/A	8000	2700	0.55	7	4/22/2011
Philips Lighting Company	Energy Saver	415091	415091	Covered-Candle	E26/24 (medium)	CFL		215	5.0	N/A	8000	2700	0.55	7	4/22/2011
Philips Lighting Company	Energy Saver	415109	415109	Covered-Candle	E12 (Candelabra)	CFL		410	9.0	N/A	8000	2700	0.55	7	4/22/2011
Philips Lighting Company	Energy Saver	415117	415117	Covered-Candle	E26/24 (medium)	CFL		410	9.0	N/A	8000	2700	0.56	7	4/22/2011
Philips Lighting Company	Energy Saver	415125	415125	Covered Globe	E12 (Candelabra)	CFL		430	8.0	N/A	8000	2700	0.56	7	4/22/2011
Philips Lighting Company	Energy Saver	415133	415133	Covered Globe	E26/24 (medium)	CFL		430	8.0	N/A	8000	2700	0.56	7	4/22/2011
Philips Lighting Company	Energy Saver	BC-EL/A 15W R30	418632, 418640, 421396, 418129	Covered-Reflector	E26/24 (medium)	CFL		750	15.0	N/A	8000	2700	0.546	7	3/29/2012
Philips Lighting Company	Energy Saver	BC-EL/A R40 23W	421206, 421719	Covered reflector	Medium E26/24 (medium)	CFL		1250	23.0	N/A	8000	2700	0.58	7	9/4/2012
Philips Lighting Company	Enerov Saver	BC-EL/mdT 13W 6.5K	235374	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500	0.63	9	2/23/2009
Philips Lighting Company	Enerov Saver	BC-EL/mdT2 13W	408559	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.584	11	12/23/2009
Philips Lighting Company	Enerov Saver	BC-EL/mdT D2D 14W	406918. 405852	Bare-sslral	E26/24 (Medium)	CFL		820	14	N/A	8000	2700	0.54	7	9/23/2009
Philips Lighting Company	Energy Saver	BC-EL/O 14W Prisma 4/1	BC-EL/O 14W Prisma 4/1	Covered bullet	E26/24 (medium)	CFL		855	14.0	N/A	8000	2700	0.57	7	4/22/2011
Philips Lighting Company	Enerov Saver	EL/0 14W Prisma	408674. 417865	Covered-post	E26/24 (medium)	CFL		840	14.0	N/A	8000	2700	0.597	7	3/29/2012
Philips Lighting Company	Energy Saver	EL/A 15W R30	EL/A 15W R30	Covered Reflector	Medium E26/24 (medium)	CFL		750	15.0	N/A	8000	2700	0.565	7	9/4/2012
Philips Lighting Company	Energy Saver	EL/A FAN 5W	417477, 417469, 417451, 417584	Covered A-line	Medium E26/24 (medium)	CFL		215	5.0	N/A	10000	2700	0.555	9	9/4/2012
Philips Lighting Company	Energy Saver	EL/A FAN 9W	419788, 419770, 417592	Covered Globe	Medium E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.571	7	9/4/2012
Philips Lighting Company	Energy Saver	EL/A G25 14W	427872	Covered Globe	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.579	7	10/26/2012
Philips Lighting Company	Energy Saver	EL/A G25 T3 9W	417352, 417345, 417337, 417568, 417543	Covered globe	E26/24 (medium)	CFL		500	9.0	N/A	8000	2700	0.579	7	1/19/2012
Philips Lighting Company	Energy Saver	EL/A G30 16W	211060	Covered globe	E26/24 (Medium)	CFL		980	16	N/A	10000	2700	0.555	9	11/13/2008
Philips Lighting Company	Energy Saver	EL/A G40 23W	211078	Covered globe	E26/24 (Medium)	CFL		1560	23	N/A	8000	2700	0.545	7	11/13/2008
Philips Lighting Company	Energy Saver	EL/A PAR30 16W 2oc	405829, 405811	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	10000	2700	0.56	9	10/30/2009
Philips Lighting Company	Energy Saver	EL/A PAR38 23 W	416784, 419951	Covered-Reflector	E26/24 (medium)	CFL		1300	23.0	N/A	8000	2700	0.565	7	3/29/2012
Philips Lighting Company	Energy Saver	EL/A PAR38 23W 2oc	157164, 227918, 406413, 408922, 446302	Covered Reflector	E26/24 (medium)	CFL		1300	23.0	N/A	8000	2700	0.57	7	4/12/2012
Philips Lighting Company	Enerov Saver	EL/A PAR38 DIM 20W	146449. 150433	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700	0.68	7	8/17/2009
Philips Lighting Company	Energy Saver	EL/A PAR38 EDIM 20W	420018	Covered Reflector	E26/24 (medium)	CFL	Dimmable	850	20.0	N/A	8000	2700	0.63	7	12/16/2011
Philips Lighting Company	Enerov Saver	EL/A R20 13W	426825. 426833	Covered reflector	E26/24 (medium)	CFL		470	13.0	N/A	8000	2700	0.61	7	10/4/2012
Philips Lighting Company	Energy Saver	EL/A R30 15W 3.5K	418616	Covered Reflector	E26/24 (medium)	CFL		750	15.0	N/A	8000	3500	0.6	7	4/12/2012
Philips Lighting Company	Energy Saver	EL/A R30 15W 4.1K	418624	Covered Reflector	Medium E26/24 (medium)	CFL		750	15.0	N/A	8000	4100	0.6243	7	9/4/2012
Philips Lighting Company	Energy Saver	EL/A R30 15W 5K	418137	Covered-Reflector	E26/24 (medium)	CFL		700	15.0	N/A	8000	5000	0.552	7	3/29/2012
Philips Lighting Company	Energy Saver	EL/A R30 DIM 16W	150417, 137075, 413970	Covered reflector	E26/24 (Medium)	CFL	Dimmable	630	16	N/A	8000	2700		7	6/29/2009
Philips Lighting Company	Energy Saver	EL/A R30 EDIM 16W	419977, 419985, 42279	Covered Reflector	E26/24 (medium)	CFL	Dimmable	630	16.0	N/A	8000	2700	0.62	7	12/16/2011
Philips Lighting Company	Energy Saver	EL/A R40 DIM 20W	137083; 150425	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700	0.67	7	8/18/2009
Philips Lighting Company	Energy Saver	EL/A R40 EDIM 20W	419993, 420000, 422287	Covered Reflector	E26/24 (medium)	CFL	Dimmable	900	20.0	N/A	8000	2700	0.69	7	12/16/2011
Philips Lighting Company	Energy Saver	EL/A SWP 14W	417378, 419812, 419804, 417634, 417618	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.58	7	4/12/2012
Philips Lighting Company	Enerov Saver	EL/A SWP 20W	200808	Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	8000	2700	0.558	7	6/11/2010
Philips Lighting Company	Energy Saver	EL/A SWP 9W	417360, 419796, 417626	Covered A-line	Medium E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.571	7	9/4/2012
Philips Lighting Company	Energy Saver	EL/Can T2 5W	422295	Covered Candle	E26/24 (medium)	CFL		215	5.0	N/A	8000	2700	0.67	7	4/12/2012
Philips Lighting Company	Energy Saver	EL/Can T2 9W	417444. 417428. 417436. 417519	Covered-Candle	E26/24 (medium)	CFL		410	9.0	N/A	8000	2700	0.598	7	3/29/2012
Philips Lighting Company	Energy Saver	EL/Genie 14W	210534	Bare-Triple Tube	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.555	7	11/13/2008
Philips Lighting Company	Enerov Saver	EL/mCan T2 5W	422303. 422311. 422329	Covered Candle	E12 (Candelabra)	CFL		215	5.0	N/A	8000	2700	0.67	7	4/12/2012
Philips Lighting Company	Energy Saver	EL/mCan T2 9W	417410, 417394, 417402, 417535	Covered-Candle	E12 (Candelabra)	CFL		410	9.0	N/A	8000	2700	0.598	7	3/29/2012
Philips Lighting Company	Energy Saver	EL/mdT 13W 4k	217588	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.56	11	4/5/2010
Philips Lighting Company	Energy Saver	EL/mdT 13W 5k	217596	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	5000	0.561	11	5/21/2010
Philips Lighting Company	Energy Saver	EL/mdT 13W GU24	417238, 421727	Bare-Mini-Spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.615	9	6/6/2012
Philips Lighting Company	Energy Saver	EL/mdT 13W GU24 4.1k 6/1	411389	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	4100	0.589	9	8/29/2011
Philips Lighting Company	Energy Saver	EL/mdT 15W 1% Dim	420026, 420042	Bare-Spiral	E26/24 (medium)	CFL	Dimmable	950	15.0	N/A	10000	2700	0.631	9	1/12/2012
Philips Lighting Company	Energy Saver	EL/mdT 18W GU24	417246, 421735	Bare-Mini-Spiral	GU24	CFL		1250	18.0	N/A	10000	2700	0.56	9	6/6/2012
Philips Lighting Company	Energy Saver	EL/mdT 18W GU24 4.1k 6/1	411777	Bare-spiral	GU24	CFL		1250	18.0	N/A	10000	4100	0.554	9	8/29/2011
Philips Lighting Company	Enerov Saver	EL/mdT 20W 1% Dim Â	420034, 420059	Bare-Sslral	E26/24 (medium)	CFL	Dimmable	1250	20.0	N/A	10000	2700	0.646	9	1/12/2012
Philips Lighting Company	Energy Saver	EL/mdT2 13W	408328; 415901;415935; EL/mdT2 13W 6/3	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700	0.584	11	12/23/2009
Philips Lighting Company	Energy Saver	EL/mdT2 13W	413996, 408559, 417071, 418061, 415935, 415901, 636219	Bare-Mini-Spiral	E26/24 (medium)	CFL		900	13.0	N/A	12000	2700	0.589	11	2/9/2011
Philips Lighting Company	Energy Saver	EL/mdT2 13W 3.5K	414029	Bare-Mini-Spiral	E26/24 (medium)	CFL		840	13.0	N/A	10000	3500	0.61	9	5/5/2011
Philips Lighting Company	Energy Saver	EL/mdT2 13W 4.1K	414037	Bare-Mini-Spiral	E26/24 (medium)	CFL		840	13.0	N/A	10000	4100	0.602	9	8/4/2011
Philips Lighting Company	Energy Saver	EL/mdT2 13W 5K	414045, 415943, 415919	Bare-Mini-Spiral	E26/24 (medium)	CFL		810	13.0	N/A	10000	5000	0.6	9	5/5/2011
Philips Lighting Company	Energy Saver	EL/mdT2 13W 5K	415943	Bare-Mini-Spiral	E26/24 (medium)	CFL		850	13.0	N/A	10000	5000	0.6	11	5/20/2011
Philips Lighting Company	Energy Saver	EL/mdT2 13W 6.5K	420091, 418079, 415927, 415959, 427120	Bare-Mini-Spiral	E26/24 (medium)	CFL		810	13.0	N/A	10000	6500	0.59	9	5/20/2011
Philips Lighting Company	Energy Saver	EL/mdT2 18W	414003, 408567, 417089, 418087, 640674	Bare-Mini-Spiral	E26/24 (medium)	CFL		1300	18.0	N/A	12000	2700	0.58	11	2/9/2011
Philips Lighting Company	Enerov Saver	EL/mdT2 18W	BC-EL/mdT2 18W; 408567; 408336; EL/mdT2 18W 6/3	Bare-sslral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700	0.58	11	1/12/2010
Philips Lighting Company	Enerov Saver	EL/mdT2 23W	408575, 417097, 418095, 414011, 415967. 415991, 415967. 641169	Bare-Mini-Sslral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.559	11	2/9/2011
Philips Lighting Company	Energy Saver	EL/mdT2 23W	BC-EJmdT2 23W; 408575; 408344; 415991; 415967. EL/mdT2 23W 6/3	Bare-sslral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.559	11	1/12/2010
Philips Lighting Company	Energy Saver	EL/mdT2 23W 3.5K	414052	Bare-Mini-Spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	3500	0.56	9	5/11/2011
Philips Lighting Company	Energy Saver	EL/mdT2 23W 4.1K	414060	Bare-Mini-Sslral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	4100	0.58	9	5/11/2011
Philips Lighting Company	Energy Saver	EL/mdT2 23W 5K	414078, 415975, 416008	Bare-Mini-Spiral	E26/24 (medium)	CFL		1500	23.0	N/A	10000	5000	0.561	9	8/4/2011
Philips Lighting Company	Energy Saver	EL/mdT2 26W 4.1k	414086	Bare-Mini-Sslral	E26/24 (medium)	CFL		1800	26.0	N/A	10000	4100	0.57	9	5/5/2011
Philips Lighting Company	Energy Saver	EL/mdT2 26W 5K	414094	Bare-Mini-Spiral	E26/24 (medium)	CFL		1700	26.0	N/A	10000	5000	0.57	9	5/5/2011
Philips Lighting Company	Energy Saver	EL/mdT2 26W 6/1	414102	Bare-Mini-Spiral	E26/24 (medium)	CFL		1800	26.0	N/A	12000	2700	0.57	11	4/22/2011
Philips Lighting Company	Energy Saver	EL/mdT 23W GU24	417253, 421743	Bare-Mini-Spiral	GU24	CFL		1600	23.0	N/A	10000	2700	0.568	9	6/6/2012
Philips Lighting Company	Energy Saver	EL/mdT 23W GU24 4.1k 6/1	411397	Bare-spiral	GU24	CFL		1600	23.0	N/A	10000	4100	0.562	9	8/29/2011
Philips Lighting Company	Energy Saver	EL/mdT 23W LL	227694; 227868; BC-EL/mdT 23W LL; 156975	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.6	11	8/11/2009
Philips Lighting Company	Energy Saver	EL/mdT 27W 4K LL	147884	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1930	27	N/A	12000	4100		11	11/18/2008
Philips Lighting Company	Energy Saver	EL/mdT 27W 5K LL	147892	Bare-Mini-Sslral	E26/24 (Medium)	CFL		1850	27	N/A	12000	5000	0.555	11	11/13/2008
Philips Lighting Company	Energy Saver	EL/mdT2 9W 5K	415885	Bare-Mini-Spiral	E26/24 (medium)	CFL		545	9.0	N/A	10000	5000	0.58	9	5/5/2011
Philips Lighting Company	Energy Saver	EL/mdT2 9W 6/1	EL/mdT2 9W 6/4	Bare-Mini-Sslral	E26/24 (medium)	CFL		550	9.0	N/A	12000	2700	0.563	11	4/22/2011
Philips Lighting Company	Energy Saver	EL/mdT2 9W 6/4	EL/mdT2 9W 6/4	Bare-Mini-Spiral	E26/24 (medium)	CFL		550	9.0	N/A	12000	2700	0.563	11	2/9/2011
Philips Lighting Company	Energy Saver	EL/mdT2 9W 6.5K	415893	Bare-Mini-Sslral	E26/24 (medium)	CFL		540	9.0	N/A	10000	6500	0.59	9	5/20/2011
Philips Lighting Company	Energy Saver	EL/mdT 32W 3K	424705	Bare-spiral	Medium E26/24 (medium)	CFL		2200	32.0	N/A	10000	3000	0.57	9	9/4/2012
Philips Lighting Company	Energy Saver	EL/mdT 32W Dim	407155	Bare-Mini-Spiral	E26/24 (medium)	CFL	Dimmable	2100	33.0	N/A	10000	2700	0.97	9	12/16/2011
Philips Lighting Company	Enerov Saver	EL/mdT 9W LL	147934, 406181, BC-EL/mdT 9W LL. 406190. EL/mdT 9W LL 6/4	Bare-Mini-Sslral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.57	11	11/17/2008
Philips Lighting Company	Energy Saver	EL/mdT 9W T2	EL/mdT 9W T2, 395872	Bare-Spiral	E26/24 (Medium)	CFL		550	8.36	N/A	12000	2700	0.551	11	1/26/2012
Philips Lighting Company	Enerov Saver	EL/mdT BC 9W 2700K	210880	Bare-Mini-Sslral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.53	9	4/24/2009
Philips Lighting Company	Energy Saver	EL/mdt DIM 15W 6/1	407379, 406926	Bare-Mini-Spiral	E26/24 (medium)	CFL	Dimmable	900	15.0	N/A	10000	2700	0.67	9	12/16/2011
Philips Lighting Company	Enerov Saver	EL/mdT DIM 20W	405845	Bare-sslral	E26/24 (Medium)	CFL	Dimmable	1150	20	N/A	10000	2700	0.675	9	10/30/2009
Philips Lighting Company	Energy Saver	EL/O 14W PRISMA 6/1Â	407783	Covered-post	E26/24 (medium)	CFL		840	14.0	N/A	10000	2700	0.57	9	12/16/2011
Philips Lighting Company	Enerov Saver	EL/O 18W	135780	Covered-post	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700	0.582	9	2/22/2010
Philips Lighting Company	Energy Saver	EL/O 18W PRISMA	405803	Covered-post	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700	0.55	7	3/2/2010

Philips Lighting Company	Energy Saver	ES 11-23-34W 2700K	406397	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	11/23/34	10000	2700		9	6/24/2009
Philips Lighting Company	Energy Saver	ES 13W 2700K	233700, 234039, 242677, 247239, 247221	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	7/15/2009
Philips Lighting Company	Energy Saver	ES 13W 5000K	233775, 234062, 242693	Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000	0.63	9	9/14/2009
Philips Lighting Company	Energy Saver	ES 13W 6500K	233841, 234096, 242701	Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500		9	7/15/2009
Philips Lighting Company	Energy Saver	ES 14W A19 2700K	235192, 234716, 247288	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	7/15/2009
Philips Lighting Company	Energy Saver	ES 14W G25 2700K	235598: 235630	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/11/2009
Philips Lighting Company	Energy Saver	ES 14W G25 2700K	417576, 417550	Covered Globe	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.579	7	9/4/2012
Philips Lighting Company	Energy Saver	ES 14W G25 2700K	417576, 417550	Covered Globe	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.58	7	4/12/2012
Philips Lighting Company	Energy Saver	ES 14W OUTDOOR 2700K	235507	Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/14/2009
Philips Lighting Company	Energy Saver	ES 14W R20 2700K	235705	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		7	8/13/2009
Philips Lighting Company	Energy Saver	ES 16W R30 2700K	233957: 235416: 247262	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	8/13/2009
Philips Lighting Company	Energy Saver	ES 16W R30 DIM 2700K	408583	Covered reflector	E26/24 (Medium)	CFL	Dimmable	630	16	N/A	8000	2700	0.726	7	1/22/2010
Philips Lighting Company	Energy Saver	ES 20W PAR38 DIM 2700K	408609	Covered reflector	E26/24 (Medium)	CFL	Dimmable	850	20	N/A	8000	2700	0.676	7	1/22/2010
Philips Lighting Company	Energy Saver	ES 20W R40 DIM 2700K	408591	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	16	N/A	8000	2700	0.672	7	1/22/2010
Philips Lighting Company	Energy Saver	ES 23W 2700K	234203, 2333742	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	7/15/2009
Philips Lighting Company	Energy Saver	ES 23W 5000K	233791; 234211	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.621	9	9/29/2009
Philips Lighting Company	Energy Saver	ES 23W PAR38 FL 2700K	406413	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		9	6/24/2009
Philips Lighting Company	Energy Saver	ES 23W R40 2700K	235671	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.62	7	9/14/2009
Philips Lighting Company	Energy Saver	ES 42W 2700K	406439	Bare-spiral	E26/24 (Medium)	CFL		2600	42	N/A	12000	2700		7	6/24/2009
Philips Lighting Company	Energy Saver	ES 5W A15 FAN	235697	Covered A-line	E26/24 (Medium)	CFL		250	5	N/A	8000	2700	0.53	7	9/14/2009
Philips Lighting Company	Energy Saver	ES 5W Candle Can 2700K	406462, 147918; ELiA mCan 5W	Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	8000	2700		7	9/14/2009
Philips Lighting Company	Energy Saver	ES 5W Candle Can 2700K	406462, 147918, ELiA mCan 5W	Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700		7	9/14/2009
Philips Lighting Company	Energy Saver	ES 5W CANDLE MED 2700K	406454	Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	8000	2700		7	6/24/2009
Philips Lighting Company	Energy Saver	ES 5W CANDLE MED 2700K	406454	Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700		7	6/24/2009
Philips Lighting Company	Energy Saver	ES 9W 2700K	233692	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	7/15/2009
Philips Lighting Company	Energy Saver	ES 9W 5000K	233759	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.6	9	9/14/2009
Philips Lighting Company	Energy Saver	ES 9W 6500K	233809	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.6	9	8/7/2009
Philips Lighting Company	Energy Saver	ES 9W A15 FAN 2700K	235713	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.53	7	8/18/2009
Philips Lighting Company	Energy Saver	ES 9W A19 2700K	235168	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	8/13/2009
Philips Lighting Company	Energy Saver	ES 9W Candle Med 2700K	235788: 235523	Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.59	7	9/29/2009
Philips Lighting Company	Energy Saver	ES 9W G16.5 2700K	235804	Covered-Candle	E26/24 (Medium)	CFL		380	9	N/A	8000	2700	0.56	7	9/29/2009
Philips Lighting Company	Energy Saver	ES 9W G25 2700K	233866, 234674	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	7/15/2009
Philips Lighting Company	Philips	ELiA FAN 5w	152934 (3-pack), 152926, 227579, BC-ELiA FAN 5w, 212514, 212522, 156983	Covered A-line	E26/24 (Medium)	CFL		250	5	N/A	8000	2700		7	2/16/2007
Philips Lighting Company	Philips	ELiA FAN 9W	152900, 152918, 212480, 212506, 227595. BC-ELiA FAN 9w	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	7/20/2006
Philips Lighting Company	Philips	ELiA G25 9W	152819, 152827, 157180, 227520, 212241, 212324, BC-ELiA G25 9w, ELiA 9W G25, 229662, 231159, ELiA 9W G25 2700K	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	7/20/2006
Philips Lighting Company	Philips	ELiA PAR38 23W	BC-ELiA PAR38 23W, 229831, 152850, 228007, 212407	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	2/15/2008
Philips Lighting Company	Philips	ELiA R30 16W	BC-ELiA R30 16W, 227934, 152785, 212209, 152793, 210500, 227967, 227942, ELiA 16W R30, 226670, 231209, ELiA 16W R30 2700K 6/2	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	1/23/2008
Philips Lighting Company	Philips	ELiA R40 23W	152801, 228049, 212233, 229823, 157024	Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	8000	2700		7	7/20/2006
Philips Lighting Company	Philips	ELiA SWP 14W	157008, 227629, BC-ELiA SWP 14w, 212092, 212084, 231175, ELiA 14W SWP 2700K	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	1/23/2008
Philips Lighting Company	Philips	ELiCan 5w	227488. BC-ELiCan 5w, 147900	Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700	0.59	7	7/25/2008
Philips Lighting Company	Philips	ELidT 42w	139477, 229120, BC-ELidT 42w, 139485	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	12000	2700		9	7/25/2008
Philips Lighting Company	Philips	ELimdT 19W	209098	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	1/23/2008
Philips Lighting Company	Philips	ELimdT 23W	205872, 227892, 210955, 217489, 209106, 156975, 148049	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/23/2008
Philips Lighting Company	Philips Energy Saver	14w SLS Universal	146910	Bare-Triple Tube	E26/24 (Medium)	CFL		860	14	N/A	12000	2700		10	6/13/2008
Philips Lighting Company	Philips Energy Saver	ELiA G18 9W	212373, 212381, 227504, 235564, 157172	Covered globe	E26/24 (Medium)	CFL		380	9	N/A	8000	2700		7	7/11/2008
Philips Lighting Company	Philips Energy Saver	ELiA G25 14W	221150; 221143; BC-ELiA G25 14W; 227561	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/17/2008
Philips Lighting Company	Philips Energy Saver	ELiA PAR38 23W 2PC	157164. 227918. 406413: 408922	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700		5	2/1/2010
Philips Lighting Company	Philips Energy Saver	ELiA R20 14w	152769, 152777, 157016, 212191, 216580, 212159, 227744, 227751, BC-ELiA R20 14w, 413245	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		11	6/16/2008
Philips Lighting Company	Philips Energy Saver	ELiA SWP 9w	212076. 221119. 227611. BC-ELiA SWP 9W, 152728, 156991	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	6/17/2008
Philips Lighting Company	Philips Energy Saver	ELiCan 9w	BC-ELiCan 9w, 212449, 212456, 227454, 202804	Covered-Candle	E26/24 (Medium)	CFL		420	9	N/A	8000	2700	0.58	5	7/18/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 13w	210914, 209072, 202440, 156380, 210575, 222729, 219295, BC-ELimdT 13W, 148031, 154954, 214346, 233056, 413310	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	6/17/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 13W GU24	222851, 235044	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.582	2	10/3/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 13w LL	227827. 227660. BC-ELimdT 13w	Bare-Mini-Sstiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	7/25/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 14w	227843	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	6/17/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 18W GU24	222869, 235069	Bare-spiral	GU24	CFL		1083	18.21	N/A	10000	2700	0.61	2	10/3/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 18w LL	BC-ELiA mdT 18w, 227678, 227850	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.53	11	7/29/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 18W LL	202861, 413690	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700	0.54	11	12/9/2008
Philips Lighting Company	Philips Energy Saver	ELimdT 23W GU24	222877, 235119	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.566	2	10/3/2008
Philips Lighting Company	Philips Energy Saver	ELiO 14W	227637, 152892, 212464, 202853	Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.55	7	7/24/2008
Philips Lighting Company	Philips Energy Saver	ELiTW 34-26-18W	140426, 144162	Bare-Triple Tube	E26/24 (Medium)	CFL	Three Wav	2025	N/A	18/26/34	10000	2700	0.6	5	7/11/2008
Philips Lighting Company	Philips Energy Saver	ES 9W G16.5 2700K	235804	Covered globe	E26/24 (Medium)	CFL		380	9	N/A	8000	2700		7	10/14/2009
Philips Lighting Company	Philips Energy Saver	Helix Twist EL/3W 11-23-34w	211938, 214866, 228056	Bare-spiral	E26/24 (Medium)	CFL	Three Wav	2200	N/A	11/23/34	10000	2700		9	6/13/2008
Philips Lighting Company	Philips Marathon	ELimdT 11W	138040, 139915 (Blister), 135715 (Canada), 138040	Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		6	1/1/2004
Philips Lighting Company	Philips Marathon	ELimdT 27W	137158, 139469 (blister) 160176 (Canada), 137158, 413666	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		6	1/1/2004
Philips Lighting Company	Philips Marathon	ELimdT 32W	156398, 229138, 156398	Bare-spiral	E26/24 (Medium)	CFL		2400	32	N/A	12000	2700	0.56	11	9/5/2007
Plusrite International Corp.	PLUSRITE	CF11PAR20/SW	4241	Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	2700	0.6	2	2/1/2010
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/27K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	8/1/2011
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/GU24/835	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.583	2	9/2/2010
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/GU24/841	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	9/2/2010
Plusrite International Corp.	PLUSRITE	CF13ET2/SP/GU24/SW	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	9/2/2010
Plusrite International Corp.	PLUSRITE	CF13ET3/SP/841		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100		2	7/18/2011
Plusrite International Corp.	PLUSRITE	CF13ET3/SP/SW	4276	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	7/6/2011
Plusrite International Corp.	PLUSRITE	CF15ET3/SP/SW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	2/5/2008
Plusrite International Corp.	PLUSRITE	CF15PAR30/SW	4244	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700	0.569	2	2/1/2010
Plusrite International Corp.	PLUSRITE	CF15R30DIM/SW		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	6000	2700		2	5/5/2008
Plusrite International Corp.	PLUSRITE	CF15R30/SW	4215	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	4/25/2008
Plusrite International Corp.	PLUSRITE	CF18ET2/SP/841		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	3/23/2012
Plusrite International Corp.	PLUSRITE	CF18ET2/SP/850		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		2	3/23/2012
Plusrite International Corp.	PLUSRITE	CF18ET2/SP/GU24/SW	N/A	Bare-spiral	GU24	CFL		1203	17.66	N/A	10000	2700	0.592	2	9/2/2010
Plusrite International Corp.	PLUSRITE	CF18ET2/SP/SW		Bare-ssiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	3/23/2012
Plusrite International Corp.	PLUSRITE	CF18ET3/SP/841		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	8/18/2010
Plusrite International Corp.	PLUSRITE	CF18ET3/SP/SW		Bare-ssiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	8/18/2010

Plusrite International Corp.	PLUSRITE	CF20ET2/SP/SW	4325	Bare-spiral	E26/24 (Medium)	CFL		1100	20	N/A	12000	2700	0.538	2	12/3/2009
Plusrite International Corp.	PLUSRITE	CF20ET3/SP/SW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.532	2	12/19/2007
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/841		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	6/29/2012
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/850		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.52	2	12/14/2011
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/GU24/SW	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	9/2/2010
Plusrite International Corp.	PLUSRITE	CF23ET2/SP/SW	4235	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.59	2	12/3/2009
Plusrite International Corp.	PLUSRITE	CF23ET3/SP/SW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.52	2	10/11/2011
Plusrite International Corp.	PLUSRITE	CF26ET3/SP/GU24/SW	N/A	Bare-ssiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	3/21/2012
Plusrite International Corp.	PLUSRITE	CF26ET3/SP/SW		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	2/5/2008
Plusrite International Corp.	PLUSRITE	CF9ET2/SP/SW	4223	Bare-ssiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700	0.548	2	12/3/2009
Plusrite International Corp.	PLUSRITE	CF9G25/SW		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	11/6/2008
Purelv Enterprises, LLC	Healthy CFL, Pet CFL	PA15	PA15	Bare-ssiral	E26/E24 (Medium)	CFL		900	13.62	N/A	10000	3500	0.551	3	10/13/2011
Purelv Enterprises, LLC	Healthy CFL, Pet CFL	PA15		Bare-Spiral	E26	CFL		900	13.62	N/A	10000	3500	0.55	3	10/13/2011
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/827		Covered reflector	E26/24 (Medium)	CFL		575	11	N/A	8000	2700	0.527	2	1/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/830		Covered reflector	E26/24 (Medium)	CFL		560	11	N/A	8000	3000	0.52	2	8/26/2009
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/841		Covered reflector	E26/24 (Medium)	CFL		560	11	N/A	8000	4100	0.527	2	1/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF11W/PAR30S/AL/850		Covered reflector	E26/24 (Medium)	CFL		525	11	N/A	8000	5000	0.53	2	8/26/2009
Raywa Lighting and Electrical Corporation	Raywa	CF11W/R20/830		Covered reflector	E26/24 (Medium)	CFL		450	11	N/A	8000	3000	0.516	2	5/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF11W/S/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700	0.58	2	4/24/2009
Raywa Lighting and Electrical Corporation	Raywa	CF13W/A19/827		Covered A-line	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.549	2	9/29/2009
Raywa Lighting and Electrical Corporation	Raywa	CF13W/S/827		Bare-spiral	E26/24 (Medium)	CFL		950	13	N/A	10000	2700	0.54	2	4/14/2009
Raywa Lighting and Electrical Corporation	Ravwa	CF13W/S/GU24	N/A	Bare-ssiral	GU24	CFL		985	13.9	N/A	12000	2700	0.536	2	2/17/2009
Raywa Lighting and Electrical Corporation	Raywa	CF13W/S/HPF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		910	13	N/A	8000	3000	0.736	2	12/12/2008
Raywa Lighting and Electrical Corporation	Raywa	CF15W/G25/830		Covered reflector	E26/24 (Medium)	CFL		870	15	N/A	8000	3000	0.562	2	5/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/835		Covered reflector	E26/24 (Medium)	CFL		760	15	N/A	8000	3500	0.54	2	10/9/2009
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/841		Covered reflector	E26/24 (Medium)	CFL		775	15	N/A	8000	4100	0.533	2	12/22/2009
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/850		Covered reflector	E26/24 (Medium)	CFL		745	15	N/A	8000	5000	0.535	2	9/29/2009
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/AL/830		Covered reflector	E26/24 (Medium)	CFL		730	15	N/A	8000	3000	0.53	2	8/26/2009
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/AL/841		Covered reflector	E26/24 (Medium)	CFL		760	15	N/A	8000	4100	0.536	2	1/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF15W/PAR30L/AL/850		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	8000	5000	0.536	2	1/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF15W/R30/827		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.544	2	11/3/2009
Raywa Lighting and Electrical Corporation	Raywa	CF15W/s		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	10000	2700		5	9/26/2008
Raywa Lighting and Electrical Corporation	Ravwa	CF18W/S/GU24	N/A	Bare-ssiral	GU24	CFL		1372	19.1	N/A	12000	2700	0.57	2	2/17/2009
Raywa Lighting and Electrical Corporation	Raywa	CF20W/S/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	20	N/A	10000	2700	0.55	2	4/24/2009
Raywa Lighting and Electrical Corporation	Raywa	CF20W/T19/827		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	2700	0.552	2	7/7/2009
Raywa Lighting and Electrical Corporation	Ravwa	CF20W/T19/841		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	4100	0.551	2	7/7/2009
Raywa Lighting and Electrical Corporation	Raywa	CF23W/PAR38/841		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100	0.56	2	2/11/2009
Raywa Lighting and Electrical Corporation	Raywa	CF23W/PAR38/AL/830		Covered reflector	E26/24 (Medium)	CFL		1245	23	N/A	8000	3000	0.565	2	12/22/2009
Raywa Lighting and Electrical Corporation	Raywa	CF23W/PAR38/AL/841		Covered reflector	E26/24 (Medium)	CFL		1255	23	N/A	8000	4100	0.58	2	3/11/2010
Raywa Lighting and Electrical Corporation	Raywa	CF23W/R40/827		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700	0.563	2	12/29/2009
Raywa Lighting and Electrical Corporation	Raywa	CF23W/S/827		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	2	4/14/2009
Raywa Lighting and Electrical Corporation	Raywa	CF26W/S/827		Bare-spiral	E26/24 (Medium)	CFL		1900	26	N/A	10000	2700	0.57	2	12/29/2009
Raywa Lighting and Electrical Corporation	Raywa	CF26W/S/GU24	N/A	Bare-spiral	GU24	CFL		1825	25.3	N/A	12000	2700	0.579	2	2/17/2009
Raywa Lighting and Electrical Corporation	Raywa	CF32W/S/827		Bare-spiral	E26/24 (Medium)	CFL		2165	32	N/A	10000	2700	0.594	2	12/29/2009
Raywa Lighting and Electrical Corporation	Raywa	CF7W/PAR20/850		Covered reflector	E26/24 (Medium)	CFL		270	7	N/A	8000	5000	0.55	2	9/21/2009
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/827		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	2700	0.556	2	12/22/2008
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/830		Covered reflector	E26/24 (Medium)	CFL		305	9	N/A	8000	3000	0.556	2	1/29/2010
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/841		Covered reflector	E26/24 (Medium)	CFL		310	9	N/A	8000	4100	0.556	2	1/28/2010
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/AL/830		Covered reflector	E26/24 (Medium)	CFL		340	9	N/A	8000	3000	0.574	2	12/22/2009
Raywa Lighting and Electrical Corporation	Raywa	CF9W/PAR20/AL/850		Covered reflector	E26/24 (Medium)	CFL		340	9	N/A	8000	5000	0.573	2	1/27/2010
Raywa Lighting and Electrical Corporation	Raywa	CF9W/R20/827		Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	10000	2700	0.56	2	12/21/2010
Raywa Lighting and Electrical Corporation	Raywa	PAR38/23/30K		Covered reflector	E26/24 (Medium)	CFL		1220	23	N/A	8000	3000	0.56	2	1/5/2011
Raywa Lighting and Electrical Corporation	Raywa	PAR38/23/35K		Covered reflector	E26/24 (Medium)	CFL		1210	23	N/A	8000	3500	0.579	2	1/5/2011
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-A19E26-120-8W	LED-THKG2-A19E26-120-8W	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	40000	3000	0.765	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-A19E26-300-12W	LED-THKG2-A19E26-300-12W	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	3000	0.976	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-A19E26-300-8W	LED-THKG2-A19E26-300-8W	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	25000	3000	0.713	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-A19GU24-300-13W	LED-THKG2-A19GU24-300-13W	Non-standard	GU24	LED		840	13.0	N/A	25000	3000	0.981	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-B11-250-5W	LED-THKG2-B11-250-5W	C - Candle	E12 (Candelabra)	LED	Dimmable	300	5.0	N/A	25000	3000	0.693	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-B30E26-120-15W	LED-THKG2-B30E26-120-15W	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-GLOBEG25-120-8W	LED-THKG2-GLOBEG25-120-8W	G - Globe	E26/24 (Medium)	LED	Dimmable	500	8.0	N/A	40000	3000	0.823	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-M16GU10-38-6.5W	LED-THKG2-M16GU10-38-6.5W	Non-standard	GU10	LED	Dimmable	320	6.5	N/A	40000	3000	0.781	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-M16GU5-38-6.5W	LED-THKG2-M16GU5-38-6.5W	MR - Multifaceted reflector	GU5.3	LED	Dimmable	320	6.5	N/A	40000	3000	0.923	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P16E26-38-6.5W	LED-THKG2-P16E26-38-6.5W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	320	6.5	N/A	25000	3000	0.795	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P20E26-25-7W	LED-THKG2-P20E26-25-7W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.763	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P20E26-40-7W	LED-THKG2-P20E26-40-7W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P30E26-25-15W	LED-THKG2-P30E26-25-15W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P30E26-40-15W	LED-THKG2-P30E26-40-15W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P38E26-25-20W	LED-THKG2-P38E26-25-20W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	40000	3000	0.939	3	11/2/2012
Reonac Energy Systems Inc./ Think Green Solutions	THINK	LED-THKG2-P38E26-40-20W	LED-THKG2-P38E26-40-20W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	11/2/2012
Revolution Lighting Technologies, Inc.	array	AACMMR162715	N/A	MR - Multifaceted reflector	GU5.3	LED	Dimmable	288	6.1	N/A	25000	2700	0.7	3	1/19/2012
Revolution Lighting Technologies, Inc.	array	AACMMR162725	N/A	MR - Multifaceted reflector	GU5.3	LED	Dimmable	277	5.9	N/A	25000	2700	0.7	3	3/2/2012
Revolution Lighting Technologies, Inc.	arrav	AACMMR163015	N/A	MR - Multifaceted reflector	GU5.3	LED	Dimmable	292	5.9	N/A	25000	3000	0.7	3	1/27/2012
Revolution Lighting Technologies, Inc.	array	AACMMR163025	N/A	MR - Multifaceted reflector	GU5.3	LED	Dimmable	298	6.01	N/A	25000	3000	0.7	3	3/2/2012
Revolution Lighting Technologies, Inc.	array	AE26R3083025	N/A	BR - Bulged Reflector	E26/E24 (Medium)	LED	Dimmable	490	8.0	N/A	50000	3000	0.9	3	3/26/2012
Revolution Lighting Technologies, Inc.	array	AE26R3083060	N/A	BR - Bulged Reflector	E26/E24 (Medium)	LED	Dimmable	486	8.0	N/A	50000	3000	0.9	3	3/26/2012
Revolution Lighting Technologies, Inc.	Array Lighting	AE26PAR38183025	AE26PAR38183025	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	929	19.95	N/A	25000	3000	0.97	3	3/15/2011

Revolution Lighting Technologies, Inc.	Array Lighting	AE26R308302S		R - Reflector	E26/24 (Medium)	LED	Dimmable	490	8.0	N/A	25000	3000	0.92	3	10/14/2010
Revolution Lighting Technologies, Inc.	Array Lighting	AE26R3083060		R - Reflector	E26/24 (Medium)	LED	Dimmable	486	8.1	N/A	25000	3000	0.93	3	10/14/2010
Rhythm Green Limited	DynamicLux	GP318D/120	GP318D/120	Covered reflector	E26/E24 (Medium)	CFL	Dimmable	715	18.0	N/A	20000	2700	0.902	3	12/1/2011
Rhythm Green Limited	DynamicLux	GP318D/120		Covered Reflector	E26	CFL		715	16.47	N/A	20000	2700	0.9	3	12/1/2011
Rhythm Green Limited	DynamicLux	SA413D/120	SA413D/120	Bare-spiral	E26/E24 (Medium)	CFL	Dimmable	780	13.0	N/A	25000	2700	0.902	2	1/5/2012
Rhythm Green Limited	DynamicLux	SA413D/120		Bare-Spiral	E26	CFL		780	12.87	N/A	25000	2700	0.9	2	1/5/2012
Riolite Inc.	Riolite	PAR30-6BV15D	PAR30-6BV15D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	8/3/2012
Riolite Inc.	Riolite	PAR30-6BV25D	PAR30-6BV25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	8/3/2012
Riolite Inc.	Riolite	PAR30-6BV40D	RLED-PAR30-6BV40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	5/25/2012
Riolite Inc.	Riolite	PAR38-10BV25D	RLED-PAR38-10BV25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	5/2/2012
Riolite Inc.	Riolite	PAR38-10BV40D	RLED-PAR38-10BV40D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	5/2/2012
Riolite Inc.	Riolite	RLED-MR16-3BV25D	RLED-MR16-3BV25D	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	5/25/2012
Riolite Inc.	Riolite	RLED-PAR30-6BV15D	RLED-PAR30-6BV15D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	4/3/2012
Riolite Inc.	Riolite	RLED-PAR30-6BV25D	RLED-PAR30-6BV25D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	4/3/2012
Rite Aid Corporation	Rite Aid	FLE13HT3/2/SW	37093 (SACPT32CFL13W), 37096 (SACPT31CFL13W)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700	0.58	2	11/21/2008
Rite Aid Corporation	Rite Aid	FLE20HT3/2/SW	37094 (SACPT31CFL20W)	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		2	11/21/2008
Rite Aid Corporation	Rite Aid	FLE26HT3/2/SW	37095 (SACPT31CFL26W), 37097 (SACPT32CFL26W)	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		2	11/21/2008
RONA Inc.	RONA	2004240		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		5	7/12/2011
RUSSCO Lichtino Technoloaies. Inc.	RUSSCO	10110-30	10110-30	MR - Multifaceted reflector	GU5.3	LED		190	4.0	N/A	25000	3000	1	3	10/16/2012
RUSSCO Lighting Technologies, Inc.	RUSSCO	10210-30	10210-30	Non-standard	GU10	LED		200	4.0	N/A	25000	3000	0.583	3	10/16/2012
RUSSCO Lighting Technologies, Inc.	RUSSCO	10260-30	10260-30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	8.0	N/A	25000	3000	0.875	3	10/16/2012
RUSSCO Lighting Technologies, Inc.	RUSSCO	10340-30	10340-30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	420	8.0	N/A	25000	3000	0.878	3	10/16/2012
RUSSCO Lichtino Technoloaies. Inc.	RUSSCO	10360-30	10360-30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	520	12.0	N/A	25000	3000	0.924	3	10/16/2012
RUSSCO Lighting Technologies, Inc.	RUSSCO	10420-30	10420-30	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	16.0	N/A	25000	3000	0.899	3	10/16/2012
Safeway Inc.	BRIGHT GREEN	BPESL13T/2/SAFE/BG		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.572	2	7/15/2009
Safeway Inc.	BRIGHT GREEN	BPESL18TM/2/SAFE/BG	ESL18TM/4/SAFE	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700	0.554	2	7/15/2009
Safeway Inc.	BRIGHT GREEN	BPESL23TM/2/SAFE/BG		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.568	2	7/15/2009
Safeway Inc.	BRIGHT GREEN	ESL13T/4/SAFE(N)		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	12/22/2010
Safeway Inc.	BRIGHT GREEN	ESL13TD/4/SAFE(N)		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	12/22/2010
Safeway Inc.	BRIGHT GREEN	ESL18TM/D/4/SAFE		Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	8000	6500		2	10/18/2010
Safeway Inc.	BRIGHT GREEN	ESL23TM/4/SAFE		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/18/2010
Safeway Inc.	BRIGHT GREEN	ESL23TM/D/4/SAFE		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	10/18/2010
Safeway Inc.	Safeway Inc.	BPESL13T/2/SAFE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/29/2006
SATCO/NUVO	American Light	MS/0927		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	8/7/2008
SATCO/NUVO	American Light	MS/0950		Bare-Mini-Spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000	0.59	2	9/2/2009
SATCO/NUVO	American Light	MS/1327		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.58	2	8/7/2008
SATCO/NUVO	American Light	MS/1350		Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000	0.58	2	7/22/2009
SATCO/NUVO	American Light	MS/13504P		Bare-Mini-Soiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000	0.58	2	7/22/2009
SATCO/NUVO	American Light	MS/1527		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700		2	8/7/2008
SATCO/NUVO	American Light	MS/1827	MS/18273P	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1140	18	N/A	12000	2700		2	12/17/2007
SATCO/NUVO	American Light	MS/2327	MS/23273P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.56	2	9/1/2009
SATCO/NUVO	American Light	MS/2350		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/21/2009
SATCO/NUVO	American Light	MS/23503P		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/21/2009
SATCO/NUVO	Satco	S5301	N/A	Bare-ssiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	3/8/2010
SATCO/NUVO	Satco	S5302	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	3/8/2010
SATCO/NUVO	Satco	S5401		Bare-ssiral	E26/24 (Medium)	CFL		1330	20	N/A	12000	2700		2	7/19/2010
SATCO/NUVO	Satco	S5529		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	9/21/2010
SATCO/NUVO	Satco	S5554	S7254	Covered reflector	E26/24 (Medium)	CFL		350	11	N/A	10000	2700	0.58	2	1/24/2012
SATCO/NUVO	Satco	S6238		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	3500		2	3/21/2011
SATCO/NUVO	Satco	S6275		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100		2	7/19/2010
SATCO/NUVO	Satco	S6284		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	3500		2	3/21/2011
SATCO/NUVO	Satco	S7201	S7279	Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	2700		2	12/20/2007
SATCO/NUVO	Satco	S7202		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	1/18/2011
SATCO/NUVO	Satco	S7204		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	9/21/2009
SATCO/NUVO	Satco	S7205		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	1/18/2011
SATCO/NUVO	Satco	S7211	S5504	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7212		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	4100		2	4/4/2008
SATCO/NUVO	Satco	S7213	S5506	Bare-Mini-Spiral	E26/24 (Medium)	CFL		570	9	N/A	10000	5000	0.59	2	9/2/2009
SATCO/NUVO	Satco	S7214	S5507	Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	2700		2	2/7/2011
SATCO/NUVO	Satco	S7217	S5516; S5547; S6235; S6277	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7218	S6236	Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	4100		2	12/17/2007
SATCO/NUVO	Satco	S7219	S6237; S5518; S5549	Bare-Mini-Spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	5000	0.58	2	7/22/2009
SATCO/NUVO	Satco	S7221	S5519	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1100	15	N/A	12000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7222		Bare-spiral	E26/24 (Medium)	CFL		1100	15	N/A	10000	4100		2	12/16/2010
SATCO/NUVO	Satco	S7224	S5523; S5541; S6271; S6278	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1140	18	N/A	12000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7225	S6272	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	6/30/2009
SATCO/NUVO	Satco	S7226	S6273; S5525; S5543	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		2	9/21/2009
SATCO/NUVO	Satco	S7227	S5526; S5544; S6274; S6279	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7228		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	4100		2	6/12/2009
SATCO/NUVO	Satco	S7229	S6276; S5528; S5546	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	5000		2	7/21/2009
SATCO/NUVO	Satco	S7231		Bare-ssiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700		2	9/21/2010
SATCO/NUVO	Satco	S7232		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100		2	2/7/2011
SATCO/NUVO	Satco	S7234		Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	12000	2700		2	7/19/2010
SATCO/NUVO	Satco	S7241		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	12/20/2007
SATCO/NUVO	Satco	S7247	S5557; S7278	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	12/20/2007
SATCO/NUVO	Satco	S7248		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		2	1/18/2011
SATCO/NUVO	Satco	S7251		Covered reflector	E26/24 (Medium)	CFL	Dimmable	610	15	N/A	10000	2700		2	4/4/2008
SATCO/NUVO	Satco	S7261	S5501	Bare-spiral	E26/24 (Medium)	CFL		280	5	N/A	10000	2700		2	10/28/2010
SATCO/NUVO	Satco	S7264		Bare-spiral	E12 (Candelabra)	CFL		280	5	N/A	10000	2700		2	10/28/2010
SATCO/NUVO	Satco	S7275		Covered reflector	E26/24 (Medium)	CFL		1070	23	N/A	10000	4100		2	1/18/2011
SATCO/NUVO	Satco	S7281	S5564	Covered A-line	E26/24 (Medium)	CFL		410	7	N/A	12000	2700		2	4/4/2008
SATCO/NUVO	Satco	S7282		Covered A-line	E26/24 (Medium)	CFL		400	7	N/A	10000	4100		2	9/21/2009
SATCO/NUVO	Satco	S7284	S5568	Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	6000	2700		2	5/20/2008
SATCO/NUVO	Satco	S7287	S5572	Covered A-line	E26/24 (Medium)	CFL		540	11	N/A	10000	2700		2	12/21/2007
SATCO/NUVO	Satco	S7291	S5575	Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	7/24/2009
SATCO/NUVO	Satco	S7292		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	7/21/2009
SATCO/NUVO	Satco	S7304		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	12/21/2007
SATCO/NUVO	Satco	S7331		Bare-Mini-Soiral	E26/24 (Medium)	CFL		2000	32	N/A	10000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7334		Bare-spiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	5/20/2008
SATCO/NUVO	Satco	S7341	S5592	Bare-ssiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		2	12/17/2007
SATCO/NUVO	Satco	S7351		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/4/2008
SATCO/NUVO	Satco	S7352		Bare-Mini-Soiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	4/4/2008
SATCO/NUVO	Satco	S7361		Bare-Mini-Spiral	E12 (Candelabra)	CFL		550	9	N/A	12000	2700		2	2/27/2009

SATCO/NUVO	Satco	S7362		Bare-Mini-Spiral	E12 (Candelabra)	CFL		550	9	N/A	12000	4100		2	2/27/2009
SATCO/NUVO	Satco	S7363		Bare-Mini-Spiral	E12 (Candelabra)	CFL		570	9	N/A	10000	5000	0.59	2	9/2/2009
SATCO/NUVO	Satco	S7364		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	13	N/A	12000	2700		2	2/27/2009
SATCO/NUVO	Satco	S7365		Bare-Mini-Spiral	E12 (Candelabra)	CFL		880	13	N/A	12000	4100		2	2/27/2009
SATCO/NUVO	Satco	S7366		Bare-Mini-Spiral	E12 (Candelabra)	CFL		880	13	N/A	12000	5000	0.58	2	7/22/2009
SATCO/NUVO	Satco	S7401		Covered reflector	E26/24 (Medium)	CFL		430	13	N/A	10000	2700		2	1/18/2011
SATCO/NUVO	Satco	S8203	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	6/23/2008
SATCO/NUVO	Satco	S820S	N/A	Bare-ssiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	6/23/2008
SATCO/NUVO	Satco	S8206	N/A	Bare-spiral	GU24	CFL		1435	22.18	N/A	10000	2700	0.55	2	8/20/2008
SATCO/NUVO	Satco	S8207	N/A	Bare-ssiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	12/11/2008
SATCO/NUVO	Satco	S8208	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	6/12/2009
SATCO/NUVO	Satco	S8221	N/A	Covered	GU24	CFL		748	14.66	N/A	10000	2700	0.56	2	11/3/2008
SATCO/NUVO	Satco	S8224	N/A	Reflector	GU24	CFL		693	14.3	N/A	10000	2700	0.56	2	6/12/2009
SATCO/NUVO	Satco	S822S	N/A	Covered	GU24	CFL		862	14.4	N/A	10000	2700	0.56	2	1/11/2011
SATCO/NUVO	Satco	S8226	N/A	Bare-spiral	GU24	CFL		903	12.31	N/A	10000	3500	0.583	2	2/18/2010
SATCO/NUVO	Satco	S8227	N/A	Bare-ssiral	GU24	CFL		898	12.85	N/A	10000	2700	0.587	2	4/1/2010
SATCO/NUVO	Satco	S8228	N/A	Bare-spiral	GU24	CFL		1182	17.23	N/A	10000	2700	0.594	2	4/1/2010
SATCO/NUVO	Satco	S899S	S8995	Non-standard	E26/24 (Medium)	LED	Dimmable	472	8.0	N/A	25000	3000	0.728	3	6/20/2012
SATCO/NUVO	Satco/KolourOne	S884S	S8845	MR - Multifaceted reflector	GU5.3	LED		463	6.89	N/A	25000	2700	0	3	11/16/2012
SATCO/NUVO	Satco/KolourOne	S8848	S8848	Non-standard	E26/24 (Medium)	LED	Dimmable	908	13.1	N/A	25000	2700	0.97	3	11/8/2012
SATCO/NUVO	Satco/KolourOne	S8921	S8921	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	454	6.93	N/A	25000	2700	0.99	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8922	S8922	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	471	6.91	N/A	25000	3500	0.989	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8934	S8934	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	945	14.1	N/A	25000	2700	0.994	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S893S	S8935	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	990	13.95	N/A	25000	3500	0.993	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8941	S8941	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	982	13.7	N/A	25000	2700	0.995	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8942	S8942	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	964	13.6	N/A	25000	3500	0.995	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8947	S8947	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	963	14.27	N/A	25000	2700	0.994	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8948	S8948	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	965	13.65	N/A	25000	3500	0.995	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8971	S8971	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	966	13.7	N/A	25000	2700	0.994	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8972	S8972	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	966	13.6	N/A	25000	3500	0.995	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8977	S8977	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1270	16.6	N/A	25000	2700	0.995	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8978	S8978	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1299	16.72	N/A	25000	3500	0.994	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S8984	S8984	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1156	16.5	N/A	25000	2700	0.995	3	11/7/2012
SATCO/NUVO	Satco/KolourOne	S898S	S8985	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1280	16.5	N/A	25000	3500	0.99	3	11/7/2012
Sea Gull Lighting Products LLC	Definitiv	97304S DFN 16 WW FL GU10	97304S DFN 16 WW FL GU10	Non-Standard	Multiole Pin Bases -GU10	LED		300	6.0	N/A	25000	3000	0.791	5	8/24/2012
Sea Gull Lighting Products LLC	Definitiv	97308S DFN A19 WW V1 120	97308S DFN A19 WW V1 120	A-Arbitrary (Standard Incandescent Shape)	E26/24 Medium	LED	Dimmable	450	8.5	N/A	25000	3000	0.976	5	9/13/2012
Sea Gull Lighting Products LLC	Definitiv	97309S DFN A19 WW V2 120	97309S DFN A19 WW V2 120	A - Arbitrary (Standard Incandescent Shape)	E26/24 (Medium)	LED	Dimmable	809	13.5	N/A	25000	3000	0.99	5	9/13/2012
Sea Gull Lighting Products LLC	Definitiv	97311S DFN 20 WW FL 120	785652152098	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	330	7.85	N/A	25000	3000	0.952	5	8/10/2012
Sea Gull Lighting Products LLC	Definitiv	97314S DFN 30 WW FL 120	785652152115	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	761	15.17	N/A	25000	3000	0.8	5	8/10/2012
Sea Gull Lighting Products LLC	Definitiv	97317S DFN 38 WW FL 120	785652152130	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	891	18.2	N/A	25000	3000	0.778	5	8/10/2012
Sea Gull Lighting Products LLC	Definitiv	97321S DFN BR40 WW 120	973215 DFN BR40 WW 120	Non-Standard	E26/24 (Medium)	LED	Dimmable	990	18.0	N/A	25000	3000	0.76	5	8/24/2012
Sea Gull Lighting Products LLC	Definitiv	97408S DFN A19 W27 V1 120	97408S DFN A19 W27 V1 120	A-Arbitrary (Standard Incandescent Shape)	E26/24 (Medium)	LED	Dimmable	450	9.0	N/A	25000	2700	0.977	5	9/17/2012
Sea Gull Lighting Products LLC	Definitiv	97414S DFN 30 W27 FL 120	785652211867	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	721	15.37	N/A	25000	2700	0.777	5	8/10/2012
Sea Gull Lighting Products LLC	Definitiv	97420S DFN BR30 W27 120	974205 DFN BR30 W27 120	Non-Standard	E26/24 (Medium)	LED	Dimmable	800	14.0	N/A	25000	2700	0.791	5	8/24/2012
Sea Gull Lighting Products LLC	FlexLED	97305S DFN 16 WW FL	785652152047	MR - Multifaceted reflector	GU5.3	LED	Dimmable	258	5.75	N/A	35000	3000	1	3	8/29/2012
Sea Gull Lighting Products LLC	FlexLED	97405S DFN 16 W27 FL	785652211829	MR - Multifaceted reflector	GU5.3	LED	Dimmable	246	5.52	N/A	25000	2700	1	5	9/10/2012
Sea Gull Lighting Products LLC	FlexLED	97417S DFN 38 W27 FL 120	785652211874	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	841	18.21	N/A	25000	2700	0.777	5	8/24/2012
Sea Gull Lighting Products LLC	FlexLED	9750SS DFN 16 NW FL	785652219965	MR - Multifaceted reflector	GU5.3	LED	Dimmable	282	5.81	N/A	25000	4100	1	5	9/5/2012
Sea Gull Lighting Products LLC	FlexLED	97521S DFN BR40 NW 120	785652219931	Non - Standard	E26/24 (Medium)	LED	Dimmable	1080	17.5/9	N/A	25000	4100	0.754	5	8/24/2012
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	3W 28	3W 28	Bare-spiral	Medium E26	CFL	Dimmable		N/A	27.82/27.82/1692.41	10000	2700	0.565	2	7/20/2012
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	3W 28W	3W 28W	Bare-spiral	E26/24 (medium)	CFL	Three WavDimmable		N/A	27.8/19.0/0.0	10000	2700	0.565	2	11/17/2011
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	3W DIM 30W	3W DIM 30W	Bare-ssiral	E26/24 (medium)	CFL	Three WavDimmable		N/A	29.0/22.0/0.0	10000	3000	0.578	2	11/17/2011
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	BR30TR15W 3000K		Covered reflector	E26/24 (Medium)	CFL	Dimmable	638	15	N/A	8000	3000	0.868	7	11/13/2008
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	BR40 23W		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	10000	2700	0.552	2	10/20/2009
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	Dimmable BR30D15W	Dimmable BR30D15W	Covered reflector	Medium E26/24 (medium)	CFL	Dimmable	663	14.95	N/A	10000	2700	0.713	2	8/28/2012
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	Dimmable BR30D15W		Covered Reflector	E26	CFL		663	14.95	N/A	10000	2700	0.71	2	8/28/2012
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	PAR38 23W		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.55	2	10/20/2009
Shanghai Chuan-Shi Technical Corporation, Ltd.	Trunk	SMA13 (3000K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		2	11/8/2005
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindv	MS13W 2700K	MS13W 2700K	Bare-ssiral	E26/E24 (Medium	CFL		850	12.33	N/A	10000	2700	0.558	3	10/20/2011
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS13W 2700K		Bare-Spiral	E26	CFL		850	12.33	N/A	10000	2700	0.56	3	10/20/2011
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS15W 2700K	MS15W 2700K	Bare-Mini-Spiral	E26/E24 (Medium)	CFL		939	13.76	N/A	10000	2700	0.547	3	8/19/2011
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS15W 2700K		Bare-Mini Spiral	E26	CFL		939	13.76	N/A	10000	2700	0.55	3	8/19/2011
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindv	MS15W 3500K	MS15W 3500K	Bare-ssiral	E26/E24 (Medium	CFL		900	15.0	N/A	10000	3500	0.551	3	9/8/2011
Shanghai Mingdai Electric & Appliance Co., Ltd.	mindy	MS15W 3500K		Bare-Spiral	E26	CFL		900	13.62	N/A	10000	3500	0.55	3	9/8/2011
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MHSG13W	N/A	Bare-spiral	GU24	CFL		827	13.3	N/A	10000	2700	0.56	2	5/19/2009
Shanghai Mingdai Electric & Appliance Co., Ltd.	Minodai	MHSG 18W	N/A	Bare-spiral	GU24	CFL		1144	17.5	N/A	10000	2700	0.54	2	7/20/2009
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MHSG 26W	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	7/20/2009
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG13W	N/A	Bare-spiral	GU24	CFL		915	12.92	N/A	10000	2700	0.548	2	5/19/2009
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG 18W	N/A	Bare-spiral	GU24	CFL		1258	17.5	N/A	10000	2700	0.54	2	7/20/2009
Shanghai Mingdai Electric & Appliance Co., Ltd.	Minodai	MSG26 6500K	N/A	Bare-ssiral	GU24	CFL		1712	24.2	N/A	10000	6500	0.53	2	12/7/2009
Shanghai Mingdai Electric & Appliance Co., Ltd.	Mingdai	MSG 26W	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	7/20/2009
Sharp Electronics Corporation	Sharp	DLL12P3030A	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	689	11.27	N/A	25000	3000	0.92	3	9/2/2011
Sharp Electronics Corporation	Sharp	DLL12P3040A	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	632	11.22	N/A	25000	4100	0.92	3	9/2/2011
Shenzhen H&T Lighting Technology Co., Ltd.	HeT	SPKA19P9.8W810DIMH26	SPKA19P9.8W810DIMH26	Non-standard	E26/24 (Medium)	LED	Dimmable	804	10.38	N/A	25000	3000	0.85	5	10/17/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-GU10-3CV25	MS-GU10-3CV25	Non-standard	GU10	LED	Dimmable	227	3.82	N/A	25000	3000	0.908	5	7/13/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-MR16-3BV25	MS-MR16-3BV25	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	5/25/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-MR16-3BV25	MS-MR16-3BV25	MR - Multifaceted reflector	GU5.3	LED		308	5.4	N/A	25000	2700	0.662	5	3/14/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-MR16-3BV40	MS-MR16-3BV40	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	5	5/11/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR30-6B	MS-PAR30-6B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	2/15/2012

Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR30-6B	MS-PAR30-6B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	6/21/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR30-6BV25	MS-PAR30-6BV25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	3/9/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR30-6BV25	MS-PAR30-6BV25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.0	N/A	25000	3000	0.96	5	6/28/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR30-6BV40	MS-PAR30-6BV40	PAR - Parabolic Aluminum Reflector,	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	4/26/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10B	MS-PAR38-10B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1011	15.0	N/A	25000	3000	0.984	5	6/21/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10B	MS-PAR38-10B	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1011	15.0	N/A	25000	3000	0.984	5	2/15/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10BV25	MS-PAR38-10BV25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	6/28/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10BV25	MS-PAR38-10BV25	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.984	5	3/9/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10BV40	MS-PAR38-10BV40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1010	15.0	N/A	25000	3000	0.984	5	6/28/2012
Shenzhen Mester Optoelectronic Technology Co.,Ltd.	Mester	MS-PAR38-10BV40	MS-PAR38-10BV40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.985	5	3/9/2012
Silk Ventures Group (Hong Kong) Limited	Porchlight	CH2014100B-01		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		7	3/3/2010
Silk Ventures Group (Hong Kong) Limited	Porchlight	FE-IISB-14W/27		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		7	2/3/2010
Silk Ventures Group (Hong Kong) Limited	Porchlight	HLSCT2-14W		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	2700		2	2/2/2010
Smart Choice Control-LED Inc.	Smart Choice	LED-PAR30-10WC	LED-PAR30-10WC	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	620	10.0	N/A	25000	3000	0.96	5	7/12/2012
SmartRay, Inc.	SmartRay	SR3MR16SW-V25	MS-MR16-3BV25	MR-Multifaceted reflector	GU5.3	LED		307	5.4	N/A	25000	2700	0.662	5	4/24/2012
SmartRav. Inc.	SmartRav	SR3PAR3010W-V25	SR3PAR3010W-V25	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	666	10.06	N/A	25000	3000	0.96	5	4/24/2012
SmartRay, Inc.	SmartRay	SR3PAR3815W-V25	SR3PAR3815W-V25	PAR-Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1045	14.03	N/A	25000	3000	0.984	5	4/24/2012
SmartRay, Inc.	SmartRay	SR4A197W-D-E	SR4A197W-D-E	Non-standard	E26/24 (Medium)	LED	Dimmable	474	6.57	N/A	25000	3000	0.788	3	9/25/2012
SmartRay, Inc.	SmartRay	SR4A197W-E	SR4A197W-E	Non-standard	E26/24 (Medium)	LED		510	6.26	N/A	25000	3000	0.851	3	9/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/15/30K/18W/975/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1053	17.86	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/15/30K/18W/975/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1053	17.86	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/15/30K/18W/975/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1053	17.86	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/1000/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	16.0	N/A	25000	3000	0.9	3	8/15/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/1000/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	16.0	N/A	25000	3000	0.9	3	8/15/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/1000/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	16.0	N/A	25000	3000	0.9	3	8/15/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/18W/975/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	976	18.1	N/A	25000	3000	0.9	3	12/12/2011
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/18W/975/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	976	18.1	N/A	25000	3000	0.9	3	12/12/2011
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/25/30K/18W/975/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	976	18.1	N/A	25000	3000	0.9	3	12/12/2011
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/1000/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	986	16.0	N/A	25000	3000	0.9	3	8/17/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/1000/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	986	16.0	N/A	25000	3000	0.9	3	8/17/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/1000/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	986	16.0	N/A	25000	3000	0.9	3	8/17/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/18W/975/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	17.81	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/18W/975/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	17.81	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR30LN/40/30K/18W/975/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1023	17.81	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/1100/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/1100/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/1100/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1100/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1100/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1100/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/24/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1250/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1301	21.0	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1250/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1301	21.0	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/15/30K/21W/1250/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1301	21.0	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1025/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1032	16.0	N/A	25000	3000	0.9	3	11/16/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1025/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1032	16.0	N/A	25000	3000	0.9	3	11/16/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/102S/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1032	16.0	N/A	25000	3000	0.9	3	11/16/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1100/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1113	21.0	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1100/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1113	21.0	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1100/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1113	21.0	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1250/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1279	21.0	N/A	25000	3000	0.9	3	8/22/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1250/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1279	21.0	N/A	25000	3000	0.9	3	8/22/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/25/30K/1250/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1279	21.0	N/A	25000	3000	0.9	3	8/22/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/1100/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1174	20.83	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/1100/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1174	20.83	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/1100/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1174	20.83	N/A	25000	3000	0.9	3	8/10/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/1250/BK	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1265	21.04	N/A	25000	3000	0.9	3	8/22/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/1250/GY	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1265	21.04	N/A	25000	3000	0.9	3	8/22/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/1250/WH	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1265	21.04	N/A	25000	3000	0.9	3	8/22/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1100/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1100/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1100/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.83	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1250/BK/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	21.04	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1250/GY/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	21.04	N/A	25000	3000	0.9	3	1/25/2012
Solais Lighting, Inc.	Solais Lighting, Inc.	LR38/40/30K/21W/1250/WH/ES	N/A	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1284	21.04	N/A	25000	3000	0.9	3	1/25/2012
Solterra	Solterra	YK507 23W R40 2700K	10130; 10131; 10132; 10133	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.591	2	4/30/2010
Solterra	Solterra	YK508 32-T 2700K	10100; 10101; 10102; 10103	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	13/23/32	12000	2700		2	6/23/2010
Solterra	Solterra	YK511 13W 2700K	10001; 10002; 10003; 10004	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.583	2	4/30/2010
Solterra	Solterra	YK511 13W 3500K	10010; 10011; 10012; 10013	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500	0.587	2	4/30/2010
Solterra	Solterra	YK512 19W 2700K	10040; 10041; 10042; 10043	Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700	0.539	2	4/30/2010
Solterra	Solterra	YK512 19W 3500K	10050; 10051; 10052; 10053	Bare-spiral	E26/24 (Medium)	CFL		1400	19	N/A	8000	3500	0.551	2	4/30/2010
Solterra	Solterra	YK512 23W 2700K	10070; 10071; 10072; 10073	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.561	2	4/30/2010
Solterra	Solterra	YK512 23W 3500K	10080; 10081; 10082; 10083	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500	0.571	2	4/30/2010
Solterra	Solterra	YK512 23W 4100K	10090; 10091; 10092; 10093	Bare-soiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	4100	0.561	2	4/30/2010
Standard Products, Inc.	E-Lume	14141	CF13/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/24/2008
Standard Products, Inc.	E-Lume	14143	CF15/27K/SPIRAL/E26/ELUME	Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	4/21/2010
Standard Products, Inc.	E-Lume	14148	CF20/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	20	N/A	10000	2700		2	12/21/2010

Standard Products, Inc.	E-Lume	14154	CF23/27K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/21/2010
Standard Products, Inc.	E-Lume	58642	CF13/30K/SPIRAL/E26/ELUME	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.58	2	12/21/2010
Standard Products, Inc.	E-Lume	58643	CF13/27K/SPIRAL/E26/ELUME 4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/16/2010
Standard Products, Inc.	E-Lume	58644	CF13/30K/SPIRAL/E26/ELUME 4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.58	2	12/21/2010
Standard Products, Inc.	E-Lume	58711	CF13/50K/SPIRAL/E26/ELUME 4P	Bare-Mini-Soiral	E26/24 (Medium)	CFL		860	13	N/A	10000	5000	0.58	2	12/21/2010
Standard Products, Inc.	E-Lume	58876		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.5	2	9/1/2010
Standard Products, Inc.	E-Lume	58877		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.5	2	9/1/2010
Standard Products, Inc.	E-Lume	61020	CF9/T2/27K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/1/2011
Standard Products, Inc.	E-Lume	61021	CF13/T2/27K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/5/2011
Standard Products, Inc.	E-Lume	61022	CF13/T2/27K/SPIRAL/E26/ELUME 4P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/5/2011
Standard Products, Inc.	E-Lume	61023	CF13/T2/27K/SPIRAL/E26/ELUME 12P	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/7/2011
Standard Products, Inc.	E-Lume	61026	CF13/T2/35K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		2	7/1/2011
Standard Products, Inc.	E-Lume	61027	CF13/T2/41K/SPIRAL/E26/ELUME 4P	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		2	7/5/2011
Standard Products, Inc.	E-Lume	61028	CF13/T2/50K/SPIRAL/E26/ELUME 4P	Bare-soiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		2	7/1/2011
Standard Products, Inc.	E-Lume	61029	CF15/T2/27K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		1010	15	N/A	10000	2700		2	7/1/2011
Standard Products, Inc.	E-Lume	61031	CF20/T2/27K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		1330	20	N/A	10000	2700		2	7/1/2011
Standard Products, Inc.	E-Lume	61032	CF23/T2/27K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/1/2011
Standard Products, Inc.	E-Lume	61034	CF23/T2/41K/SPIRAL/E26/ELUME	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	7/1/2011
Standard Products, Inc.	E-Lume	61035	CF23/T2/50K/SPIRAL/E26/ELUME	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/1/2011
Standard Products, Inc.	FlexLED	59902	LED/PAR20/8W/INFL/30K/25M/25/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	342	8.0	N/A	25000	3000	0.974	5	3/22/2012
Standard Products, Inc.	FlexLED	59903	LED/PAR20/8W/INFL/40K/25M/25/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	384	8.0	N/A	25000	4000	0.976	5	3/21/2012
Standard Products, Inc.	FlexLED	59906	LED/PAR30LN/15W/FL/30K/25M/25/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	15.0	N/A	25000	3000	0.812	5	3/22/2012
Standard Products, Inc.	FlexLED	59912	LED/PAR38/18W/FL/30K/25M/25/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	907	18.943	N/A	25000	3000	0.74	5	3/1/2012
Standard Products, Inc.	FlexLED	59913	LED/PAR38/18W/FL/40K/25M/25/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	979	18.7	N/A	25000	4000	0.736	5	3/29/2012
Standard Products, Inc.	FlexLED	60036	LED/MR16/6W/INFL/30K/12V/25M/25/D/FLEX	MR - Multifaceted reflector	GU5.3	LED		286	5.7	N/A	25000	3000	1	3	3/27/2012
Standard Products, Inc.	FlexLED	60037	LED/MR16/6W/INFL/41K/12V/25M/25/D/FLEX	MR - Multifaceted reflector	GU5.3	LED		301	5.6	N/A	25000	4000	1	3	3/27/2012
Standard Products, Inc.	FlexLED	61191	LED/PAR30LN/15W/FL/30K/50M/40/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	748	15.0	N/A	25000	3000	0.782	5	7/25/2012
Standard Products, Inc.	FlexLED	61193	LED/PAR38/18W/FL/30K/50M/40/D/FLEX	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	949	18.05	N/A	25000	3000	0.782	5	3/1/2012
Standard Products, Inc.	FlexLED	61474	LED/MR16/6W/FL/30K/12V/25M/40/D/FLEX	MR - Multifaceted reflector	GU5.3	LED		267	6.0	N/A	25000	3000	1	3	6/26/2012
Standard Products, Inc.	FlexLED	61498	LED/MR16/6W/INFL/27K/12V/35M/25/D/FLEX	MR - Multifaceted Reflector	GU5.3	LED	Dimmable	250	6.0	N/A	25000	2700	1	3	9/27/2012
Standard Products, Inc.	FlexLED	LED/BR30/15W/27K/50M/D/FLEX	61471	Non-Standard	E26/24 (Medium)	LED	Dimmable	800	14.0	N/A	25000	2700	0.796	5	8/13/2012
Standard Products, Inc.	FlexLED	LED/PAR20/8W/FL/30K/50M/40/D/FL	61482	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	333	8.0	N/A	25000	3000	0.975	5	8/15/2012
Standard Products, Inc.	FlexLED	LED/PAR20/8W/INFL/27K/50M/25/D/F	61481	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	325	8.0	N/A	25000	2700	0.978	5	8/15/2012
Standard Products, Inc.	FlexLED	LED/PAR30LN/15W/FL/40K/50M/40/	61486	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	767	15.0	N/A	25000	4000	0.787	5	10/17/2012
Standard Products, Inc.	FlexLED	LED/PAR30LN/15W/INFL/27K/50M/25	61499	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	714	15.0	N/A	25000	2700	0.781	5	8/13/2012
Standard Products, Inc.	Standard	14013	CF23/41K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		2	2/24/2009
Standard Products, Inc.	Standard	14014	CF23/50K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	5000		2	2/24/2009
Standard Products, Inc.	Standard	14015	CF15/30K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3000		2	10/21/2009
Standard Products, Inc.	Standard	14026	CF15/35K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3500		2	10/21/2009
Standard Products, Inc.	Standard	14027	CF15/41K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	4100	0.53	2	2/16/2010
Standard Products, Inc.	Standard	14028	CF15/50K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	5000		2	10/21/2009
Standard Products, Inc.	Standard	14100	CF9/27K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		280	9	N/A	8000	2700		2	2/24/2009
Standard Products, Inc.	Standard	14101	CF9/30K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	3000	0.56	2	2/17/2010
Standard Products, Inc.	Standard	14103	CF9/41K/PAR20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	4100	0.56	2	2/17/2010
Standard Products, Inc.	Standard	14139	CF11/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	2700		2	3/5/2010
Standard Products, Inc.	Standard	14140	CF13/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	6/5/2009
Standard Products, Inc.	Standard	14142	CF15/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	10000	2700		2	8/25/2009
Standard Products, Inc.	Standard	14147	CF20/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	20	N/A	10000	2700		2	11/7/2005
Standard Products, Inc.	Standard	14153	CF23/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/11/2008
Standard Products, Inc.	Standard	14164	CF23/27K/BR40/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	8000	2700		2	3/25/2009
Standard Products, Inc.	Standard	56270		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	2700		2	7/20/2009
Standard Products, Inc.	Standard	57861	CF15/HPF/27K/SPIRAL/E26/STD	Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	8/11/2008
Standard Products, Inc.	Standard	58392	CF9/27K/CANDLE/E12/STD	Covered-Candle	E12 (Candelabra)	CFL		450	9	N/A	8000	2700		2	3/9/2010
Standard Products, Inc.	Standard	58394	CF14/27K/A19/E26/STD	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/27/2008
Standard Products, Inc.	Standard	58394	CF14/27K/A19/E26/STD	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	3/9/2010
Standard Products, Inc.	Standard	58397	CF14/27K/R20/E26/STD	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		2	8/11/2008
Standard Products, Inc.	Standard	58401		Covered-post	E26/24 (Medium)	CFL		1350	20	N/A	8000	4100		2	7/20/2009
Standard Products, Inc.	Standard	58404	CF20/HPF/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	8000	2700		2	8/11/2008
Standard Products, Inc.	Standard	58423	CF4/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		2	8/11/2008
Standard Products, Inc.	Standard	58434	CF9/27K/CANDLE/E26/STD	Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	3/9/2010
Standard Products, Inc.	Standard	58439	CF9/27K/G25/E26/STD	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		2	3/8/2010
Standard Products, Inc.	Standard	58440	CF14/27K/G25/E26/STD	Covered globe	E26/24 (Medium)	CFL		850	14	N/A	8000	2700		2	5/18/2010
Standard Products, Inc.	Standard	58441	CF19/27K/G30/E26/STD	Covered globe	E26/24 (Medium)	CFL		900	19	N/A	8000	2700		2	8/11/2008
Standard Products, Inc.	Standard	58442	CF27/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	2700		2	5/7/2010
Standard Products, Inc.	Standard	58632	CF32/27K/SPIRAL/E26/STD	Bare-soiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		2	8/11/2008
Standard Products, Inc.	Standard	58646	CF13/T2/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700		2	7/14/2008
Standard Products, Inc.	Standard	58934	CF16/D/27K/R30/E26/STD	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		2	3/5/2009
Standard Products, Inc.	Standard	58935	CF14/D/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		2	3/5/2009
Standard Products, Inc.	Standard	58959	CF13/20/25/27K/SPIRAL/E26/STD	Bare-Spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	4/7/2009
Standard Products, Inc.	Standard	59611	CF23/D/27K/SPIRAL/E26/STD	Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	10000	2700		2	12/21/2010
Standard Products, Inc.	Standard	59618		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	4/29/2010
Standard Products, Inc.	Standard	59619	CF23/T2/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	3/9/2010
Standard Products, Inc.	Standard	59629		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		2	4/29/2010
Standard Products, Inc.	Standard	59677	CF13/27K/SPIRAL/E26/ELUME 12P	Bare-soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	4/15/2010
Standard Products, Inc.	Standard	59841	CF5/T2/27K/CANDLE/E12/STD	Covered-Candle	E12 (Candelabra)	CFL		220	5	N/A	8000	2700		2	12/23/2010
Standard Products, Inc.	Standard	59842	CF5/T2/27K/CANDLE/E26/STD	Covered-Candle	E26/24 (Medium)	CFL		220	5	N/A	8000	2700		2	12/23/2010
Standard Products, Inc.	Standard	59844	CF9/T2/27K/CANDLE/E26/STD	Covered-Candle	E26/24 (Medium)	CFL		450	9	N/A	10000	2700		2	12/23/2010
Standard Products, Inc.	Standard	60096	CF15/27K/PAR30LN/E26/STD	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	2/15/2011
Standard Products, Inc.	Standard	60097	CF23/30K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		2	2/16/2011
Standard Products, Inc.	Standard	60098	CF23/35K/PAR38/E26/STD	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3500		2	2/16/2011
Standard Products, Inc.	Standard	60911	60911	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	480	9.0	N/A	25000	3000	0.725	3	6/28/2011
Standard Products, Inc.	Standard	60912	60912	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	610	11.0	N/A	25000	3000	0.785	3	6/28/2011
Standard Products, Inc.	Standard	60914	60914	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.623	3	11/11/2011
Standard Products, Inc.	Standard	60930	CF5/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		270	5	N/A	10000	2700		2	6/17/2011
Standard Products, Inc.	Standard	60931	CF5/27K/SPIRAL/E12/STD	Bare-spiral	E12 (Candelabra)	CFL		270	5	N/A	10000	2700		2	6/17/2011
Standard Products, Inc.	Standard	60932	CF32/27K/SPIRAL/E26/STD	Bare-spiral	E26/24 (Medium)	CFL		2000	32	N/A	10000	2700		2	6/17/2011

Standard Products, Inc.	Standard	60947	60947	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	280	5.5	N/A	25000	3000	0.712	3	11/11/2011
Standard Products, Inc.	Standard	61862	LED/MR16/6.5W/FL/30K/12V/25M/3 0/DI/STD	MR - Multifaceted reflector	GU5.3	LED	Dimmable	320	6.5	N/A	25000	3000	0.923	3	10/16/2012
Standard Products, Inc.	Standard	61865	LED/PAR20/7W/NFL/30K/25M/25/D/ STD	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	25000	3000	0.763	5	9/12/2012
Standard Products, Inc.	Standard	61866	LED/PAR38/20W/NFL/30K/25M/25/ D/STD	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	20.0	N/A	25000	3000	0.939	5	9/12/2012
Standard Products, Inc.	Standard	61867	LED/PAR38/20W/FL/30K/25M/40/D/ STD	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	25000	3000	0.939	5	9/12/2012
Standard Products, Inc.	Standard	61868	LED/PAR30LN/15W/NFL/30K/25M/2 5/D/STD	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	25000	3000	0.907	5	9/12/2012
Standard Products, Inc.	Standard	61869	LED/PAR30LN/15W/FL/30K/25M/40 /D/STD	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	25000	3000	0.905	5	9/12/2012
Standard Products, Inc.	Standard Products, Inc.	60033	N/A	Bare-spiral	GU24	CFL		1589	21.89	N/A	10020	4100	0.562	2	11/8/2010
Standard Products, Inc.	Standard Products, Inc.	60033	N/A	Bare-spiral	GU24	CFL		1621	22.34	N/A	10020	4100	0.563	2	11/8/2010
Standard Products, Inc.	Standard Products, Inc.	60033	N/A	Bare-spiral	GU24	CFL		1657	22.68	N/A	10020	4100	0.563	2	11/8/2010
Standard Products, Inc.	Standard Products, Inc.	60034	N/A	Bare-spiral	GU24	CFL		967	13.88	N/A	10020	4100	0.587	2	11/8/2010
Standard Products, Inc.	Standard Products, Inc.	60034	N/A	Bare-spiral	GU24	CFL		1007	14.29	N/A	10020	4100	0.59	2	11/8/2010
Standard Products, Inc.	Standard Products, Inc.	60034	N/A	Bare-soiral	GU24	CFL		1041	14.61	N/A	10020	4100	0.59	2	11/8/2010
Standard Products, Inc.	Standard Products, Inc.	CF13/27K/SPIRAL/GU24/STD	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	6/9/2010
Standard Products, Inc.	Standard Products, Inc.	CF13/D/27K/SPIRAL/GU24/STD	N/A	Bare-Mini-Soiral	GU24	CFL	Dimmable	810	13.2	N/A	10000	2700	0.699	2	6/15/2011
Standard Products, Inc.	Standard Products, Inc.	CF18/27K/SPIRAL/GU24/STD	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	6/9/2010
Standard Products, Inc.	Standard Products, Inc.	CF23/27K/SPIRAL/GU24/STD	N/A	Bare-soiral	GU24	CFL		1719	23.76	N/A	10020	2700	0.569	2	6/9/2010
Sunlight Sales Inc.	SUNLUX LED	SL-270-TU-W	SL-270-TU-W	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	9/12/2012
Sunlight Sales Inc.	SUNLUX LED	SL-300-FR-W	SL-300-FR-W	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	40000	3000	0.737	3	4/19/2012
Sun-Lite Sockets Industry Inc.	Sun-Lite	SBL-13AF	N/A	Bare-spiral	GU24	CFL		876	11.9	N/A	10000	2700	0.56	2	12/20/2010
Sun-Lite Sockets Industry Inc.	Sun-Lite	SBL-18AF	N/A	Bare-soiral	GU24	CFL		1199	16.4	N/A	10000	2700	0.58	2	12/20/2010
Sun-Lite Sockets Industry Inc.	Sun-Lite	SBL-23AF	N/A	Bare-spiral	GU24	CFL		1641	22.1	N/A	10000	2700	0.6	2	12/20/2010
Sunny World (Shaoxing) Green Lighting Co., Ltd.	Osram	EU-13W		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	2700	0.597	9	7/13/2010
Sunny World (Shaoxing) Green Lighting Co., Ltd.	Osram	EU-19W		Bare-soiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.589	9	7/13/2010
Sunny World (Shaoxing) Green Lighting Co., Ltd.	Osram	EU-23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.614	9	7/13/2010
Sunpark Electronics Corporation	Sunpark	A-D7W	A-D7W	Non-standard	E26/24 (Medium)	LED	Dimmable	380	7.0	N/A	40000	3000	0.797	3	3/2/2012
Sunpark Electronics Corporation	Sunpark	GU13W2700K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.582	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU13W5000K	N/A	Bare-spiral	GU24	CFL		916	13.296	N/A	10000	5000	0.582	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU15W2700K	N/A	Bare-spiral	GU24	CFL		981	14.027	N/A	10000	2700	0.588	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU15W5000K	N/A	Bare-spiral	GU24	CFL		911	13.999	N/A	10000	5000	0.588	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU18W2700K	N/A	Bare-spiral	GU24	CFL		1345	18.0	N/A	10000	2700	0.57	2	7/20/2009
Sunpark Electronics Corporation	Sunpark	GU18W5000K	N/A	Bare-spiral	GU24	CFL		1245	18.1	N/A	10000	5000	0.58	2	7/20/2009
Sunpark Electronics Corporation	Sunpark	GU20W2700K	N/A	Bare-soiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.575	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU20W5000K	N/A	Bare-spiral	GU24	CFL		1245	18.09	N/A	10000	5000	0.576	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU23W2700K	N/A	Bare-soiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.557	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU23W5000K	N/A	Bare-spiral	GU24	CFL		1615	21.269	N/A	10000	5000	0.557	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU26W2700K	N/A	Bare-soiral	GU24	CFL		1733	22.586	N/A	10000	2700	0.567	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU26W5000K	N/A	Bare-spiral	GU24	CFL		1634	23.167	N/A	10000	5000	0.568	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU9W2700K	N/A	Bare-soiral	GU24	CFL		680	9.68	N/A	10000	2700	0.55	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	GU9W5000K	N/A	Bare-spiral	GU24	CFL		648	9.77	N/A	10000	5000	0.553	2	5/13/2009
Sunpark Electronics Corporation	Sunpark	Par30-D11W	Par30-D11W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	555	11.0	N/A	40000	3000	0.836	3	3/2/2012
Sunpark Electronics Corporation	Sunpark	Par30F-D11W	Par30F-D11W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	550	11.0	N/A	40000	3000	0.819	3	3/2/2012
Sunpark Electronics Corporation	Sunpark	Par38-D17W	Par38-D17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	900	17.0	N/A	40000	3000	0.728	3	3/2/2012
Sunpark Electronics Corporation	Sunpark	Par38F-D17W	Par38F-D17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	17.0	N/A	40000	3000	0.76	3	3/2/2012
Sunpark Electronics Corporation	Sunpark	SP13S MINI LS27		Bare-Mini-Soiral	E26/24 (Medium)	CFL		750	13	N/A	8000	2700		2	11/30/2004
Sunpark Electronics Corporation	Sunpark	SP13W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/29/2008
Sunpark Electronics Corporation	Sunpark	SP13W-41		Bare-Mini-Soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	7/29/2008
Sunpark Electronics Corporation	Sunpark	SP13W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	7/29/2008
Sunpark Electronics Corporation	Sunpark	SP-14A-27		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		2	9/3/2010
Sunpark Electronics Corporation	Sunpark	SP14W LS27		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	12/11/2009
Sunpark Electronics Corporation	Sunpark	SP15R30 LS27		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700		2	1/21/2005
Sunpark Electronics Corporation	Sunpark	SP15S MINI LS27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	11/15/2004
Sunpark Electronics Corporation	Sunpark	SP15W-27	4288	Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	9/8/2008
Sunpark Electronics Corporation	Sunpark	SP20R38 LS27		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	2700	0.5	2	12/31/2004
Sunpark Electronics Corporation	Sunpark	SP20R38 LS41		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	12/31/2004
Sunpark Electronics Corporation	Sunpark	SP20R40 LS41		Covered reflector	E26/24 (Medium)	CFL		900	20	N/A	8000	4100		2	12/31/2004
Sunpark Electronics Corporation	Sunpark	SP20W-27		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	7/29/2008
Sunpark Electronics Corporation	Sunpark	SP20W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	7/28/2008
Sunpark Electronics Corporation	Sunpark	SP20W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	7/28/2008
Sunpark Electronics Corporation	Sunpark	SP23W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	7/28/2008
Sunpark Electronics Corporation	Sunpark	SP23W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	7/28/2008
Sunpark Electronics Corporation	Sunpark	SP23W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	7/28/2008
Sunpark Electronics Corporation	Sunpark	SP26 3WAY LS34		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500		2	6/29/2009
Sunpark Electronics Corporation	Sunpark	SP26W-27	4295	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.585	2	9/8/2008
Sunpark Electronics Corporation	Sunpark	SP9W-27		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/28/2008
Sunpark Electronics Corporation	Sunpark	SP9W-41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	7/29/2008
Sunpark Electronics Corporation	Sunpark	SP9W-50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	7/29/2008
Sunpark Electronics Corporation	Sunpark	SP-R20-11W-27		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700		2	9/3/2010
Sunpark Electronics Corporation	Sunpark	SP-R30-14W-27		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700		2	9/3/2010
Sunpark Electronics Corporation	Sunpark	SP-R30-14W-41		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100		2	9/3/2010
Sunpark Electronics Corporation	Sunpark	SP-R40-23W-27		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	9/3/2010
Sunpark Electronics Corporation	Sunpark	SP-R40-23W-41		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100		2	9/3/2010
Sunpark Electronics Corporation	Sunpark	T2-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-13W 4100K		Bare-soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	2700	0.574	2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	4100	0.572	2	4/1/2010
Sunpark Electronics Corporation	Sunpark	T2-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	10000	5000	0.573	2	4/1/2010
Sunrise Lighting	Sunrise	DE-28		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1670	25	N/A	10000	2700	0.534	2	12/18/2009
Sunrise Lighting	Sunrise	DES-18/R		Covered reflector	E26/24 (Medium)	CFL	Dimmable	940	18	N/A	8000	2700	0.55	2	7/7/2009
Sunrise Lighting	Sunrise	DES-25	DES-25	Covered reflector	E26/24 (medium)	CFL		1283	25.0	N/A	10000	2700	0.561	2	1/13/2012
Sunrise Lighting	Sunrise	DES-25		Covered Reflector	E26	CFL		1283	25.0000	N/A	10000	2700	0.56	2	1/13/2012
Sunrise Lighting	Sunrise	SGF-13		Covered A-line	E26/24 (Medium)	CFL	Dimmable	855	13	N/A	10000	2700	0.559	2	12/22/2009
Sunrise Lighting	Sunrise	SGF-14		Covered A-line	E26/24 (Medium)	CFL	Dimmable	855	14	N/A	10000	2700	0.559	2	12/22/2009
Sunrise Lighting	Sunrise	SGF-20		Covered A-line	E26/24 (Medium)	CFL		1350	20	N/A	10000	2700	0.568	2	1/19/2011
Sunrise Lighting	Sunrise	SLED-14P	SLED-14P	PAR-Parabolic Aluminum Reflector	E26	LED		660	13.0	N/A	30000	3000	0.935	5	6/14/2012
Sunrise Lighting	Sunrise	SLED-14PD	SLED-14PD	PAR-Parabolic Aluminum Reflector	E26(Medium)	LED	Dimmable	660	13.0	N/A	30000	3000	0.935	5	6/14/2012

Sunrise Lighting	Sunrise	SLED-18P	SLED-18P	PAR-Parabolic Aluminum Reflector	E26	LED		1065	18.0	N/A	30000	3000	0.872	5	6/14/2012
Sunrise Lighting	Sunrise	SLED-18PD	SLED-18PD	PAR-Parabolic Aluminum Reflector	E26(Medium)	LED	Dimmable	1065	18.0	N/A	30000	3000	0.872	5	6/14/2012
Sunrise Lighting	Sunrise	SSE-13/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		782	13	N/A	10000	2700	0.577	7	7/20/2009
Sunrise Lighting	Sunrise	SSE-15/T-2	SSE-15/T-2	Bare-Mini-Spiral	E26/24 (medium)	CFL		1124	14.88	N/A	10000	2700	0.534	1	12/21/2012
Sunrise Lighting	Sunrise	SSE-15/T-2	SSE-15/T-2	Bare-Mini-Spiral	Medium E26	CFL		1100	15.0	N/A	10000	2700	0.534	1	8/16/2012
Sunrise Lighting	Sunrise	SSE-15/T-2		Bare-Mini Spiral	E26	CFL		1100	14.88	N/A	10000	2700	0.53	1	8/16/2012
Sunrise Lighting	Sunrise	SSE-15/T2		Bare-spiral	E26/24 (Medium)	CFL		935	15.0	N/A	10000	2700		2	1/23/2008
Sunrise Lighting	Sunrise	SSE-20		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1410	20.0	N/A	10000	2700	0.541	2	10/26/2009
Sunrise Lighting	Sunrise	SSE-20/T-2	SSE-20/T-2	Bare-Mini-Spiral	E26/24 (medium)	CFL		1410	19.6	N/A	10000	2700	0.541	1	12/21/2012
Sunrise Lighting	Sunrise	SSE-20/T-2		Bare-Mini Spiral	E26	CFL		1410	19.6000	N/A	10000	2700	0.54	1	12/21/2011
Sunrise Lighting	Sunrise	SSE-23		Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	10000	2700		2	2/15/2006
Sunrise Lighting	Sunrise	SSE-24/T2		Bare-spiral	E26/24 (Medium)	CFL		1674	24	N/A	12000	2700	0.56	2	7/7/2009
Sunrise Liohtino	Sunrise	STG-11		Covered globe	E26/24 (Medium)	CFL		635	11	N/A	8000	2700	0.54	7	4/22/2009
Sunrise Lighting	SUNRISE	SSE-11/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		680	11	N/A	10000	2700	0.57	7	7/24/2009
Sunrise Liohtino	SUNRISE	SSE-20/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1450	20	N/A	10000	2700		2	1/25/2008
Sunrise Lighting	SUNRISE	SSE-23/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1678	23	N/A	10000	2700		2	1/25/2008
Sunshine Liohtino	Eneroatic	00816-SU	00816-SU	Bare-Spiral	E12 (Candelabra)	CFL		800	13.0	N/A	10000	2700	0.608	2	9/25/2012
Sunshine Lighting	Energetic	00816-SU		Bare-Spiral	E12	CFL		800	13	N/A	10000	2700	0.61	2	9/25/2012
Sunshine Liohtino	RJN	SM20/E/41K	90-352-120	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	4/3/2009
Sunshine Lighting	RJN	SM3/E/41K	90-352-130	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	4/3/2009
Sunshine Liohtino	RJN	SM9/E/41K	90-352-100	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		2	4/3/2009
Sunshine Lighting	Sunlite	00650-SU	N/A	Bare-spiral	GU24	CFL		752	11.47	N/A	10020	2700	0.586	2	4/29/2008
Sunshine Lighting	Sunlite	00655-SU	N/A	Bare-spiral	GU24	CFL		910	13.82	N/A	10020	2700	0.601	2	4/29/2008
Sunshine Lighting	Sunlite	00660-SU	N/A	Bare-spiral	GU24	CFL		1349	18.06	N/A	10020	2700	0.556	2	4/29/2008
Sunshine Lighting	Sunlite	00665-SU	N/A	Bare-spiral	GU24	CFL		1776	24.33	N/A	10020	2700	0.569	2	4/29/2008
Sunshine Lighting	Sunlite	00683-SU	SMS18/E/27K	Bare-Mini-Spiral	E26	CFL		1250	18.0	N/A	10000	2700	0.565	2	6/13/2012
Sunshine Lighting	Sunlite	00683-SU		Bare-Mini Spiral	E26	CFL		1250	18	N/A	10000	2700	0.56	2	6/13/2012
Sunshine Lighting	Sunlite	00828-SU	SMS23/E/27K/CD1	Bare-Mini-Spiral	E26	CFL		1600	23.0	N/A	10000	2700	0.557	2	6/13/2012
Sunshine Lighting	Sunlite	00828-SU		Bare-Mini Spiral	E26	CFL		1600	23	N/A	10000	2700	0.56	2	6/13/2012
Sunshine Lighting	Sunlite	05397-SU	SL1SR30/E/27K	Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	9/13/2012
Sunshine Lighting	Sunlite	SD15R30E/27K DIMMABLE	05521-SU	Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	12/4/2008
Sunshine Lighting	Sunlite	SL11R20/E/27K	00830-SU	Covered reflector	E26/24 (Medium)	CFL		340	11	N/A	10000	2700		1	1/14/2011
Sunshine Lighting	Sunlite	SL13/E/GU24/27K	N/A	Bare-spiral	GU24	CFL		821	13.0	N/A	10000	2700	0.56	2	7/30/2010
Sunshine Lighting	Sunlite	SL13/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		868	13.404	N/A	10000	4100	0.582	2	7/30/2010
Sunshine Lighting	Sunlite	SL14R20/E/27K	65765-SU	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		2	12/22/2010
Sunshine Lighting	Sunlite	SL15PAR30/AL/E/30K		Covered reflector	E26/24 (Medium)	CFL		730	15	N/A	8000	3000		1	1/11/2011
Sunshine Lighting	Sunlite	SL15PAR30/AL/E/41K	00861-SU	Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100		1	1/11/2011
Sunshine Lighting	Sunlite	SL15PAR30/AL/E/50K	00862-SU	Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	5000		1	1/11/2011
Sunshine Lighting	Sunlite	SL15PAR30L/E/41K	05361-SU	Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100		2	3/11/2010
Sunshine Lighting	Sunlite	SL15PAR30L/E/50K	05364-SU	Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	5000		2	3/11/2010
Sunshine Lighting	Sunlite	SL15R30/E/41K	00841-SU	Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	4100		1	1/14/2011
Sunshine Lighting	Sunlite	SL18/E/GU24/27K	N/A	Bare-ssiral	GU24	CFL		1243	18.64	N/A	10000	2700	0.58	2	7/30/2010
Sunshine Lighting	Sunlite	SL18/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		1249	18.18	N/A	10000	4100	0.584	2	7/30/2010
Sunshine Lighting	Sunlite	SL23/E/27K		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	6/3/2009
Sunshine Lighting	Sunlite	SL23/E/41K		Bare-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/3/2009
Sunshine Lighting	Sunlite	SL23/E/GU24/27K	N/A	Bare-ssiral	GU24	CFL		1508	21.9	N/A	10000	2700	0.607	2	7/30/2010
Sunshine Lighting	Sunlite	SL23/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		1625	21.948	N/A	10000	4100	0.566	2	7/30/2010
Sunshine Lighting	Sunlite	SL23PAR38/AL/E/30K	00870-SU	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000		1	1/11/2011
Sunshine Lighting	Sunlite	SL23PAR38/AL/E/41K	00871-SU	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	4100		1	1/11/2011
Sunshine Lighting	Sunlite	SL23PAR38/E/27K	05335-SU	Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	10000	2700		2	9/7/2012
Sunshine Lighting	Sunlite	SL23PAR38/E/41K	05331-SU	Covered reflector	E26/24 (Medium)	CFL		1210	23	N/A	8000	4100		2	3/11/2010
Sunshine Lighting	Sunlite	SL25/E/3W/27K	05379-SU, SL25/E/3W/27/CD1	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	10/16/2008
Sunshine Lighting	Sunlite	SL26/E/27K		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		2	6/3/2009
Sunshine Lighting	Sunlite	SL26/E/GU24/27K	N/A	Bare-spiral	GU24	CFL		1710	25.393	N/A	10000	2700	0.576	2	7/30/2010
Sunshine Lighting	Sunlite	SL26/E/GU24/41K	N/A	Bare-spiral	GU24	CFL		1704	25.667	N/A	10000	4100	0.575	2	7/30/2010
Sunshine Lighting	Sunlite	SL42/E/27K	05596-SU	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	12000	2700		2	4/10/2008
Sunshine Lighting	Sunlite	SL9PAR20/AL/E/30K	00850-SU	Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	8000	3000		1	1/1/2011
Sunshine Lighting	Sunlite	SL9PAR20/AL/E/50K	00851-SU	Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	8000	5000		1	1/1/2011
Sunshine Lighting	Sunlite	SLB11/E/27K	05222-SU	Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	9/4/2012
Sunshine Lighting	Sunlite	SLB13/E/27K	05223-SU	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	9/4/2012
Sunshine Lighting	Sunlite	SLB14/E/27K	05307-SU	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/27/2008
Sunshine Lighting	Sunlite	SLG14/E/27K	05349-SU	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/6/2009
Sunshine Lighting	Sunlite	SLG9/E/27K	05348-SU	Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700		2	4/6/2009
Sunshine Lighting	Sunlite	SM13/E/27K	05421-SU, 05425-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/23/2009
Sunshine Lighting	Sunlite	SM15/E/27K	05203-SU	Bare-spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	12/22/2010
Sunshine Lighting	Sunlite	SM15/E/27K	05204-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.5	2	12/22/2009
Sunshine Liohtino	Sunlite	SM23/E/41K		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	6/3/2009
Sunshine Lighting	Sunlite	SMS10E/27K	00605-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		640	10	N/A	10000	2700		2	1/24/2007
Sunshine Lighting	Sunlite	SMS11/E/27K	00712-SU	Bare-ssiral	E26/24 (Medium)	CFL		730	11	N/A	10000	2700	0.56	2	9/12/2011
Sunshine Lighting	Sunlite	SMS13/E/27K	00609-SU, 00706-SU, 00607-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		5	6/30/2008
Sunshine Liohtino	Sunlite	SMS13/E/41K	00702-SU, 00707-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		9	7/1/2008
Sunshine Lighting	Sunlite	SMS13J/E/35K	00801-SU	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		1	1/12/2011
Sunshine Lighting	Sunlite	SMS13J/E/41K	00802-SU	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	4100		1	1/12/2011
Sunshine Lighting	Sunlite	SMS13J/E/50K	00803-SU	Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000		1	1/12/2011
Sunshine Lighting	Sunlite	SMS13J/E/65K	00804-SU	Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500		1	1/12/2011
Sunshine Lighting	Sunlite	SMS15E/27K	00615-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	1/24/2007
Sunshine Lighting	Sunlite	SMS18/E/27K	00647-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		2	3/12/2009
Sunshine Lighting	Sunlite	SMS18/E/41K	00648-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100		2	3/12/2009
Sunshine Lighting	Sunlite	SMS18J/E/27K	00810-SU	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		1	1/12/2011
Sunshine Lighting	Sunlite	SMS18J/E/35K	00811-SU	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		1	1/12/2011
Sunshine Lighting	Sunlite	SMS18J/E/41K	00812-SU	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	4100		1	1/12/2011
Sunshine Lighting	Sunlite	SMS18J/E/50K	00813-SU	Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		1	1/12/2011
Sunshine Lighting	Sunlite	SMS18J/E/65K	00814-SU	Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	10000	6500		1	1/13/2011
Sunshine Lighting	Sunlite	SMS20/E/27K	00626-SU, 00654-SU, 00625-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700		2	2/11/2009
Sunshine Lighting	Sunlite	SMS20/E/41K	00628-SU, 00659-SU, 00638-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		9	1/15/2009
Sunshine Lighting	Sunlite	SMS23/E/27K	00669-SU, 00635-SU, 00695-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/11/2009
Sunshine Lighting	Sunlite	SMS23F/E/41K	00709-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	12/21/2010
Sunshine Lighting	Sunlite	SMS23J/E/27K	00820-SU: 00827-SU	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/13/2011
Sunshine Lighting	Sunlite	SMS23J/E/35K	00821-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		1	1/13/2011
Sunshine Lighting	Sunlite	SMS23J/E/41K	00822-SU	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		1	1/13/2011
Sunshine Lighting	Sunlite	SMS23J/E/50K	00823-SU	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		1	1/13/2011
Sunshine Lighting	Sunlite	SMS23J/E/65K	00824-SU: 00825-SU	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	1/13/2011
Sunshine Lighting	Sunlite	SMS9/E/27K	00606-SU, 00638-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		5	6/30/2008
Sunshine Lighting	Sunlite	SMS9/E/41K	00604-SU, 00639-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	4100		9	7/1/2008
Sunshine Lighting	Sunlite	SMSF13/E/27K	00679-SU; 00701-SU SMS13F/E/27K/4PK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	2700	0.5	2	9/8/2009
Sunshine Lighting	Sunlite	SMSF13/E/30K	00699-SU	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		2	1/7/2010
Sunshine Lighting	Sunlite	SMSF13/E/41K	00693-SU; 00694-SU	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	1/7/2010
Sunshine Lighting	Sunlite	SMSF13/E/50K	00681-SU	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	15000	5000		2	9/8/2009
Sunshine Lighting	Sunlite	SMSF18/E/27K	00696-SU	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	2700		2	1/7/2010

Sunshine Lighting	Sunlite	SMSF23/E/27K	00687-SU; 00691-SU; SMSF23/E/27K/CD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	9/8/2009
Sunshine Lighting	Sunlite	SMSF23/E/65K	00690-SU; 00692-SU; SMSF23/E/65K/CD	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.58	2	9/8/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-11W/27K	N/A	Bare-spiral	GU24	CFL		697	10.9	N/A	10000	2700	0.587	2	8/20/2008
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU13/27K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.582	2	1/26/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU13/50K	N/A	Bare-spiral	GU24	CFL		916	13.296	N/A	10000	5000	0.582	2	1/26/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-13W/27K	N/A	Bare-spiral	GU24	CFL		903	13.9	N/A	10020	2700	0.586	2	8/20/2008
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU18/27K	N/A	Bare-spiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.575	2	1/26/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU18/50K	N/A	Bare-spiral	GU24	CFL		1245	18.09	N/A	10000	5000	0.576	2	1/26/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-18W/27K	N/A	Bare-spiral	GU24	CFL		1366	18.69	N/A	10020	2700	0.559	2	8/20/2008
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU23/27K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.557	2	1/26/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU23/50K	N/A	Bare-spiral	GU24	CFL		1615	21.269	N/A	10000	5000	0.557	2	1/26/2009
Sun & Stars Lighting, Inc.	Sun and Stars Lighting	SSL-GU-23W/27K	N/A	Bare-spiral	GU24	CFL		1677	23.23	N/A	10020	2700	0.566	2	8/20/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-10W/HL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	10	N/A	10000	2700		2	6/9/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-13-27K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	9/24/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL13/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	2/3/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL13/T2-CW		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.6	7	12/4/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-13W/HL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	6/9/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14/A		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	2700		7	3/26/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14/A-CW		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	4100	0.587	7	12/4/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14/R30		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	2700	0.591	7	3/31/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL14W/R30-CW		Covered reflector	E26/24 (Medium)	CFL		700	14	N/A	10000	4100	0.593	7	12/9/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-15W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		9	3/26/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL19/G		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	10000	2700	0.58	2	1/4/2010
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/R40		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700	0.572	7	3/31/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/R40-CW		Covered reflector	E26/24 (Medium)	CFL		1100	23	N/A	10000	4100	0.587	7	12/9/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23/SL	single-pack	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/13/2007
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/3/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/T2-CW		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.57	7	12/4/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL23/T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/3/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23W	SSL-23	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	7/20/2007
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23W/HL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1400	23	N/A	10000	2700		2	6/9/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-23W/SL	4-pack	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/13/2007
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-R40-23W		Covered reflector	E26/24 (Medium)	CFL		930	23	N/A	6000	2700		2	4/28/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700		2	5/7/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/14W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	6/23/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	1/22/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	23	N/A	10000	2700		2	1/22/2009
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T2/9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9	N/A	8000	2700		2	6/23/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T3/13W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/13/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T3/20W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/13/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T3/23W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/13/2008
Sun & Stars Lighting, Inc.	Sun & Stars	SSL-T4/40W		Bare-ssiral	E26/24 (Medium)	CFL		2600	40	N/A	10000	2700		2	3/31/2011
SUPERVALU, Inc.	ESSENTIAL EVERYDAY	02201		Bare-Mini Spiral	E26	CFL		925	13.0000	N/A	10000	2700	0.62	9	8/28/2012
SUPERVALU, Inc.	ESSENTIAL EVERYDAY	2201	2201	Bare-Mini-Spiral	E26/24 (medium)	CFL		925	13.0	N/A	10000	2700	0.628	9	8/28/2012
SUPERVALU, Inc.	Homelife	44752	46135447523, 29362	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/6/2009
SUPERVALU, Inc.	Homelife	44753	46135447530, 29365	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/8/2009
SUPERVALU, Inc.	Homelife	45648	45648	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	7/9/2009
Suzhou Daming Electric Co., Ltd.	Daming	BDM-15		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700	0.562	2	9/30/2009
Suzhou Daming Electric Co., Ltd.	Daming	BDS-19		Bare-spiral	E26/24 (Medium)	CFL		1500	19	N/A	10000	2700	0.545	2	9/30/2009
Suzhou Daming Electric Co., Ltd.	Daming	BDS-26		Bare-spiral	E26/24 (Medium)	CFL		1800	26	N/A	10000	2700	0.553	2	9/30/2009
Suzhou Daming Electric Co., Ltd.	Daming	BDTS-14		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.569	2	12/31/2010
Suzhou Daming Electric Co., Ltd.	Daming	BDTS-23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.537	2	9/30/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	11BD689143		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/8/2011
Technical Consumer Products, Inc. (TCP)	DuraBright	68909		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.591	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68909		Bare-Mini-Spiral	E26/24 (Medium)	CFL		600	9.0	N/A	10000	2700		7	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	68914		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700	0.58	6	5/25/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	689142		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	12/16/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	689142		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	9/12/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	689143		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.581	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68914B10		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	9/22/2010
Technical Consumer Products, Inc. (TCP)	DuraBright	68914B2		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	4/8/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	68914B6		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	4/8/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	68914DL		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68914DL3		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68914DLB		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	4/8/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	68919		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.603	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68919		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		6	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	689192		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700	0.6	9	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	68919DL	68919DL2	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000	0.604	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	8/13/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	12/16/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	689232		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	8/13/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68923B10		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/23/2011
Technical Consumer Products, Inc. (TCP)	DuraBright	68923B2		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/7/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	68923B4		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/7/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	68923DIM		Bare-Mini-Spiral	E26/24 (Medium)	CFL	Dimmable	1400	23	N/A	10000	2700		9	8/12/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68923DL		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.621	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68923DL2		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.621	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68923DLB		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/7/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	68932		Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		2	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68942		Bare-ssiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	68942		Bare-spiral	E26/24 (Medium)	CFL		2800	42.0	N/A	10000	2700		6	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	6897Z132		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	3/8/2011
Technical Consumer Products, Inc. (TCP)	DuraBright	69014		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.63	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	690143		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.63	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	690192		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500	0.588	9	8/20/2008

Technical Consumer Products, Inc. (TCP)	DuraBright	69023		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500	0.603	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	690232		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500	0.603	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	69032		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/20/32	10000	2700		9	4/24/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	69032B		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700		9	7/31/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	69114		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	691142		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	691143		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		1	2/23/2011
Technical Consumer Products, Inc. (TCP)	DuraBright	69114BW2		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		7	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	694092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	6940982		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/7/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	69414		Covered A-line	E26/24 (Medium)	CFL		700	14.0	N/A	8000	2700		7	4/4/2007
Technical Consumer Products, Inc. (TCP)	DuraBright	69414		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	694142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	10/7/2008
Technical Consumer Products, Inc. (TCP)	DuraBright	694143		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		9	2/23/2011
Technical Consumer Products, Inc. (TCP)	DuraBright	6941482		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/7/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	6R3014		Covered reflector	E26/24 (Medium)	CFL		650	14.0	N/A	8000	2700		7	1/13/2006
Technical Consumer Products, Inc. (TCP)	DuraBright	6R30142		Covered reflector	E26/24 (Medium)	CFL		650	14.0	N/A	8000	2700		7	1/13/2006
Technical Consumer Products, Inc. (TCP)	DuraBright	6R3014B2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.604	7	1/8/2010
Technical Consumer Products, Inc. (TCP)	DuraBright	6R3014B4		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	9/9/2010
Technical Consumer Products, Inc. (TCP)	DuraBright	6T213B2		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	6/9/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	6T223B2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/9/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	76023	760232	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		1	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	760232	760232	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		1	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	760232		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		9	12/20/2004
Technical Consumer Products, Inc. (TCP)	DuraBright	7P3823		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	12/1/2006
Technical Consumer Products, Inc. (TCP)	DuraBright	7P3823B2		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	6/11/2009
Technical Consumer Products, Inc. (TCP)	DuraBright	7R2014		Covered reflector	E26/24 (Medium)	CFL		500	14.0	N/A	8000	2700	0.59	6	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	7R20142		Covered reflector	E26/24 (Medium)	CFL		500	14.0	N/A	8000	2700		6	6/15/2003
Technical Consumer Products, Inc. (TCP)	DuraBright	7R4019		Covered reflector	E26/24 (Medium)	CFL		950	19.0	N/A	8000	2700		6	6/15/2003
Technical Consumer Products, Inc. (TCP)	Ecosave	1ES13260	1ES13260	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.629	2	12/20/2011
Technical Consumer Products, Inc. (TCP)	Ecosave	1ES20	1ES20	Bare-ssiral	E26/24 (medium)	CFL		1200	20.0	N/A	10000	2700	0.588	2	2/8/2012
Technical Consumer Products, Inc. (TCP)	Ecosave	1ES2048	1ES2048	Bare-spiral	E26/24 (medium)	CFL		1200	20.0	N/A	10000	2700	0.588	9	9/4/2012
Technical Consumer Products, Inc. (TCP)	Ecosave	1ES23	1ES23	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.607	2	1/24/2012
Technical Consumer Products, Inc. (TCP)	Ecosave	1ES23236	1ES23236	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.607	2	12/20/2011
Technical Consumer Products, Inc. (TCP)	Ecosave	1ES2348	1ES2348	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.607	9	9/4/2012
Technical Consumer Products, Inc. (TCP)	Ecosmart	780-758 (ES5R4232)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.615	7	8/7/2009
Technical Consumer Products, Inc. (TCP)	Ecosmart	ES5G814250K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000		7	3/24/2011
Technical Consumer Products, Inc. (TCP)	Ecovations	11309PERM		Covered A-line	E26/24 (Medium)	CFL		475	9	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Ecovations	11316PERM		Covered A-line	E26/24 (Medium)	CFL		770	16	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Ecovations	1G3014PERM		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Ecovations	1G3019PERM		Covered globe	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Ecovations	1P3823PERM		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Ecovations	1R2014PERM		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Ecovations	2R3016PERM		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		1	9/17/2007
Technical Consumer Products, Inc. (TCP)	Fresh2	689142F2		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.58	9	1/25/2012
Technical Consumer Products, Inc. (TCP)	Fresh2	68914F2		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	2700	0.58	9	10/12/2011
Technical Consumer Products, Inc. (TCP)	Fresh2	68923F2	689232F2	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	10/5/2011
Technical Consumer Products, Inc. (TCP)	Lightstyles	68923F2B		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/17/2012
Technical Consumer Products, Inc. (TCP)	OUC	801019OUC		Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.593	2	6/8/2010
Technical Consumer Products, Inc. (TCP)	Ribbon Nutrition	RH10027	RH10027, RH10027S	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/17/2007
Technical Consumer Products, Inc. (TCP)	Ribbon Nutrition	RH7527	RH7527	Covered reflector	E26/24 (Medium)	CFL		650	16	N/A	8000	2700		7	8/17/2007
Technical Consumer Products, Inc. (TCP)	Spring Light	801009		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	1/7/2008
Technical Consumer Products, Inc. (TCP)	Sorino Liaht	8010093		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		9	11/5/2007
Technical Consumer Products, Inc. (TCP)	Spring Light	801009353		Bare-Mini-Spiral	E26/24 (Medium)	CFL		440	9	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80100941		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.597	1	1/15/2010
Technical Consumer Products, Inc. (TCP)	Sorino Liaht	80100950		Bare-ssiral	E26/24 (Medium)	CFL		500	9	N/A	10000	5000	0.6	9	3/9/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	801009503		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	5000	0.6	9	3/9/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	801014	8010143, 80143	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	11/25/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8010143		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	11/5/2007
Technical Consumer Products, Inc. (TCP)	Sorino Liaht	80101435		Bare-ssiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	11/5/2007
Technical Consumer Products, Inc. (TCP)	Spring Light	80101441		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100		9	6/12/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801014413		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	4100		9	2/23/2011
Technical Consumer Products, Inc. (TCP)	Spring Light	80101450		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		9	10/3/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801014503		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	10/3/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80101GP		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	7/23/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	801019		Bare-spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	2700		9	1/7/2008
Technical Consumer Products, Inc. (TCP)	Sorino Liaht	8010193		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	2700		9	11/27/2007
Technical Consumer Products, Inc. (TCP)	Spring Light	80101935		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500		9	3/6/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	8010193S3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	3500		1	3/6/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	80101941		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	4100	0.59	2	1/15/2010
Technical Consumer Products, Inc. (TCP)	Spring Light	801019413		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	4100	0.59	2	1/15/2010
Technical Consumer Products, Inc. (TCP)	Spring Light	80101950	801019503	Bare-spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	5000		9	9/23/2008

Technical Consumer Products, Inc. (TCP)	Spring Light	801023		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/7/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8010232FE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/15/2009
Technical Consumer Products, Inc. (TCP)	Sorino Light	8010233		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	11/5/2007
Technical Consumer Products, Inc. (TCP)	Spring Light	80102335		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		1	11/25/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801023353		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		1	11/25/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	80102341		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.603	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	801023413		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.603	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	80102350		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	5000		9	10/3/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801023503		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	5000		9	10/3/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	801027	801027, 8010273	Bare-ssiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		9	1/11/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801027		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		9	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8010273		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700		9	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80102735K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	3500		2	1/15/2010
Technical Consumer Products, Inc. (TCP)	Spring Light	80102750		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.59	9	3/9/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	801027503		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.59	9	3/9/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	8011412		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.632	2	2/16/2010
Technical Consumer Products, Inc. (TCP)	Sorino Light	8012312		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.632	2	2/16/2010
Technical Consumer Products, Inc. (TCP)	Spring Light	8012712		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	2700	0.611	2	2/16/2010
Technical Consumer Products, Inc. (TCP)	Spring Light	8014353		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8014353PGE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8014353SCE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80143PGE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80143SCE		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	80143SMUD		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801832		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1950	N/A	14/19/32	10000	2700		9	5/13/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	80193		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80193PGE		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	80193SCE		Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80193SMUD		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	801R30146		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		2	10/5/2012
Technical Consumer Products, Inc. (TCP)	Sorino Light	802014		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8020142		Covered reflector	E26/24 (Medium)	CFL		495	14	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80233	80233PGE; 80233SMUD; 80233SCE	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	2/26/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8023353		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	8023353PGE		Bare-ssiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8023353SCE		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8023353SMUD		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	803014	8030142	Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8030142	8030142	Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	80301435		Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500	0.63	9	11/25/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	804023		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	8000	2700		7	3/17/2010
Technical Consumer Products, Inc. (TCP)	Sorino Light	804023		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	805023		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8050232		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8060092		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	2700	0.542	7	6/18/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	806009352		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	3500	0.601	7	5/7/2009
Technical Consumer Products, Inc. (TCP)	Spring Light	8060142		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	11/6/2007
Technical Consumer Products, Inc. (TCP)	Spring Light	806142		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	806142PGE		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	806142SCE		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	806142SMUD		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8070092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	1/10/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	8070092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	1/23/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	8070142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	807142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Sorino Light	807142PGE		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	807142SCE		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	Spring Light	807142SMUD		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/28/2008
Technical Consumer Products, Inc. (TCP)	TCP	10120		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	20.0	N/A	10000	2700		1	5/7/2001
Technical Consumer Products, Inc. (TCP)	TCP	10704		Covered-post	E26/24 (Medium)	CFL		195	4	N/A	8000	2700	0.595	1	12/3/2010
Technical Consumer Products, Inc. (TCP)	TCP	10704C		Covered-post	E12 (Candelabra)	CFL		195	4	N/A	8000	2700	0.597	1	8/24/2010
Technical Consumer Products, Inc. (TCP)	TCP	10704C		Covered-post	E26/24 (Medium)	CFL		195	4	N/A	8000	2700	0.597	1	8/24/2010
Technical Consumer Products, Inc. (TCP)	TCP	10709		Covered-post	E26/24 (Medium)	CFL		425	9	N/A	8000	2700	0.598	1	12/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	10709C	10709C	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	2700	0.609	7	7/5/2011
Technical Consumer Products, Inc. (TCP)	TCP	11309		Covered A-line	E26/24 (Medium)	CFL		475	9.0	N/A	8000	2700		1	7/24/2002
Technical Consumer Products, Inc. (TCP)	TCP	11316		Covered A-line	E26/24 (Medium)	CFL		900	16.0	N/A	8000	2700	0.617	1	3/6/2009
Technical Consumer Products, Inc. (TCP)	TCP	1131631K		Covered A-line	E26/24 (Medium)	CFL		900	16	N/A	8000	3000	0.622	1	7/7/2009
Technical Consumer Products, Inc. (TCP)	TCP	11319		Covered A-line	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.611	7	7/17/2008
Technical Consumer Products, Inc. (TCP)	TCP	1131931K		Covered A-line	E26/24 (Medium)	CFL		1100	19	N/A	8000	3000	0.6	1	7/7/2009
Technical Consumer Products, Inc. (TCP)	TCP	18220		Bare-spiral	E26/24 (Medium)	CFL		1100	20.0	N/A	10000	2700		1	7/13/2001
Technical Consumer Products, Inc. (TCP)	TCP	18911	98911	Bare-Mini-Spiral	E26/24 (Medium)	CFL		650	11.0	N/A	10000	2700	0.6	1	6/20/2001
Technical Consumer Products, Inc. (TCP)	TCP	18919		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		2	6/12/2002

Technical Consumer Products, Inc. (TCP)	TCP	19027	19027	Bare-spiral	E26/24 (medium)	CFL		1850	27.0	N/A	10000	2700	0.58	9	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	19032		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700	0.565	1	1/19/2008
Technical Consumer Products, Inc. (TCP)	TCP	1903235K		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2500	N/A	14/19/32	10000	3500	0.574	2	9/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	1ES13	1ES131P	Bare-spiral	E26/24 (medium)	CFL		800	13.23	N/A	10000	2700	0.627	9	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	1ES133	1ES133	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.629	2	4/27/2011
Technical Consumer Products, Inc. (TCP)	TCP	1ES13360	1ES13360	Bare-ssiral	E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.629	2	6/20/2011
Technical Consumer Products, Inc. (TCP)	TCP	1ES233	1ES233	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.607	2	6/17/2011
Technical Consumer Products, Inc. (TCP)	TCP	1ES23336	1ES23336	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.607	2	6/17/2011
Technical Consumer Products, Inc. (TCP)	TCP	1G2504		Bare-spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700	0.606	1	6/25/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G2509		Covered globe	E26/24 (Medium)	CFL		520	9.0	N/A	8000	2700		1	6/13/2002
Technical Consumer Products, Inc. (TCP)	TCP	1G250931K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	3000	0.607	1	3/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G25093SK		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	3500	0.601	1	5/7/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G250941K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	4100	0.599	1	9/9/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G250951K		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.601	7	6/25/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G2509C		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	2700		1	7/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	1G300935K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	3500	0.608	7	9/23/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G300941K		Covered globe	E26/24 (Medium)	CFL		520	9	N/A	8000	4100	0.614	1	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G3014		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700	0.613	1	7/24/2002
Technical Consumer Products, Inc. (TCP)	TCP	1G301431K	1G301431K	Covered globe	E26/24 (medium)	CFL		800	14.74	N/A	8000	3000	0.614	1	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	1G301431K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3000	0.614	1	12/8/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G301451K	1G301451K	Covered globe	E26/24 (medium)	CFL		800	14.85	N/A	8000	5000	0.616	1	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	1G301451K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.64	1	12/15/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G3019		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.595	2	11/25/2008
Technical Consumer Products, Inc. (TCP)	TCP	1G301931K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	3000	0.602	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G30193SK	1G30193SK	Covered globe	E26/24 (medium)	CFL		1100	19.0	N/A	8000	3500	0.61	7	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	1G301941K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	4100	0.612	1	12/2/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G301951K	1G301951K	Covered globe	E26/24 (medium)	CFL		1000	19.32	N/A	8000	5000	0.611	1	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	1G301951K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	5000		1	12/16/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G302341K	1G302341K	Covered globe	E26/24 (medium)	CFL		1300	23.0	N/A	8000	4100	0.618	1	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	1G401431K		Covered globe	E26/24 (Medium)	CFL		875	14	N/A	8000	3000	0.615	1	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G401435K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.614	1	10/6/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G401441K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	4100	0.622	1	10/6/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G401451K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000		1	10/1/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G4019		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.607	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G401931K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	3000	0.609	1	1/25/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G401935K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	3500	0.608	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	TCP	1G401941K		Covered globe	E26/24 (Medium)	CFL		1100	19	N/A	8000	4100	0.609	1	11/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	1G401951K	1G401951K	Covered globe	E26/24 (medium)	CFL		1000	19.32	N/A	8000	5000	0.61	1	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	1G402341K	1G402341K	Covered globe	E26/24 (medium)	CFL		1400	23.0	N/A	8000	4100	0.616	1	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	1P3016		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700	0.552	1	12/3/2010
Technical Consumer Products, Inc. (TCP)	TCP	1P301651K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	5000	0.609	1	12/3/2010
Technical Consumer Products, Inc. (TCP)	TCP	1P3816		Covered reflector	E26/24 (Medium)	CFL		850	16.0	N/A	8000	2700	0.615	1	11/25/2008
Technical Consumer Products, Inc. (TCP)	TCP	1P381631K		Covered reflector	E26/24 (Medium)	CFL		850	16	N/A	8000	3000	0.552	1	10/22/2009
Technical Consumer Products, Inc. (TCP)	TCP	1P381641K		Covered reflector	E26/24 (Medium)	CFL		850	16	N/A	8000	4100	0.611	1	11/2/2009
Technical Consumer Products, Inc. (TCP)	TCP	1P3823		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.612	1	10/11/2004
Technical Consumer Products, Inc. (TCP)	TCP	1P382335K		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3500	0.557	1	10/25/2010
Technical Consumer Products, Inc. (TCP)	TCP	1R2009		Covered reflector	E26/24 (Medium)	CFL		400	9	N/A	8000	2700		1	8/1/2005
Technical Consumer Products, Inc. (TCP)	TCP	1R200931K		Covered reflector	E26/24 (Medium)	CFL		300	9	N/A	8000	3000	0.594	1	12/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	1R2014		Covered reflector	E26/24 (Medium)	CFL		500	14.0	N/A	8000	2700	0.593	1	7/24/2002
Technical Consumer Products, Inc. (TCP)	TCP	1R201431K		Covered reflector	E26/24 (Medium)	CFL		450	14	N/A	8000	3000	0.593	1	12/2/2010
Technical Consumer Products, Inc. (TCP)	TCP	1R201441K		Covered reflector	E26/24 (Medium)	CFL		450	14	N/A	8000	4100	0.588	1	5/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	1R2014PERM41K		Covered reflector	E26/24 (Medium)	CFL		450	14	N/A	8000	4100		2	5/31/2012
Technical Consumer Products, Inc. (TCP)	TCP	1R4016	6R4016	Covered reflector	E26/24 (Medium)	CFL		750	16.0	N/A	8000	2700	0.556	1	11/24/2008
Technical Consumer Products, Inc. (TCP)	TCP	1R4019		Covered reflector	E26/24 (Medium)	CFL		950	19.0	N/A	8000	2700		1	6/13/2002
Technical Consumer Products, Inc. (TCP)	TCP	1R401935K		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	3500	0.606	1	2/16/2010
Technical Consumer Products, Inc. (TCP)	TCP	1R4023		Covered reflector	E26/24 (Medium)	CFL		1150	23	N/A	8000	2700	0.618	1	10/11/2004
Technical Consumer Products, Inc. (TCP)	TCP	1T2004		Covered-post	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		1	9/1/2004
Technical Consumer Products, Inc. (TCP)	TCP	1T200451K		Covered-post	E26/24 (Medium)	CFL		250	4	N/A	8000	5000	0.581	1	1/15/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T2009		Covered-post	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.615	1	7/23/2009
Technical Consumer Products, Inc. (TCP)	TCP	1T200941K		Covered-post	E26/24 (Medium)	CFL		550	9	N/A	8000	4100	0.604	1	1/8/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T200951K		Covered-post	E26/24 (Medium)	CFL		500	9	N/A	8000	5000	0.609	1	12/2/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T2014		Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.55	7	6/11/2008
Technical Consumer Products, Inc. (TCP)	TCP	1T201441K		Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	4100	0.605	1	11/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T201451K		Covered-post	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.608	1	12/2/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T2409		Covered-post	E26/24 (Medium)	CFL		520	9	N/A	8000	2700	0.606	7	5/23/2008
Technical Consumer Products, Inc. (TCP)	TCP	1T2414		Covered-post	E26/24 (Medium)	CFL		900	14	N/A	8000	2700	0.61	1	3/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	1T241431K		Covered-post	E26/24 (Medium)	CFL		900	14	N/A	8000	3000	0.603	1	12/1/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T241441K		Covered-post	E26/24 (Medium)	CFL		850	14	N/A	8000	4100	0.612	1	10/15/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T2419		Covered-post	E26/24 (Medium)	CFL		1100	19	N/A	8000	2700	0.591	1	8/24/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T241931K	1T241931K	Covered-post	E26/24 (medium)	CFL		1000	19.0	N/A	8000	3000	0.6	1	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	1T24193SK		Covered-post	E26/24 (Medium)	CFL		1100	19	N/A	8000	3500	0.601	1	1/15/2010
Technical Consumer Products, Inc. (TCP)	TCP	1T241941K	1T241941K 1.6MG HG	Covered-post	E26/24 (medium)	CFL		1100	19.0	N/A	8000	4100	0.6	1	3/1/2011

Technical Consumer Products, Inc. (TCP)	TCP	21314		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		1	10/18/2006
Technical Consumer Products, Inc. (TCP)	TCP	2131431K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3000	0.612	2	9/21/2009
Technical Consumer Products, Inc. (TCP)	TCP	2131435K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.605	2	12/15/2008
Technical Consumer Products, Inc. (TCP)	TCP	2131441K		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	4100	0.603	1	3/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	2131465K		Covered A-line	E26/24 (Medium)	CFL		750	14	N/A	8000	6500	0.605	1	10/22/2009
Technical Consumer Products, Inc. (TCP)	TCP	21314PERM		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.6	1	9/17/2007
Technical Consumer Products, Inc. (TCP)	TCP	28904		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		1	12/1/2004
Technical Consumer Products, Inc. (TCP)	TCP	28904T		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700	0.612	1	12/20/2004
Technical Consumer Products, Inc. (TCP)	TCP	28909		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700		2	9/28/2005
Technical Consumer Products, Inc. (TCP)	TCP	2890951K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	12000	5000		9	3/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	28913		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.6	1	11/25/2008
Technical Consumer Products, Inc. (TCP)	TCP	28914F2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	2700		1	8/7/2009
Technical Consumer Products, Inc. (TCP)	TCP	28918		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		1	2/11/2009
Technical Consumer Products, Inc. (TCP)	TCP	2891835K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	12000	3500	0.588	1	5/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	2891835K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	3500		1	9/23/2008
Technical Consumer Products, Inc. (TCP)	TCP	2891850K		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	5000		1	9/23/2008
Technical Consumer Products, Inc. (TCP)	TCP	2891851K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	12000	5000	0.591	1	4/15/2009
Technical Consumer Products, Inc. (TCP)	TCP	28923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		2	11/22/2003
Technical Consumer Products, Inc. (TCP)	TCP	2892335K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	12000	3500	0.606	1	9/23/2008
Technical Consumer Products, Inc. (TCP)	TCP	2892341K		Bare-spiral	E26/24 (Medium)	CFL		1500	23	N/A	12000	4100	0.604	1	4/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	28923F2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	7/31/2009
Technical Consumer Products, Inc. (TCP)	TCP	28927M		Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	10000	2700		2	12/28/2004
Technical Consumer Products, Inc. (TCP)	TCP	28927M31K		Bare-spiral	E26/24 (Medium)	CFL		1850	27	N/A	12000	3000	0.572	1	4/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	28927M35K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1850	27	N/A	12000	3500	0.569	1	1/13/2010
Technical Consumer Products, Inc. (TCP)	TCP	28930M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2000	30	N/A	10000	2700	0.588	1	5/14/2009
Technical Consumer Products, Inc. (TCP)	TCP	28932		Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		1	3/7/2008
Technical Consumer Products, Inc. (TCP)	TCP	28942		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	10000	2700	0.59	2	6/18/2008
Technical Consumer Products, Inc. (TCP)	TCP	28942M		Bare-Mini-Spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700	0.599	1	10/29/2009
Technical Consumer Products, Inc. (TCP)	TCP	28968		Bare-spiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700	0.607	1	6/25/2009
Technical Consumer Products, Inc. (TCP)	TCP	28968RP		Bare-spiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700	0.6	9	1/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	2G2514		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		7	10/18/2006
Technical Consumer Products, Inc. (TCP)	TCP	2G251431K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3000	0.611	1	7/2/2010
Technical Consumer Products, Inc. (TCP)	TCP	2G251435K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.606	1	9/19/2008
Technical Consumer Products, Inc. (TCP)	TCP	2G251451K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.61	1	8/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	2G2514PERM		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.61	7	12/2/2011
Technical Consumer Products, Inc. (TCP)	TCP	2P3819		Covered reflector	E26/24 (Medium)	CFL		1000	19.0	N/A	8000	2700	0.607	2	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	2P381935K		Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	3500		1	9/8/2010
Technical Consumer Products, Inc. (TCP)	TCP	2P381941K		Covered reflector	E26/24 (Medium)	CFL		1000	19	N/A	8000	4100	0.594	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	TCP	2R3014		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.627	1	1/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	2R301435K		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	3500	0.63	7	11/25/2008
Technical Consumer Products, Inc. (TCP)	TCP	2R301451K	2R301451K	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	5000	0.627	7	4/6/2012
Technical Consumer Products, Inc. (TCP)	TCP	2R3016		Covered reflector	E26/24 (Medium)	CFL		750	16.0	N/A	8000	2700	0.552	1	12/30/2005
Technical Consumer Products, Inc. (TCP)	TCP	2R301631K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000	0.611	1	2/16/2010
Technical Consumer Products, Inc. (TCP)	TCP	2R301635K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3500	0.612	1	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	2R301641K		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	4100	0.615	1	2/16/2010
Technical Consumer Products, Inc. (TCP)	TCP	2R301651K	2R301651K	Covered reflector	E26/24 (medium)	CFL		700	16.0	N/A	8000	5000	0.54	1	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	2R3016DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700	0.96	1	6/28/2010
Technical Consumer Products, Inc. (TCP)	TCP	2R3016DIM35K	2R3016DIM35K	Covered reflector	E26/24 (medium)	CFL	Dimmable	600	16.0	N/A	8000	3500	0.96	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	2R3016DIM35K	2R3016DIM35K	Covered reflector	E26/24 (medium)	CFL	Dimmable	600	16.0	N/A	8000	3500	0.963	7	7/28/2011
Technical Consumer Products, Inc. (TCP)	TCP	33109SP	N/A	Bare-spiral	GU24	CFL		619	9.06	N/A	10000	2700	0.6	2	12/18/2009
Technical Consumer Products, Inc. (TCP)	TCP	33109SP30K	N/A	Bare-spiral	GU24	CFL		577	8.9	N/A	10000	3000	0.61	2	2/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	33109SP35K	N/A	Bare-spiral	GU24	CFL		618	9.2	N/A	10000	3500	0.55	2	1/26/2009
Technical Consumer Products, Inc. (TCP)	TCP	33109SP41K	N/A	Bare-ssiral	GU24	CFL		613	9.12	N/A	10000	4100	0.603	2	8/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	33113SP	N/A	Bare-spiral	GU24	CFL		918	12.89	N/A	10000	2700	0.582	2	6/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	33113SP30K	N/A	Bare-spiral	GU24	CFL		873	12.93	N/A	10000	3000	0.636	2	7/31/2008
Technical Consumer Products, Inc. (TCP)	TCP	33113SP35K	33113SP35K	Bare-ssiral	GU24	CFL		750	13.0	N/A	10000	3500	0.604	3	11/30/2011
Technical Consumer Products, Inc. (TCP)	TCP	33113SP41K	N/A	Bare-spiral	GU24	CFL		841	12.4	N/A	10000	4100	0.63	2	1/26/2009
Technical Consumer Products, Inc. (TCP)	TCP	33113SP50K	N/A	Bare-spiral	GU24	CFL		800	12.17	N/A	10000	5000	0.638	2	10/21/2008
Technical Consumer Products, Inc. (TCP)	TCP	33113SP50K	N/A	Bare-spiral	GU24	CFL		809	11.9	N/A	10000	5000	0.63	2	2/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	33114A19	N/A	Covered	GU24	CFL		872	14.75	N/A	8000	2700	0.63	2	8/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	33114G25	N/A	Covered	GU24	CFL		804	13.8	N/A	8000	2700	0.63	2	1/26/2009
Technical Consumer Products, Inc. (TCP)	TCP	33116R30	N/A	Reflector	GU24	CFL		691	16.3	N/A	8000	2700	0.62	2	1/26/2009
Technical Consumer Products, Inc. (TCP)	TCP	33118SP	N/A	Bare-spiral	GU24	CFL		1083	18.21	N/A	10000	2700	0.61	2	6/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	33118SP	N/A	Bare-spiral	GU24	CFL		1167	17.2	N/A	10000	2700	0.6	2	2/13/2009
Technical Consumer Products, Inc. (TCP)	TCP	33118SP30K	N/A	Bare-spiral	GU24	CFL		1225	17.8	N/A	10000	3000	0.533	2	12/29/2008
Technical Consumer Products, Inc. (TCP)	TCP	33118SP35K	N/A	Bare-spiral	GU24	CFL		1297	17.87	N/A	10000	3500	0.605	2	1/15/2009
Technical Consumer Products, Inc. (TCP)	TCP	33118SP41K	N/A	Bare-ssiral	GU24	CFL		1263	17.9	N/A	10000	4100	0.6	2	1/26/2009
Technical Consumer Products, Inc. (TCP)	TCP	33123SP	N/A	Bare-spiral	GU24	CFL		1740	24.3	N/A	10000	2700	0.566	2	6/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	33123SP30K	N/A	Bare-spiral	GU24	CFL		1485	21.74	N/A	10000	3000	0.544	2	6/9/2010
Technical Consumer Products, Inc. (TCP)	TCP	33123SP35K	N/A	Bare-spiral	GU24	CFL		1421	22.21	N/A	10000	3500	0.609	2	6/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	33123SP41K	N/A	Bare-spiral	GU24	CFL		1632	22.16	N/A	10000	4100	0.614	2	2/10/2009
Technical Consumer Products, Inc. (TCP)	TCP	33123SP50K	N/A	Bare-spiral	GU24	CFL		1367	21.61	N/A	10000	5000	0.567	2	8/21/2008

Technical Consumer Products, Inc. (TCP)	TCP	33127SP	N/A	Bare-spiral	GU24	CFL		1930	25.91	N/A	10000	2700	0.552	2	6/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	33127SP30K	N/A	Bare-spiral	GU24	CFL		1614	25.94	N/A	10000	3000	0.591	2	7/31/2008
Technical Consumer Products, Inc. (TCP)	TCP	33127SP35K	N/A	Bare-ssiral	GU24	CFL		1701	26.33	N/A	10000	3500	0.591	2	6/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	33127SP41K	N/A	Bare-spiral	GU24	CFL		1768	25.5	N/A	10000	4100	0.527	2	8/3/2009
Technical Consumer Products, Inc. (TCP)	TCP	33132SP	N/A	Bare-spiral	GU24	CFL		2188	30.49	N/A	10000	2700	0.593	2	1/15/2009
Technical Consumer Products, Inc. (TCP)	TCP	33132SP35K	N/A	Bare-ssiral	GU24	CFL		2415	31.8	N/A	10000	3500	0.61	2	8/3/2009
Technical Consumer Products, Inc. (TCP)	TCP	33132SP41K	N/A	Bare-spiral	GU24	CFL		2347	32.0	N/A	10000	4100	0.61	2	8/12/2011
Technical Consumer Products, Inc. (TCP)	TCP	33213SSP	N/A	Bare-spiral	GU24	CFL		925	13.5	N/A	10000	2700	0.63	2	6/12/2009
Technical Consumer Products, Inc. (TCP)	TCP	40114	40114	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	2700	0.929	1	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	4011435K	4011435k	Bare- ssiral	E26/24 (medium	CFL	Dimmable	850	14.2	N/A	12000	3500	0.936	2	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	4012335k	4012335k	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1400	23.29	N/A	10000	3500	0.957	2	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	4012341K	4012341K	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1450	23.41	N/A	10000	4100	0.958	2	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	41314A	41314A	Covered A-line	E26/24 (medium)	CFL		700	14.0	N/A	8000	2700	0.59	7	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	41314A41K	41314A41K	Covered A-line	E26/24 (medium)	CFL		750	14.0	N/A	8000	4100	0.643	7	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	41316TD	41316TD	Covered A-line	E26/24 (medium)	CFL		850	16.0	N/A	12000	2700	0.794	11	7/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	41316TD35K	41316TD35K	Covered A-lamp	E26/24 (medium)	CFL	Dimmable	850	16.0	N/A	12000	3500	0.781	11	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	41316TD50K	41316TD50K	Covered A-lamp	E26/24 (medium)	CFL	Dimmable	900	16.0	N/A	12000	5000	0.789	11	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	4890935k	4890935k	Bare-spiral	E26/24 (medium)	CFL		600	9.0	N/A	12000	3500	0.598	2	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	48909C	48909C	Bare-spiral	E26/24 (medium)	CFL		600	9.0	N/A	12000	2700	0.61	2	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	4891850K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	5000	0.599	2	8/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	4892335K	4892335K	Bare-spiral	E26/24 (medium)	CFL		1650	23.5	N/A	12000	3500	0.616	2	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	4892341K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	4100	0.61	2	8/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	4892350K	4892350K	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	5000	0.594	2	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	48923US	48923US, 48923US12	Bare-ssiral	E26/24 (medium	CFL		1650	23.0	N/A	12000	2700	0.62	11	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	48927	48927	Bare-spiral	E26/24 (medium)	CFL		1850	27.0	N/A	12000	2700	0.593	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4892730K	4892730K	Bare-spiral	E26/24 (medium)	CFL		1850	27.0	N/A	12000	3000	0.593	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4892735K	4892735K	Bare-spiral	E26/24 (medium)	CFL		1850	27.0	N/A	12000	3500	0.593	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4892741K	4892741K	Bare-spiral	E26/24 (medium	CFL		1850	27.0	N/A	12000	4100	0.594	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4892750K	4892750K	Bare-spiral	E26/24 (medium)	CFL		1850	27.0	N/A	12000	5000	0.596	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4893235K	4893235K	Bare-spiral	E26/24 (medium)	CFL		2150	32.0	N/A	12000	3500	0.616	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4G2514		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.641	1	7/7/2009
Technical Consumer Products, Inc. (TCP)	TCP	4G2514A	4G2514A	Covered Globe	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.644	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	4G2514A35K	4G2514A35K	Covered-Globe	Medium E26/24 (medium)	CFL		800	14.0	N/A	8000	3500	0.643	7	7/6/2011
Technical Consumer Products, Inc. (TCP)	TCP	4G2514A41K	4G2514A41K	Covered Globe	E26/24 (medium)	CFL		750	14.0	N/A	8000	4100	0.645	9	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	4G2514A50K	4G2514A50K	Covered Globe	E26/24 (medium)	CFL		750	14.0	N/A	8000	5000	0.645	9	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	4G2515TD	4G2515TD	Covered Globe	E26/24 (medium)	CFL	Dimmable	800	15.0	N/A	12000	2700	0.838	10	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	4R3014		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		1	7/7/2009
Technical Consumer Products, Inc. (TCP)	TCP	4R3014A	4R3014A	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.573	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	4R3014A30K	4R3014A30K	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	3000	0.59	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	4R3014A35K	62148	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	3500	0.585	7	3/12/2012
Technical Consumer Products, Inc. (TCP)	TCP	4R3014A41K	4R3014A41K	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	3500	0.584	7	8/8/2012
Technical Consumer Products, Inc. (TCP)	TCP	4R3016TD35K	4R3016TD35K	Covered reflector	E26/24 (medium)	CFL	Dimmable	600	16.0	N/A	12000	3500	0.795	11	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	4T209	4T209	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	8000	5000	0.535	11	4/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	4T213		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		1	7/31/2009
Technical Consumer Products, Inc. (TCP)	TCP	4T21335K	4T21335K, 6PT213BWCD	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	12000	3500	0.622	2	3/21/2011
Technical Consumer Products, Inc. (TCP)	TCP	4T21341K	4T21341K	Bare-spiral	E26/24 (medium)	CFL		750	14.0	N/A	12000	4100	0.56	11	4/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	4T21350K	4T21350K	Bare-spiral	E26/24 (medium)	CFL		750	13.0	N/A	12000	5000	0.56	11	7/27/2012
Technical Consumer Products, Inc. (TCP)	TCP	4T213C35K	4T213C35K	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	12000	3500	0.627	2	4/14/2011
Technical Consumer Products, Inc. (TCP)	TCP	4T223		Bare-spiral	E26/24 (Medium)	CFL		1625	23	N/A	12000	2700		1	7/31/2009
Technical Consumer Products, Inc. (TCP)	TCP	50123	50123, 501232, 50123perm	Bare-spiral	E26/24 (medium)	CFL		1500	23.0	N/A	12000	2700	0.745	11	8/8/2012
Technical Consumer Products, Inc. (TCP)	TCP	58023	58023	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1600	23.0	N/A	20000	2700	0.567	18	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	5A8092		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.61	2	12/5/2008
Technical Consumer Products, Inc. (TCP)	TCP	5GB14235K		Covered globe	E26/24 (Medium	CFL		800	14	N/A	8000	3500	0.6	2	12/15/2008
Technical Consumer Products, Inc. (TCP)	TCP	5M819		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.6	2	12/15/2008
Technical Consumer Products, Inc. (TCP)	TCP	5M82750K		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.58	2	12/15/2008
Technical Consumer Products, Inc. (TCP)	TCP	63113SP	63113SP	Bare-ssiral	GU 24	CFL		850	13.0	N/A	10000	2700	0.576	9	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	63113SSP	63113SSP	Bare-spiral	GU 24	CFL		900	23.0	N/A	10000	2700	0.627	9	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	63114A19	63114A19	Covered A-lamp	GU 24	CFL		800	14.0	N/A	10000	2700	0.63	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	63114G25	63114G25	Covered Globe	GU 24	CFL		800	14.0	N/A	10000	2700	0.631	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	63123SP	63123SP	Bare-ssiral	GU 24	CFL		1650	23.0	N/A	10000	2700	0.563	9	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	63127SP	63127SP	Bare-spiral	GU 24	CFL		1900	27.0	N/A	10000	2700	0.552	9	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	631R3016	631R3016	Covered reflector	GU 24	CFL		700	16.0	N/A	10000	2700	0.625	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	68904		Bare-spiral	E26/24 (Medium)	CFL		250	4	N/A	8000	2700		2	8/2/2012
Technical Consumer Products, Inc. (TCP)	TCP	689092		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	2/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	689093		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.591	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	689094		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	8/30/2011
Technical Consumer Products, Inc. (TCP)	TCP	68914	68914B2: 68914B6	Bare-Mini-Sstral	E26/24 /Medium	CFL		900	14	N/A	10000	2700	0.581	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	689144		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	12/5/2011
Technical Consumer Products, Inc. (TCP)	TCP	68914B24		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	8/16/2011
Technical Consumer Products, Inc. (TCP)	TCP	68914B6FD		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	7/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	68914CWB4	68914CWB4, 68914CWB10	Bare-spiral	E26/24 (medium)	CFL		900	14.0	N/A	10000	4100	0.632	9	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	68914DIM	68914DIM	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	2700	0.928	9	5/9/2012

Technical Consumer Products, Inc. (TCP)	TCP	68914DL2		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.63	9	12/5/2011
Technical Consumer Products, Inc. (TCP)	TCP	68914DLB10		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	4/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	68914DLB3	68914DLB3	Bare-ssiral	E26/24 (medium)	CFL		800	14.0	N/A	10000	5000	0.631	9	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	68914KOMEN		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.58	9	12/2/2011
Technical Consumer Products, Inc. (TCP)	TCP	689193		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	3/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	689233		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	12/15/2011
Technical Consumer Products, Inc. (TCP)	TCP	689234		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	12/2/2011
Technical Consumer Products, Inc. (TCP)	TCP	68923B24		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.559	9	9/7/2011
Technical Consumer Products, Inc. (TCP)	TCP	68923B4FD		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.56	9	7/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	68923CWB4		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.603	9	9/14/2011
Technical Consumer Products, Inc. (TCP)	TCP	68923DIM	68923DIM	Bare-spiral	E26/24 (medium)	CFL		1500	23.0	N/A	10000	2700	0.956	9	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	68923DLB10		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	3/24/2011
Technical Consumer Products, Inc. (TCP)	TCP	68923DLB2	68923DLB2	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	5000	0.63	9	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	68923DLB4	68923DLB6	Bare-spiral	E26/24 (medium)	CFL		1600	23	N/A	10000	5000	0.62	9	10/13/2011
Technical Consumer Products, Inc. (TCP)	TCP	68923TS	68923TS	Bare-spiral	E26/24 (medium)	CFL	Dimmable	1600	23.0	N/A	20000	2700	0.556	18	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	68942ED	68942ED	Bare-spiral	E26/24 (medium)	CFL		2900	42.0	N/A	10000	2700	0.588	9	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	68968		Bare-ssiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700		2	3/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	689S09	689S09	Bare-spiral	E26/24 (medium)	CFL	Dimmable	550	9.0	N/A	12000	2700	0.604	11	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S09DL	689S09DL	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	12000	5000	0.61	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S14	689S14, 689S142, 689S144	Bare-spiral	E26/24 (medium)	CFL		900	14.0	N/A	12000	2700	0.631	11	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	689S14BW	689S14BW	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	12000	3500	0.637	11	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	689S14DL	689S14DL	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	12000	5000	0.64	11	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S19	689S19	Bare-spiral	E26/24 (medium)	CFL		1300	19.0	N/A	12000	2700	0.61	11	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S19DL	689S19DL	Bare-ssiral	E26/24 (medium)	CFL		1300	19.0	N/A	12000	5000	0.6	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S23	689S23	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.617	9	7/28/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S23	689S23, 689S234, 689S232	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.62	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S23	689S23,689S234, 689S232	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.62	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S234	689S234	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.617	9	7/28/2011
Technical Consumer Products, Inc. (TCP)	TCP	689S23DL	689S23DL	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	5000	0.62	11	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	69009	69009, 690092, 690094	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	10000	3500	0.59	9	7/3/2012
Technical Consumer Products, Inc. (TCP)	TCP	690093	690093	Bare-ssiral	E26/24 (medium)	CFL		550	9.0	N/A	10000	3500	0.59	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	69019		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1225	19	N/A	10000	3500	0.588	9	8/20/2008
Technical Consumer Products, Inc. (TCP)	TCP	69027	69027	Bare-spiral	E26/24 (medium)	CFL		1850	27.0	N/A	10000	2700	0.574	9	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	690S09	690S09	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	12000	3500	0.598	11	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	69109	69109	Covered globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	2700	0.61	7	4/30/2012
Technical Consumer Products, Inc. (TCP)	TCP	69109	69109	Covered globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	2700	0.61	7	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	691092	691092	Covered globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	2700	0.61	7	7/3/2012
Technical Consumer Products, Inc. (TCP)	TCP	69109BW	69109BW	Covered Globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	3500	0.6	7	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	69114		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.606	7	9/20/2011
Technical Consumer Products, Inc. (TCP)	TCP	69114A2	69114A2	Covered Globe	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.581	7	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	69114IB	69114IB2	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	7/28/2011
Technical Consumer Products, Inc. (TCP)	TCP	6915TD	6915TD2	Covered Globe	E26/24 (medium)	CFL	Dimmable	800	15.0	N/A	12000	2700	0.819	11	10/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	694092	694092	Covered A-line	E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.6	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	69409C2	69409C2	Covered A-lamp	E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.6	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP	69414IB	69414IB, 69414IB2, 69414IBB2	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.64	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	69704	69704	Covered Torpedo	E26/24 (medium)	CFL		195	4.0	N/A	8000	2700	0.598	7	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	6A14IB2LAFL	6A14IB2LAFL	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.64	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6P3816		Covered reflector	E26/24 (Medium)	CFL		590	16.0	N/A	10000	2700		1	6/30/2001
Technical Consumer Products, Inc. (TCP)	TCP	6PT213	6PT213	Bare-ssiral	E26/24 (medium)	CFL		825	13.0	N/A	12000	2700	0.63	9	8/5/2011
Technical Consumer Products, Inc. (TCP)	TCP	6PT213		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	3/11/2011
Technical Consumer Products, Inc. (TCP)	TCP	6PT2134TMO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	2700		9	3/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	6PT2134UTMO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		9	3/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	6PT213DL	6PT213DLCD	Bare-ssiral	E26/24 (medium)	CFL		750	13.0	N/A	10000	5000	0.56	11	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	6PT213DLCD	6PT213DLCD	Bare-spiral	E26/24 (medium)	CFL		750	13.0	N/A	10000	5000	0.56	11	4/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	6PT213DLCD	6PT213DLCD	Bare-spiral	E26/24 (medium)	CFL		750	13.0	N/A	10000	5000	0.56	11	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	6PT223	6PT223	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.607	9	8/5/2011
Technical Consumer Products, Inc. (TCP)	TCP	6PT223	6PT223	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	12000	2700	0.61	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6PT223CD		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/30/2009
Technical Consumer Products, Inc. (TCP)	TCP	6PT3144TMO		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	6PT3234TMO		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	6R3014	6R3014	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3014	6R3014, 6R3014B6	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3014ZLAFL		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	3/11/2010
Technical Consumer Products, Inc. (TCP)	TCP	6R3014ADL	6r3014ADL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.584	7	8/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	6R3014BW	6R3014BW	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	3500	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3014CWB4	6R3014CWB4	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	4100	0.63	7	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	6R3014DLB	6R3014DLB, 6R3014DL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3014IB	6R3014IB, 6R3014IB2LAFL, 6R3014IB2, 6R3014IBB2	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3014IBBW	6R3014IBBW	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	3500	0.59	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3014IBDL	6R3014IBDL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.634	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R3016B2GO	6R3016B2GO, 6R3016B6	Covered reflector	E26/24 (medium)	CFL		750	16.0	N/A	8000	2700	0.617	7	3/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	6R3016DIM		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700		2	4/29/2011

Technical Consumer Products, Inc. (TCP)	TCP	6R3016DIMB		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	16	E26/24 (Medium)	N/A	8000	2700	0.96	7	11/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	6R4019		Covered reflector	E26/24 (Medium)	CFL		875	19.0	N/A	8000	2700			1	6/13/2002
Technical Consumer Products, Inc. (TCP)	TCP	6T213C	6T213C	Bare-ssiral	E12 (Candelabra)	CFL		825	13.0	N/A	10000	2700	0.623	11	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP	78909DL	78909DL, 78909DL3	Bare-spiral	E26/24 (medium)	CFL		450	9.0	N/A	10000	5000	0.604	3	1/10/2012
Technical Consumer Products, Inc. (TCP)	TCP	7P3819	7P3819	Covered reflector	E26/24 (medium)	CFL		1000	19.0	N/A	8000	2700	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	7P38232		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	7/22/2011
Technical Consumer Products, Inc. (TCP)	TCP	7R2014IBDL	7R2014IBDL	Covered reflector	E26/24 (medium)	CFL		410	14.0	N/A	8000	5000	0.63	7	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	7R4019	7R40192	Covered reflector	E26/24 (medium)	CFL		950	19.0	N/A	8000	2700	0.594	7	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP	7R4023	7R40234	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.62	7	12/1/2006
Technical Consumer Products, Inc. (TCP)	TCP	7TS0133		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		9	10/3/2008
Technical Consumer Products, Inc. (TCP)	TCP	80101435	80101435	Bare-spiral	E26/24 (medium)	CFL		900	14.0	N/A	10000	3500	0.6	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	801014SPRITE		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/14/2010
Technical Consumer Products, Inc. (TCP)	TCP	801014SPRITE2		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/14/2010
Technical Consumer Products, Inc. (TCP)	TCP	80101965	62148	Bare-spiral	E26/24 (medium)	CFL		1225	19.0	N/A	10000	6500	0.577	9	3/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	80102741	80102741	Bare-spiral	E26/24 (medium)	CFL		1750	27.0	N/A	10000	4100	0.582	2	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	8011412V		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	5/9/2011
Technical Consumer Products, Inc. (TCP)	TCP	8CP1412		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	6/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	8CP141250K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	8CP191235K		Bare-spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	3500		2	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	8CP2312		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	6/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	8CPP8196		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700	0.611	1	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	8CPR30146		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	6/9/2009
Technical Consumer Products, Inc. (TCP)	TCP	8CPR40196		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		2	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	8THDED14SP		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	8THDEDR3014		Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	ESSM144RS		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	3/17/2010
Technical Consumer Products, Inc. (TCP)	TCP	ESSM81410		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.64	9	7/24/2008
Technical Consumer Products, Inc. (TCP)	TCP	ESSM814DIM250K	ESSM814DIM250K	Bare-spiral	E26/24 (medium)	CFL		800	14.0	N/A	10000	5000	0.94	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	ESSM814RS35K	ESSM814RS35K	Bare-spiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	3500	0.64	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	ESSM8232RS35K	ESSM8232RS35K	Bare-spiral	E26/24 (medium)	CFL		850	23.0	N/A	10000	3500	0.64	9	9/8/2011
Technical Consumer Products, Inc. (TCP)	TCP	G301935K	G301935K	Covered globe	E26/24 (medium)	CFL		1100	19.0	N/A	8000	3500	0.61	7	4/30/2012
Technical Consumer Products, Inc. (TCP)	TCP	LDCT3WH30K	LDCT3WH30K	C - Candle	E12 (Candelabra)	LED	Dimmable	90	2.3	N/A	25000	3000	0.9	3	2/29/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED11E26BR3027K	LED11E26BR3027K	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	750	11.0	N/A	50000	2700	0.912	5	3/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED11E26BR4027K	LED11E26BR4027K	Non-standard	E26/24 (Medium)	LED	Dimmable	650	11.0	N/A	25000	2700	0.875	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED11E26BR4030K	LED11E26BR4030K	Non-standard	E26/24 (Medium)	LED	Dimmable	700	11.0	N/A	25000	3000	0.875	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED11E26BR4041K	LED11E26BR4041K	Non-standard	E26/24 (Medium)	LED	Dimmable	725	11.0	N/A	25000	4100	0.875	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26A1927K	RLA12W27K, RLA12W27K2, LED12E26A1927K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	2700	0.907	5	9/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26A1930K	RLA12W30K, RLA12W30K2, LED12E26A1930K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	3000	0.907	5	9/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26A1941K	LED12E26A1941K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	4100	0.899	5	9/20/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S27KFL	LED12E26P30S27KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	2700	0.904	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S27KFLB	LED12E26P30S27KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	2700	0.904	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S27KNFL	LED12E26P30S27KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	2700	0.904	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S27KNFLB	LED12E26P30S27KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	700	12.0	N/A	25000	2700	0.904	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S27KSP	LED12E26P30S27KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	2700	0.902	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S27KSPB	LED12E26P30S27KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	2700	0.902	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S30KFL	LED12E26P30S30KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.906	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S30KFLB	LED12E26P30S30KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.906	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S30KNFL	LED12E26P30S30KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.899	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S30KNFLB	LED12E26P30S30KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.899	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S30KSP	LED12E26P30S30KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.904	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S30KSPB	LED12E26P30S30KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.904	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S41KFL	LED12E26P30S41KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	12.0	N/A	25000	4100	0.885	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S41KFLB	LED12E26P30S41KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	12.0	N/A	25000	4100	0.885	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S41KNFL	LED12E26P30S41KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	12.0	N/A	25000	4100	0.906	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S41KNFLB	LED12E26P30S41KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	12.0	N/A	25000	4100	0.906	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S41KSP	LED12E26P30S41KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	4100	0.906	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED12E26P30S41KSPB	LED12E26P30S41KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	4100	0.906	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26BR3027K	LED14E26BR3027K	Non-standard	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	50000	2700	0.918	5	4/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26BR3030K	LED14E26BR3030K	Non-standard	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	50000	3000	0.917	3	2/29/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26BR4027K	LED14E26BR4027K	Non-standard	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	25000	2700	0.885	5	7/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26BR4030K	LED14E26BR4030K	Non-standard	E26/24 (Medium)	LED	Dimmable	900	14.0	N/A	25000	3000	0.884	5	7/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26BR4041K	LED14E26BR4041K	Non-standard	E26/24 (Medium)	LED	Dimmable	1000	14.0	N/A	25000	4100	0.885	5	7/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3027KFL	LED14E26P3027KFL, LED14E26P3027KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	14.0	N/A	25000	2700	0.884	3	2/8/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3027KNFL	LED14E26P3027KNFL, LED14E26P3027KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	14.0	N/A	25000	2700	0.883	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3027KSP	LED14E26P3027KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	14.0	N/A	25000	2700	0.885	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3027KSPB	LED14E26P3027KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	820	14.0	N/A	25000	2700	0.885	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3030KFL	LED14E26P3030KFL, LED14E26P3030KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	820	14.0	N/A	50000	3000	0.884	3	10/10/2011
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3030KNFL	LED14E26P3030KNFL, LED14E26P3030KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	820	14.0	N/A	50000	3000	0.884	3	10/10/2011
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3030KSP	LED14E26P3030KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	50000	3000	0.887	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3030KSPB	LED14E26P3030KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	50000	3000	0.887	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3041KFL	LED14E26P3041KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	14.0	N/A	25000	4100	0.883	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3041KFLB	LED14E26P3041KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	14.0	N/A	25000	4100	0.883	5	8/15/2012

Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3041KNFL	LED14E26P3041KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	14.0	N/A	25000	4100	0.883	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3041KNFLB	LED14E26P3041KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	14.0	N/A	25000	4100	0.883	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3041KSP	LED14E26P3041KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	900	14.0	N/A	25000	4100	0.885	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED14E26P3041KSPB	LED14E26P3041KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	900	14.0	N/A	25000	4100	0.885	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3827KFL	LED17E26P3827KFL, LED17E26P3827KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	920	17.0	N/A	25000	2700	0.89	3	2/29/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3827KNFL	LED17E26P3827KNL, LED17E26P3827KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	17.0	N/A	25000	2700	0.89	3	2/29/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3827KSP	LED17E26P3827KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	17.0	N/A	25000	2700	0.893	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3827KSPB	LED17E26P3827KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	950	17.0	N/A	25000	2700	0.893	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3830KFL	LED17E26P3830KFL, LED17E26P3830KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	17.0	N/A	50000	3000	0.895	3	11/4/2011
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3830KNFL	LED17E26P3830KNFL, LED17E26P3830KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	17.0	N/A	50000	3000	0.891	3	11/4/2011
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3830KSP	LED17E26P3830KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	17.0	N/A	50000	3000	0.894	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3830KSPB	LED17E26P3830KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1000	17.0	N/A	50000	3000	0.894	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3841KFL	LED17E26P3841KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	17.0	N/A	25000	4100	0.895	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3841KFLB	LED17E26P3841KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	17.0	N/A	25000	4100	0.895	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3841KNFL	LED17E26P3841KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	17.0	N/A	25000	4100	0.894	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3841KNFLB	LED17E26P3841KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	17.0	N/A	25000	4100	0.894	5	7/13/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3841KSP	LED17E26P3841KSP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1050	17.0	N/A	25000	4100	0.891	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED17E26P3841KSPB	LED17E26P3841KSPB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1050	17.0	N/A	25000	4100	0.891	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED19E26P3830KFL	LED19E26P3830KFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1350	19.0	N/A	25000	3000	0.893	5	9/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED19E26P3830KFLB	LED19E26P3830KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1350	19.0	N/A	25000	3000	0.893	5	9/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED19E26P3830KNFL	LED19E26P3830KNFL	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1350	19.0	N/A	25000	3000	0.895	5	9/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED19E26P3830KNFLB	LED19E26P3830KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1350	19.0	N/A	25000	3000	0.895	5	9/5/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED8E26A1927K	LED8E26A1927K	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	50000	2700	0.935	3	6/11/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED8E26A1930K	LED8E26A1930K	Non-standard	E26/24 (Medium)	LED	Dimmable	470	8.0	N/A	50000	3000	0.942	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED8E26A1941K	LED8E26A1941K	Non-standard	E26/24 (Medium)	LED	Dimmable	540	8.0	N/A	50000	4100	0.934	3	6/6/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED9E26P2027KFL	LED9E26P2027KFL, LED9E26P2027KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	450	9.0	N/A	50000	2700	0.936	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED9E26P2027KNFL	LED9E26P2027KNFL, LED9E26P2027KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	450	9.0	N/A	50000	2700	0.933	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED9E26P2030KFL	LED9E26P2030KFL, LED9E26P2030KFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	9.0	N/A	50000	3000	0.933	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED9E26P2030KNFL	LED9E26P2030KNFL, LED9E26P2030KNFLB	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	9.0	N/A	50000	3000	0.934	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED9E26R2027K	LED9E26R2027K	Non-standard	E26/24 (Medium)	LED		500	9.0	N/A	25000	2700	0.934	5	10/19/2012
Technical Consumer Products, Inc. (TCP)	TCP	LED9E26R2030K	LED9E26R2030K	Non-standard	E26/24 (Medium)	LED		500	9.0	N/A	25000	3000	0.933	5	10/19/2012
Technical Consumer Products, Inc. (TCP)	TCP	PF301630K	PF301631K, PF301630K	Other	E26/24 (medium)	CFL		750	16.0	N/A	8000	3000	0.611	7	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	PF301635K		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	8000	3500	0.617	1	12/21/2009
Technical Consumer Products, Inc. (TCP)	TCP	PF301641K		Covered reflector	E26/24 (Medium)	CFL		700	16	N/A	8000	4100	0.619	1	10/30/2009
Technical Consumer Products, Inc. (TCP)	TCP	RLA12W27K	RLA12W27K, RLA12W27K2, LED12E26A1927K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	2700	0.907	5	9/21/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLA12W27K2	RLA12W27K, RLA12W27K2, LED12E26A1927K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	2700	0.907	5	9/21/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLA12W30K	RLA12W30K, RLA12W30K2, LED12E26A1930K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	3000	0.907	5	9/21/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLA12W30K2	RLA12W30K, RLA12W30K2, LED12E26A1930K	Non-standard	E26/24 (Medium)	LED		800	12.0	N/A	25000	3000	0.907	5	9/21/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLA8W27K	RLA8W27K, RLA8W27K2	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	25000	2700	0.939	3	6/1/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLA8W30K	RLA8W30K, RLA8W30K2, RLA8W30K2BC	Non-standard	E26/24 (Medium)	LED	Dimmable	470	8.0	N/A	25000	3000	0.939	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLBR3012W27K	RLBR3012W27K, LBR3012W27K	BR - Bulged Reflector	E26/24 (Medium)	LED	Dimmable	650	12.0	N/A	25000	2700	0.912	3	2/29/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLBR3014W27K	RLBR301427K	Non-standard	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	25000	2700	0.888	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLBR4014W27K	RLBR4014W27K	Non-standard	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	25000	2700	0.885	5	7/24/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLP209W30K	RLP209W30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	500	9.0	N/A	25000	3000	0.932	3	2/7/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLP3014W30K	RLP3014W30K	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	820	14.0	N/A	25000	3000	0.884	3	10/10/2011
Technical Consumer Products, Inc. (TCP)	TCP	RLP3014W30K2	RLP3014W30K2	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	850	14.0	N/A	25000	3000	0.883	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLP3817W30K	RLP3817W30K	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1050	17.0	N/A	25000	3000	0.895	3	11/4/2011
Technical Consumer Products, Inc. (TCP)	TCP	RLP3819W30K	RLP3819W30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1350	19.0	N/A	25000	3000	0.893	5	10/10/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLR200927K	RLR200927K	Non-standard	E26/24 (Medium)	LED		500	9.0	N/A	25000	2700	0.937	5	10/19/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLSP3012W30K	RLSP3012W30K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.85	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	RLSP3012W30K2	RLSP3012W30K2	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	12.0	N/A	25000	3000	0.85	5	8/15/2012
Technical Consumer Products, Inc. (TCP)	TCP	TCPAL4IB		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/3/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPAL4IB2BC		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	3/11/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPAL4IBB2		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/15/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPG2514IB		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	5/3/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPG2514IB2TP		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	6/1/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPG2514IBB2		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPR3014IB		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		2	5/3/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPR3014IB2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	5/4/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPR3014IB2BC		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	9/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPR3014IB2TP		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	6/1/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPR3014IBB2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		2	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPR3016DIM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	650	16	N/A	8000	2700		7	9/23/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS09		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.61	9	12/30/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS09BW	TCPS09BW	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	10000	3500	0.609	9	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	TCPS09DL	TCPS09DL	Bare-spiral	E26/24 (medium)	CFL		550	9.07	N/A	10000	5000	0.61	2	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	TCPS14		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.632	9	9/22/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS144BC		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		7	3/11/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS14DL		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000	0.635	9	12/1/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	9/8/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS232		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/4/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPS234BC		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/17/2010

Technical Consumer Products, Inc. (TCP)	TCP	TCPS23BW	TCPS23BW	Bare-spiral	E26/24 (medium)	CFL		1600	23.6	N/A	10000	3500	0.615	9	3/1/2011
Technical Consumer Products, Inc. (TCP)	TCP	TCPT2134BC		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		7	3/11/2010
Technical Consumer Products, Inc. (TCP)	TCP	TCPT2234BC		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	3/11/2010
Technical Consumer Products, Inc. (TCP)	TCP	UB14 BULK 48		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		1	4/1/2004
Technical Consumer Products, Inc. (TCP)	TCP DuraBright	11BD691143		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/23/2011
Technical Consumer Products, Inc. (TCP)	TCP DuraBright	11BD694143		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/23/2011
Technical Consumer Products, Inc. (TCP)	TCP DuraBright	11BD6R30143		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700		7	7/28/2011
Technical Consumer Products, Inc. (TCP)	TCP DuraBright	11BD6R3016DIM2		Covered reflector	E26/24 (Medium)	CFL		650	16	N/A	8000	2700		7	3/8/2011
Technical Consumer Products, Inc. (TCP)	TCP INC	1G4014		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.61	2	4/18/2008
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	68923TD	68923TD2	Bare-ssiral	E26/24 (medium)	CFL	Dimmable	1500	23.0	N/A	12000	2700	0.749	11	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	69114A	69114A	Covered Globe	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.581	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	69114ABW	69114ABW	Covered Globe	E26/24 (medium)	CFL		750	14.0	N/A	8000	3500	0.643	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	69114IBB2		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.64	7	12/16/2011
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	69114IBDL	69114IBDL	Covered Globe	E26/24 (medium)	CFL		750	14.0	N/A	8000	5000	0.596	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	69414A	69414a, 69414A2	Covered A-lamp	E26/24 (medium)	CFL		750	14.0	N/A	8000	2700	0.583	7	9/4/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	69414IBBW	69414IBBW	Covered A-lamp	E26/24 (medium)	CFL		750	14.0	N/A	8000	3500	0.641	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	6R3014IB4	6R3014IB4	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	8/14/2012
Technical Consumer Products, Inc. (TCP)	TCP Lightstyles	TCPS23DIM2BC		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700	0.96	9	12/15/2011
Technical Consumer Products, Inc. (TCP)	TCP - Powerlume	6PT213CD		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		9	7/31/2009
Technical Consumer Products, Inc. (TCP)	TCP - Pro	2R40190IM30K		Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	19	N/A	8000	3000	0.95	1	12/22/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	40114		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700		1	6/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4011430K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	10000	3000	0.927	1	12/22/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4011441K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		1	12/21/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4011450K		Bare-ssiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	10000	5000	0.936	1	12/22/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	40123	401232	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700	0.956	1	6/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	41314		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.644	1	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	48909		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	12000	2700	0.603	2	8/31/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4890941K		Bare-spiral	E26/24 (Medium)	CFL		600	9	N/A	12000	4100	0.596	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4890965K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	6500	0.597	2	12/16/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	48913		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	2700	0.629	2	2/16/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891330K		Bare-ssiral	E26/24 (Medium)	CFL		925	13	N/A	12000	3000	0.625	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891335K		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	3500	0.63	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891341K		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	4100	0.628	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891350K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	5000	0.631	2	12/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891365K		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	6500	0.583	2	8/17/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	48913C		Bare-spiral	E26/24 (Medium)	CFL		925	13	N/A	12000	2700	0.632	2	2/16/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	48918		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	4100	0.605	1	2/16/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891830K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	3000	0.599	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891835K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	3500	0.581	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4891841K		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	12000	4100	0.595	2	7/1/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	48923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700	0.619	2	1/21/2010
Technical Consumer Products, Inc. (TCP)	TCP - Pro	4T213GP		Bare-ssiral	E26/24 (Medium)	CFL		825	13	N/A	12000	2700		2	7/29/2011
Technical Consumer Products, Inc. (TCP)	TCP Pro	4012335K	4012335K	Bare-spiral	E26/24 (medium)	CFL		1450	23.0	N/A	10000	3500	0.957	10	5/9/2012
Technical Consumer Products, Inc. (TCP)	TCP Set the Mood	6T3232DIMSTM		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700	0.96	9	12/15/2011
Technical Consumer Products, Inc. (TCP)	TCP Springlight	80100912		Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	2/18/2011
Technical Consumer Products, Inc. (TCP)	TCP Springlight	80100935		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	3500		9	2/28/2008
Technical Consumer Products, Inc. (TCP)	TCP Springlight	801014AMO		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/24/2011
Technical Consumer Products, Inc. (TCP)	TCP Springlight	801014PERM		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	5/9/2011
Technical Consumer Products, Inc. (TCP)	TCP Sprinolight	801019PERM		Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	3/14/2011
Technical Consumer Products, Inc. (TCP)	TCP Springlight	801023AMO		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/24/2011
Technical Consumer Products, Inc. (TCP)	TCP Springlight	801023PERM		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/14/2011
Technical Consumer Products, Inc. (TCP)	TCP Springlight	8011912		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		2	2/18/2011
Technical Consumer Products, Inc. (TCP)	TCP Sprinolight	806014		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	3/20/2012
Technical Consumer Products, Inc. (TCP)	TCP Springlight	807014		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	3/22/2012
Technical Consumer Products, Inc. (TCP)	Technical Consumer Products	5G8092		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700	0.61	2	12/5/2008
Technical Consumer Products, Inc. (TCP)	Technical Consumer Products	5M81435K		Bare-ssiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.59	2	12/5/2008
Technical Consumer Products, Inc. (TCP)	Technical Consumer Products	5M81935K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.54	2	12/5/2008
Technical Consumer Products, Inc. (TCP)	Technical Consumer Products	68914DLB6		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	5000	0.63	9	10/25/2011
Test Rite International Co., Ltd.	SUNSPOT	BLOA13-T3 3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		7	12/17/2009
Test Rite International Co., Ltd.	SUNSPOT	BLQA13-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		750	13	N/A	8000	6500		2	6/19/2009
Test Rite International Co., Ltd.	SUNSPOT	LL84352W		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	12000	4100		2	1/13/2011
Test Rite International Co., Ltd.	SUNSPOT	LL84543W		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	#ERROR	#ERROR	2	11/14/2012
Test Rite International Co., Ltd.	SUNSPOT	LL84561W		Bare-spiral	E26/24 (Medium)	CFL		1760	26	N/A	8000	3500		2	1/13/2011
Test Rite International Co., Ltd.	SUNSPOT	LL88351G		Covered reflector	E26/24 (Medium)	CFL		675	15	N/A	8000	3500		2	1/13/2011
The Awaken Company	Awaken	M16-Mxi-5-25-27	16500	MR - Multifaceted reflector	GU5.3	LED	Dimmable	310	5.0	N/A	25000	2700	0.66	5	7/2/2012
The Awaken Company	Awaken	P30-Mxi-10-20-30	30600	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	650	10.0	N/A	25000	3000	0.96	5	7/2/2012
The Awaken Company	Awaken	P30-Mxi-10-30-30	30601	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	650	10.0	N/A	25000	3000	0.96	5	7/2/2012
The Awaken Company	Awaken	P30-Mxi-10-45-30	30602	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	650	10.0	N/A	25000	3000	0.96	5	7/2/2012
The Awaken Company	Awaken	P38-Mxi-15-16-30	38500	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.98	5	7/2/2012
The Awaken Company	Awaken	P38-Mxi-15-26-30	38501	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.98	5	7/2/2012
The Awaken Company	Awaken	P38-Mxi-15-40-30	38502	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1100	15.0	N/A	25000	3000	0.98	5	7/2/2012
The Home Depot	Commercial Electric	114-016		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	6000	2700	0.579	5	1/20/2003
The Home Depot	Commercial Electric	207-810		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	2/17/2006
The Home Depot	Commercial Electric	230-565		Covered reflector	E26/24 (Medium)	CFL		465	14.0	N/A	8000	2700		6	7/8/2005
The Home Depot	Commercial Electric	280-235	2-pack	Covered globe	E26/24 (Medium)	CFL		495	9.0	N/A	6000	2700		5	7/24/2002

The Home Depot	Commercial Electric	292-460 (SM8146)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		7	4/1/2004
The Home Depot	Commercial Electric	334-552		Covered A-line	E26/24 (Medium)	CFL		450	9.0	N/A	6000	2700		5	10/1/2002
The Home Depot	Commercial Electric	368-875		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	8000	2700		5	5/8/2003
The Home Depot	Commercial Electric	558-255		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	10/10/2005
The Home Depot	Commercial Electric	569-480		Covered reflector	E26/24 (Medium)	CFL		465	14.0	N/A	8000	2700		6	7/8/2005
The Home Depot	Commercial Electric	738-704		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	8/6/2003
The Home Depot	Commercial Electric	771-428		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/12/2002
The Home Deoot	Commercial Electric	772-720		Bare-soiral	E26/24 (Medium)	CFL		2997	42.0	N/A	10000	2700		1	6/12/2002
The Home Deoot	Commercial Electric	772-739		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		6	6/12/2002
The Home Deoot	Commercial Electric	772-879		Bare-soiral	E26/24 (Medium)	CFL		540	9.0	N/A	10000	2700		7	6/12/2002
The Home Deoot	Commercial Electric	774-702		Covered globe	E26/24 (Medium)	CFL		477	9.0	N/A	8000	2700		6	6/13/2002
The Home Deoot	Commercial Electric	774-707		Covered bullet	E26/24 (Medium)	CFL		700	14.0	N/A	8000	2700		6	6/13/2002
The Home Deoot	Commercial Electric	784-374	784-374/3 (3-pack)	Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		6	6/13/2002
The Home Deoot	Commercial Electric	835-427		Covered A-line	E26/24 (Medium)	CFL		700	16.0	N/A	6000	2700	0.618	1	2/10/2002
The Home Deoot	ecosmart	148-030 (ESSM81935K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.552	2	12/15/2008
The Home Deoot	ecosmart	148-164 (ESSM81450K)		Bare-soiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	1/30/2009
The Home Deoot	ecosmart	148-545 (ESSM094RS)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.605	2	5/7/2010
The Home Deoot	ecosmart	148-545 (ESSM8094)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	149-508	ESSM823850K	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	7/28/2011
The Home Deoot	ecosmart	150-062 (ESSM8192)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	150-127 (ESSM81435K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	1/30/2009
The Home Deoot	ecosmart	158-653 (ESSR31482)		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	7	6/1/2010
The Home Deoot	ecosmart	159-979 (ESSP8232)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	1/30/2009
The Home Deoot	ecosmart	160-374 (ESSR31435K)		Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500		7	1/30/2009
The Home Deoot	ecosmart	160-588	ES59032	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700		9	8/4/2010
The Home Deoot	ecosmart	160-678 (ESSM81443SK)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		9	1/30/2009
The Home Deoot	ecosmart	160-740 (ESSM82323SK)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	1/30/2009
The Home Deoot	ecosmart	161-167 (ESSM81445OK)		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	1/30/2009
The Home Deoot	ecosmart	161-301		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/15/2008
The Home Deoot	ecosmart	161-301 (ESSM8232)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	190-729	ESSM81923SK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		9	9/15/2010
The Home Deoot	ecosmart	191-055 (ESSM819250K)		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000		9	12/21/2009
The Home Deoot	ecosmart	195-981	ESSP38B6	Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		7	8/25/2010
The Home Deoot	ecosmart	238-743	ESSM814C23SK	Bare-spiral	E12 (Candelabra)	CFL		850	14	N/A	10000	3500	0.633	9	8/17/2010
The Home Deoot	ecosmart	238-743	ESSM814C23SK	Bare-soiral	E26/24 (Medium)	CFL		850	14	N/A	10000	3500	0.633	9	8/17/2010
The Home Deoot	ecosmart	238-809	ESSM814C250K	Bare-spiral	E12 (Candelabra)	CFL		900	14	N/A	10000	5000	0.633	9	9/2/2010
The Home Deoot	ecosmart	238-809	ESSM814C250K	Bare-soiral	E26/24 (Medium)	CFL		900	14	N/A	10000	5000	0.633	9	9/2/2010
The Home Deoot	ecosmart	238-875	ESSM814DIM2	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700		9	8/25/2010
The Home Deoot	ecosmart	239-073	ESSR4192	Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		7	8/24/2010
The Home Deoot	ecosmart	252-763	ESSM80025OK	Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	5000		9	4/24/2009
The Home Deoot	ecosmart	257-073	ESSR419B6	Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700		7	8/25/2010
The Home Deoot	ecosmart	288-506	ESSM823DIM2	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	8/16/2011
The Home Deoot	ecosmart	322-539		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/14/2010
The Home Deoot	ecosmart	324-981	ESSM8144RS	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	3/17/2010
The Home Deoot	ecosmart	325-278	ESSR314IB2	Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	2/16/2010
The Home Deoot	ecosmart	362-283	ESSM10123	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1400	23	N/A	10000	2700		9	7/31/2008
The Home Deoot	ecosmart	362-283	ESSM823D	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1500	23	N/A	10000	2700		9	9/8/2010
The Home Deoot	ecosmart	375-720		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	13/22/30	10000	3000		2	12/30/2009
The Home Deoot	ecosmart	405-101	ESSM194RS	Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700		9	11/15/2010
The Home Deoot	ecosmart	405-101	ESSM8194	Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	4/24/2009
The Home Deoot	ecosmart	423-599 (ESSM8144)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	423-599 (ESSM144RS)		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.634	2	6/7/2010
The Home Deoot	ecosmart	428-106	BPESL11R20/DM/ESM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	380	11	N/A	8000	2700		2	6/30/2009
The Home Deoot	ecosmart	475-110	ESSM234RS; ESSM8234	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.608	9	4/24/2009
The Home Deoot	ecosmart	530-236	ESSR315DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	15	N/A	8000	2700		7	9/23/2010
The Home Deoot	ecosmart	530-565 (SR214)		Covered reflector	E26/24 (Medium)	CFL		465	14	N/A	8000	2700		2	12/15/2008
The Home Deoot	ecosmart	565-172	ESSR31423SK	Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500		9	4/24/2009
The Home Deoot	ecosmart	567-365	ESSZ3B12	Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	8/25/2010
The Home Deoot	ecosmart	599-163 (ESSA814235K)	ESSA81423SK	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		7	2/11/2009
The Home Deoot	ecosmart	599-262		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		2	12/15/2008
The Home Deoot	ecosmart	599-526 (ESSM827250K)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.584	9	12/15/2008
The Home Deoot	ecosmart	668-792	ESSM8144CAN	Bare-soiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/16/2010
The Home Deoot	ecosmart	681-136	ESSM81412C	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	12/3/2010
The Home Deoot	ecosmart	681-137	ESSR314IB6C	Covered reflector	E26/24 (Medium)	CFL		640	14	N/A	8000	2700		7	12/15/2010
The Home Deoot	ecosmart	738-704		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	12/15/2008
The Home Deoot	ecosmart	738-704 (ESSM823)		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	772-429 (ESSM81950K)		Bare-spiral	E26/24 (Medium)	CFL		1100	19	N/A	10000	5000		9	1/30/2009
The Home Deoot	ecosmart	772-720	ESSM842	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	772-739 (ESSM819)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	772-869 (ESSM814)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	772-879 (ESSM809)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	1/30/2009
The Home Deoot	ecosmart	785-800 (ESSM81412)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	4/9/2009
The Home Deoot	ecosmart	786-240 (ESSM81410)	ESSM81410	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.637	9	7/31/2008
The Home Deoot	ecosmart	963-699 (ESSA8092)		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	1/30/2009
The Home Deoot	ecosmart	964-196	ESSG8142IB	Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	12/15/2008
The Home Deoot	ecosmart	964-790 (ESSG8092)		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	2700		7	1/30/2009
The Home Deoot	ecosmart	967-034 (ESSA8142)	ESSA8142IB	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	1/30/2009
The Home Deoot	ecosmart	ECS 16 WW FL	866-920	MR - Multifaceted reflector	GU5.3	LED	Dimmable	272	5.9	N/A	25000	3000	0.999	3	1/6/2011
The Home Deoot	ecosmart	ECS 25 WW	866-788	G - Globe	E26/24 (Medium)	LED	Dimmable	405	7.83	N/A	15000	3000	0.935	5	1/13/2011
The Home Deoot	ecosmart	ECS 30 WW FL	866-392	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	719	15.37	N/A	25000	3000	0.779	5	1/6/2011
The Home Deoot	ecosmart	ECS 38 WW FL	866-194	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	883	18.71	N/A	25000	3000	0.752	5	1/6/2011
The Home Deoot	ecosmart	ESSG814650K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	5000		7	5/9/2011
The Home Deoot	ecosmart	ESSM809235K (250-321)		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	3500		9	4/24/2009
The Home Deoot	ecosmart	ESSM814250K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		9	2/18/2011
The Home Deoot	ecosmart	ESSM81423SKFREE		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500		2	2/18/2011
The Home Deoot	ecosmart	ESSM814G		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		9	2/23/2011
The Home Deoot	ecosmart	ESSR2142 (598-833)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		2	12/15/2008
The Home Deoot	ecosmart	ESSR315DIM2 (460-929)		Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	15	N/A	8000	2700		7	2/23/2011
The Home Deoot	ecosmart	ESSR315DIM4	238 380	Covered reflector	E26/24 (Medium)	CFL	Dimmable	650	15	N/A	8000	2700		7	3/10/2011
The Home Deoot	EcoSmart	150-127	150-127	Bare-soiral	E26/24 (medium)	CFL		850	14.0	N/A	10000	3500	0.64	9	9/8/2011
The Home Deoot	EcoSmart	160-740	160-740	Bare-spiral	E26/24 (medium)	CFL		850	23.0	N/A	10000	3500	0.64	9	9/8/2011
The Home Deoot	EcoSmart	161-167 (ESSM8144RS50K)		Bare-soiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.635	9	9/7/2011
The Home Deoot	EcoSmart	278887	148545	Bare-Mini-Spiral	E26/24 (medium)	CFL		607	9.22	N/A	10000	2700	0.55	11	7/22/2011
The Home Deoot	EcoSmart	278895	150127	Bare-Mini-Soiral	E26/24 (medium)	CFL		1002	14.1	N/A	10000	3500	0.59	11	7/22/2011
The Home Deoot	EcoSmart	278929	160678	Bare-Mini-Spiral	E26/24 (medium)	CFL		1002	14.1	N/A	10000	3500	0.59	11	7/22/2011
The Home Deoot	EcoSmart	278937	160740	Bare-Mini-Soiral	E26/24 (medium)	CFL		1695	22.3	N/A	10000	3500	0.56	11	7/22/2011
The Home Deoot	EcoSmart	278986	250321	Bare-Mini-Spiral	E26/24 (medium)	CFL		668	9.63	N/A	10000	3500	0.54	11	7/22/2011
The Home Deoot	EcoSmart	279018	405101	Bare-Mini-Spiral	E26/24 (medium)	CFL		1318	19.0	N/A	10000	2700	0.58	11	7/22/2011
The Home Deoot	EcoSmart	279034	423599	Bare-Mini-Spiral	E26/24 (medium)	CFL		902	12.42	N/A	10000	2700	0.58	11	7/22/2011

The Home Depot	EcoSmart	279075	475110	Bare-Mini-Spiral	E26/24 (medium)	CFL		1638	22.0	N/A	10000	2700	0.55	11	7/22/2011
The Home Depot	EcoSmart	279083	481411	Covered-Candle	E26/24 (medium)	CFL		486	9.88	N/A	8000	2700	0.6	7	7/26/2011
The Home Depot	EcoSmart	279190	567365	Bare-Mini-Spiral	E26/24 (medium)	CFL		1638	22.0	N/A	10000	2700	0.55	11	7/22/2011
The Home Depot	EcoSmart	279384	772720	Bare-spiral	E26/24 (medium)	CFL		2916	39.91	N/A	12000	2700	0.55	11	7/26/2011
The Home Depot	EcoSmart	279380	785800	Bare-Mini-Spiral	E26/24 (medium)	CFL		902	12.75	N/A	10000	2700	0.58	11	7/22/2011
The Home Depot	EcoSmart	279430	964196	Covered Globe	E26/24 (medium)	CFL		909	14.8	N/A	8000	2700	0.58	7	8/4/2011
The Home Depot	EcoSmart	279448	964790	Covered Globe	E26/24 (medium)	CFL		586	9.8	N/A	8000	2700	0.58	7	8/4/2011
The Home Depot	EcoSmart	279455	967034	Covered A-line	E26/24 (medium)	CFL		849	14.6	N/A	8000	2700	0.58	7	8/4/2011
The Home Depot	EcoSmart	279463	190729	Bare-Mini-Spiral	E26/24 (medium)	CFL		1311	17.19	N/A	10000	3500	0.57	11	7/22/2011
The Home Depot	EcoSmart	384-314	384-314	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	5000	0.62	9	9/8/2011
The Home Depot	EcoSmart	598-635	N/A	Reflector	GU24	CFL		691	16.3	N/A	8000	2700	0.62	2	11/2/2010
The Home Depot	EcoSmart	EA1509	963699	Covered A-line	E26/24 (medium)	CFL		569	9.61	N/A	8000	2700	0.571	7	11/15/2011
The Home Depot	EcoSmart	EA1914	279455	Covered A-line	E26/24 (medium)	CFL		849	14.6	N/A	8000	2700	0.58	7	2/24/2012
The Home Depot	EcoSmart	EA1914 3.5K	599163	Covered A-line	E26/24 (medium)	CFL		919	14.74	N/A	8000	3500	0.56	7	2/24/2012
The Home Depot	EcoSmart	EA1914 5K	599229	Covered A-line	E26/24 (medium)	CFL		828	14.28	N/A	8000	5000	0.57	7	2/24/2012
The Home Depot	EcoSmart	ECOT09 5K	252763	Bare-Mini-Soiral	E26/24 (medium)	CFL		532	8.7	N/A	10000	5000	0.561	9	10/21/2011
The Home Depot	EcoSmart	ECOT14 5K	148164, 161167	Bare-Mini-Spiral	E26/24 (medium)	CFL		936	13.83	N/A	10000	5000	0.551	9	10/21/2011
The Home Depot	EcoSmart	ECOT19 5K	191055	Bare-Mini-Spiral	E26/24 (medium)	CFL		1294	18.68	N/A	10000	5000	0.583	9	10/21/2011
The Home Depot	EcoSmart	ECOT23 5K	159979	Bare-Mini-Spiral	E26/24 (medium)	CFL		1687	24.09	N/A	10000	5000	0.57	9	10/21/2011
The Home Depot	EcoSmart	ECOT23 5K	384314	Bare-spiral	E26/24 (medium)	CFL		1686	24.09	N/A	10000	5000	0.57	9	2/24/2012
The Home Depot	EcoSmart	ECS 19 WW 120	7434000001	Non - Standard	E26/24 (Medium)	LED	Dimmable	385	7.7	N/A	50000	3000	0.939	5	7/7/2011
The Home Depot	EcoSmart	ECS 25 WW	866-788	G - Globe	E26/24 (Medium)	LED	Dimmable	405	7.83	N/A	35000	3000	0.93	5	3/31/2011
The Home Depot	EcoSmart	ECS 30 V2 WW FL 120	7434000108	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1008	17.47	N/A	50000	3000	0.764	5	12/6/2011
The Home Depot	EcoSmart	ECS 30 WW FL	7434000047	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	720	15.0	N/A	25000	3000	0.78	5	11/9/2012
The Home Depot	EcoSmart	ECS A19 V2 WW	400 674	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	822	13.031	N/A	25000	3000	0.987	5	1/17/2012
The Home Depot	EcoSmart	ECS A19 WW V1 120	ECS A19 WW V1 120	A-Arbitrary (Standard Incandescent Shape)	E26/24 Medium	LED	Dimmable	450	8.5	N/A	25000	3000	0.968	5	9/25/2012
The Home Depot	EcoSmart	EG2514 5K	599493	Covered Globe	E26/24 (medium)	CFL		856	14.34	N/A	8000	5000	0.57	7	2/24/2012
The Home Depot	EcoSmart	EP3823	159979, 195981	Covered Reflector	E26/24 (medium)	CFL		1396	22.79	N/A	8000	2700	0.565	7	11/15/2011
The Home Depot	EcoSmart	ER3015	158653, 7915S2	Covered Reflector	E26/24 (medium)	CFL		821	15.11	N/A	8000	2700	0.565	7	11/15/2011
The Home Depot	EcoSmart	ER3015 3.5K	565172	Covered reflector	E26/24 (medium)	CFL		780	15.25	N/A	8000	3500	0.61	7	2/24/2012
The Home Depot	EcoSmart	ER3015 5K	565180, 324684	Covered reflector	E26/24 (medium)	CFL		782	15.17	N/A	8000	5000	0.55	7	2/24/2012
The Home Depot	EcoSmart	ER4023	780758	Covered Reflector	E26/24 (medium)	CFL		1315	23.8	N/A	8000	2700	0.549	7	11/15/2011
The Home Depot	EcoSmart	ER4023 3.5K	567234	Covered reflector	E26/24 (medium)	CFL		1306	23.49	N/A	8000	3500	0.61	7	2/24/2012
The Home Depot	EcoSmart	ER4023 5K	567265	Covered reflector	E26/24 (medium)	CFL		1247	22.0	N/A	8000	5000	0.56	7	2/24/2012
The Home Depot	EcoSmart	ES5316R30	N/A	Reflector	GU24	CFL		691	16.3	N/A	8000	2700	0.62	2	11/22/2010
The Home Depot	EcoSmart	ES5D8074	481-411	Covered-Candle	E12 (Candelabra)	CFL		350	7.0	N/A	8000	2700	0.64	7	9/8/2011
The Home Depot	EcoSmart	ES5M234RS		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.62	9	12/2/2011
The Home Depot	EcoSmart	ES5M814RS50K (148-164)		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000	0.63	9	10/18/2011
The Home Depot	EcoSmart	ES5M868 (599-031)		Bare-spiral	E26/24 (Medium)	CFL		4200	68	N/A	10000	2700	0.6065	9	1/5/2012
The Home Depot	EcoSmart	ES5R314650	324-684	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	5000	0.63	7	8/14/2012
The Home Depot	EcoSmart	ES99032		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	14/19/32	10000	2700		2	5/3/2012
The Home Depot	EcoSmart	ES9A8092		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700	0.61	7	12/13/2011
The Home Depot	EcoSmart	ES9A814235K /599-163)		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	7	12/13/2011
The Home Depot	EcoSmart	ES9A8142IB	967-034	Covered A-line	E26/24 (medium)	CFL		800	14.0	N/A	8000	2700	0.64	7	4/6/2012
The Home Depot	EcoSmart	ES9DB07C3	ES9DB07C3	Covered-Candle	E12 (Candelabra)	CFL		350	7.0	N/A	8000	2700	0.64	7	4/6/2012
The Home Depot	EcoSmart	ES9G8092		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	2700	0.61	9	12/14/2011
The Home Depot	EcoSmart	ES9G814235K		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	7	12/14/2011
The Home Depot	EcoSmart	ES9G814250K	599-493	Covered globe	E26/24 (medium)	CFL		800	14.0	N/A	8000	5000	0.6	7	4/24/2012
The Home Depot	EcoSmart	ES9G8142IB		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	2/13/2012
The Home Depot	EcoSmart	ES9M1412		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700	0.64	9	12/15/2011
The Home Depot	EcoSmart	ES9M144RS		Bare-ssiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.63	9	12/13/2011
The Home Depot	EcoSmart	ES9M2312 (567-365)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.6	9	12/13/2011
The Home Depot	EcoSmart	ES9MB09235K		Bare-spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	3500	0.53	9	12/13/2011
The Home Depot	EcoSmart	ES9MB09250K	ES9MB09250K	Bare-spiral	E26/24 (medium)	CFL		450	9.0	N/A	10000	5000	0.601	9	4/6/2012
The Home Depot	EcoSmart	ES9MB094 (148-545)		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.53	9	1/5/2012
The Home Depot	EcoSmart	ES9MB1435K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.59	9	12/12/2011
The Home Depot	EcoSmart	ES9MB1443SK		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	3500	0.59	9	12/12/2011
The Home Depot	EcoSmart	ES9MB1445OK		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.63	9	1/5/2012
The Home Depot	EcoSmart	ES9MB1450K		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000	0.63	9	12/5/2011
The Home Depot	EcoSmart	ES9MB14C2 (240-916)		Bare-Mini-Spiral	E12 (Candelabra)	CFL		900	14	N/A	10000	2700		2	4/25/2012
The Home Depot	EcoSmart	ES9MB14C2 (240-916)		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	5/10/2012
The Home Depot	EcoSmart	ES9MB14C235K (238-743)		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	3500	0.63	9	1/25/2012
The Home Depot	EcoSmart	ES9MB14C250K		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	5000		9	2/13/2012
The Home Depot	EcoSmart	ES9MB14DIM2		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	850	14	N/A	10000	2700	0.93	9	12/5/2011
The Home Depot	EcoSmart	ES9MB1923SK		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.54	9	12/12/2011
The Home Depot	EcoSmart	ES9MB1925OK		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000	0.6	9	12/12/2011
The Home Depot	EcoSmart	ES9MB194		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.6	9	12/13/2011
The Home Depot	EcoSmart	ES9MB2323SK (160-740)		Bare-ssiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	2/14/2012
The Home Depot	EcoSmart	ES9MB234		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.6	9	12/13/2011
The Home Depot	EcoSmart	ES9MB2343SK	186-353	Bare-ssiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	3500	0.604	9	4/6/2012
The Home Depot	EcoSmart	ES9MB2725OK (599-526)		Bare-spiral	E26/24 (Medium)	CFL		1750	27	N/A	10000	5000	0.58	9	12/13/2011
The Home Depot	EcoSmart	ES9MB42		Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	2/13/2012
The Home Depot	EcoSmart	ES9P8232		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.61	7	12/9/2011
The Home Depot	EcoSmart	ES9R2142 (598-833)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700	0.59	7	12/13/2011
The Home Depot	EcoSmart	ES9R30146		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	7	12/13/2011
The Home Depot	EcoSmart	ES9R314235K (565-172)		Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500	0.63	7	1/4/2012
The Home Depot	EcoSmart	ES9R3141B2		Covered reflector	E26/24 (Medium)	CFL		650	14	N/A	8000	2700	0.63	7	12/9/2011
The Home Depot	EcoSmart	ES9R316250K	565-180	Covered reflector	E26/24 (medium)	CFL		700	16.0	N/A	8000	5000	0.541	7	8/14/2012
The Home Depot	EcoSmart	ES9R40196		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700	0.55	7	12/13/2011
The Home Depot	EcoSmart	ES9R4192		Covered reflector	E26/24 (Medium)	CFL		950	19	N/A	8000	2700	0.55	7	12/13/2011
The Home Depot	EcoSmart	ES9R4232 (780-758)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700	0.615	7	12/13/2011
The Home Depot	n:vision	148-305		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	148-545		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		9	5/10/2006
The Home Depot	n:vision	150-062		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	5/10/2006
The Home Depot	n:vision	150-127	5M81435K; 5M814VAR	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14.0	N/A	10000	3500		9	10/18/2006
The Home Depot	n:vision	152-521		Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	159-979 (SP8232)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	160-374 (5R31435K)	5R31435K	Covered reflector	E26/24 (Medium)	CFL		600	14	N/A	8000	3500		7	12/31/2006
The Home Depot	n:vision	160-678	5M81443SK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	14.0	N/A	10000	3500		9	10/18/2006
The Home Depot	n:vision	160-740 (5M82323SK)	5M82323SK	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	11/2/2006
The Home Depot	n:vision	161-235 (5M80935K)	5M80935K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		450	9	N/A	10000	3500		9	12/31/2006
The Home Depot	n:vision	161-301		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	5/10/2006
The Home Depot	n:vision	161-340 (5M82335K)	5M82335K	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1500	23	N/A	10000	3500		9	11/2/2006
The Home Depot	n:vision	207-810 (5R423)		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	230-565		Covered reflector	E26/24 (Medium)	CFL		465	14.0	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	292-460 (5M8146)	292-460	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		9	10/18/2006
The Home Depot	n:vision	362-283 / 5M10123		Bare-Mini-Soiral	E26/24 (Medium)	CFL	Dimmable	1400	23	N/A	10000	2700	0.96	9	5/16/2008
The Home Depot	n:vision	423-599 (5M6144)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		9	5/10/2006

The Home Depot	n:vision	530-565 (SR214)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		5	2/28/2009
The Home Depot	n:vision	558-255		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	591-830 (SM8234)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	5/10/2006
The Home Depot	n:vision	598-833 (SR2142)		Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	8000	2700		5	2/28/2009
The Home Depot	n:vision	599-262		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500	0.6	7	12/15/2008
The Home Depot	n:vision	599-262		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	3500		2	12/15/2008
The Home Depot	n:vision	SM8234	591-830	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		9	10/18/2006
The Home Depot	n:vision	SP8234	590-472	Covered reflector	E26/24 (Medium)	CFL		1200	23.0	N/A	8000	2700		7	10/18/2006
The Home Depot	n:vision	738-704 (SM823)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700		7	5/10/2006
The Home Depot	n:vision	771-428		Covered A-line	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	772-739		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19.0	N/A	10000	2700		9	5/10/2006
The Home Depot	n:vision	772-869 (SM814)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	10000	2700		9	5/10/2006
The Home Depot	n:vision	772-897		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9.0	N/A	10000	2700		9	5/10/2006
The Home Depot	n:vision	774-332		Covered globe	E26/24 (Medium)	CFL		800	14.0	N/A	8000	2700		7	5/10/2006
The Home Depot	n:vision	963-699		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	4/3/2007
The Home Depot	n:vision	964-196		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/3/2007
The Home Depot	n:vision	964-790	SG8092	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		2	4/3/2007
The Home Depot	n:vision	967-034		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	4/3/2007
TIBA International INC	AirpureLite	AP2327	AP2327	Bare-spiral	E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.61	9	3/1/2012
TIBA International INC	AirpureLite	AP4227		Bare-spiral	E26/24 (Medium)	CFL		2850	42	N/A	10000	2700	0.59	2	1/18/2012
Topaz Lighting	CXL TOPAZ	CF12-26/S/3W/27-46		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1550	N/A	12/20/26	10000	2700		2	5/19/2008
Topaz Lighting	CXL TOPAZ	CF13/A19/27-33		Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	9/14/2009
Topaz Lighting	CXL TOPAZ	CF13/A19/50-33		Covered A-line	E26/24 (Medium)	CFL		760	14	N/A	8000	5000		2	8/20/2010
Topaz Lighting	CXL TOPAZ	CF13/MS/27-33		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.5	2	12/4/2009
Topaz Lighting	CXL TOPAZ	CF13/MS/27-43		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.5543	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF13/MS/27-46		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	2700		2	10/21/2009
Topaz Lighting	CXL TOPAZ	CF13/MS/41-33		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	12/6/2010
Topaz Lighting	CXL TOPAZ	CF13/MS/41-43		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.591	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF13/MS/41-46		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	4100	0.5	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF13/MS/50-43		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.591	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF13/MS/27-33		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	12000	2700		2	8/20/2010
Topaz Lighting	CXL TOPAZ	CF13/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	12000	2700	0.58	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF13/SMS/27/E12-46		Bare-ssiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		2	7/10/2009
Topaz Lighting	CXL TOPAZ	CF13/SMS/41-46		Bare-spiral	E12 (Candelabra)	CFL		800	13	N/A	10000	4100		2	2/17/2010
Topaz Lighting	CXL TOPAZ	CF13/SMS/41-46		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		2	2/17/2010
Topaz Lighting	CXL TOPAZ	CF13/SMS/50-46		Bare-spiral	E26/24 (Medium)	CFL		880	13	N/A	10000	5000	0.58	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF15-40/S/3W/27-46		Bare-ssiral	E26/24 (Medium)	CFL	Three Wav	2450	N/A	15/26/40	10000	2700		2	7/10/2009
Topaz Lighting	CXL TOPAZ	CF15/A21/27-46		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	5/19/2008
Topaz Lighting	CXL TOPAZ	CF15/A21/41-46		Covered A-line	E26/24 (Medium)	CFL		800	15	N/A	10000	4100		2	2/17/2010
Topaz Lighting	CXL TOPAZ	CF15/G38/27-46		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	1/19/2010
Topaz Lighting	CXL TOPAZ	CF15/MS/27-46		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	2700	0.5	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF15/MS/27/ES	CF15/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		990	15	N/A	10000	2700		2	11/21/2007
Topaz Lighting	CXL TOPAZ	CF15/PAR30/27-46		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	10000	2700		2	11/29/2010
Topaz Lighting	CXL TOPAZ	CF15/PAR30/41-46		Covered reflector	E26/24 (Medium)	CFL		720	15	N/A	10000	4100		2	11/29/2010
Topaz Lighting	CXL TOPAZ	CF15/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1010	15	N/A	12000	2700	0.58	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF18/SMS/27-43		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700	0.582	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF18/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1140	18	N/A	12000	2700	0.58	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF18/SMS/41-43		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.585	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF18/SMS/41-46		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	4100	0.577	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF18/SMS/50-46		Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	10000	5000	0.578	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF18/SMS/65-46		Bare-spiral	E26/24 (Medium)	CFL		1150	18	N/A	10000	6500		2	11/29/2010
Topaz Lighting	CXL TOPAZ	CF20/MS/27-43		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.5357	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF20/MS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.5	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF20/MS/27/ES	CF20/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	11/6/2007
Topaz Lighting	CXL TOPAZ	CF20/MS/41-43		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.582	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF23/MS/27-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	10/22/2009
Topaz Lighting	CXL TOPAZ	CF23/MS/27/ES	CF23/MS/27-33	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	11/6/2007
Topaz Lighting	CXL TOPAZ	CF23/MS/41-43		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.571	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF23/R40/27-46		Covered reflector	E26/24 (Medium)	CFL		1090	23	N/A	10000	2700		2	2/17/2010
Topaz Lighting	CXL TOPAZ	CF23/SMS/27-33		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	8/20/2010
Topaz Lighting	CXL TOPAZ	CF23/SMS/27-43		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.574	2	7/30/2009
Topaz Lighting	CXL TOPAZ	CF23/SMS/27-46		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	10/21/2009
Topaz Lighting	CXL TOPAZ	CF23/SMS/41-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF23/SMS/50-46		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.576	2	12/31/2009
Topaz Lighting	CXL TOPAZ	CF23/SMS/65-46		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500		2	11/29/2010
Topaz Lighting	CXL TOPAZ	CF27/MS/27/ES	CF27/MS/27-33	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1825	27	N/A	10000	2700		2	11/21/2007
Topaz Lighting	CXL TOPAZ	CF5/SMS/27-46		Bare-spiral	E26/24 (Medium)	CFL		270	5	N/A	10000	2700		2	11/30/2010
Topaz Lighting	CXL TOPAZ	CF7/CTW/27-46		Covered-Candle	E26/24 (Medium)	CFL		320	7	N/A	10000	2700		2	2/17/2010
Topaz Lighting	CXL TOPAZ	CF9/ETW/27-33		Covered-Candle	E26/24 (Medium)	CFL		420	9	N/A	8000	2700		2	8/3/2009
Topaz Lighting	CXL TOPAZ	CF9/MS/27-46		Bare-Mini-Spiral	E26/24 (Medium)	CFL		540	9	N/A	10000	2700		2	2/17/2010
Topaz Lighting	CXL TOPAZ	CF9/SMS/27/E12-46		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		2	7/10/2009
Topaz Lighting	TOPAZ-CXL	CF15/MS/27-43		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700	0.55	2	8/7/2009
Topaz Lighting	TOPAZ-CXL	CF15/R30/27-43		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	10000	2700	0.55	2	8/7/2009
Topaz Lighting	TOPAZ-CXL	CF9/SMS/41-43		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700	0.57	2	8/7/2009
Topaz Lighting	Topaz Lighting	CF13/SMS/GU24/27-46	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	2/18/2010
Topaz Lighting	Topaz Lighting	CF18/MS/GU24/27-46	N/A	Bare-spiral	GU24	CFL		1222	16.51	N/A	10000	2700	0.56	2	2/18/2010
Topaz Lighting	Topaz Lighting	CF26/MS/GU24/27-46	N/A	Bare-spiral	GU24	CFL		1614	24.27	N/A	10000	2700	0.56	2	2/18/2010
Topco Associates, LLC	Electrix	04384/1K	X19771	Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/20/33	8000	2700		7	6/24/2011
Topco Associates, LLC	Electrix	04388		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/29/2009
Topco Associates, LLC	Electrix	04388/YX	04388/YX	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/24/2011
Topco Associates, LLC	Electrix	04389		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	12/1/2006
Topco Associates, LLC	Electrix	04390		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	2700		7	7/1/2009
Topco Associates, LLC	Electrix	04392		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	7/1/2009
Topco Associates, LLC	Electrix	04393		Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	3000		7	9/2/2009
Topco Associates, LLC	Electrix	06672		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/1/2009
Topco Associates, LLC	Electrix	06672/YX	06672	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3000		7	7/1/2009
Topco Associates, LLC	Electrix	07944	07850	Bare-ssiral	E26/24 (Medium)	CFL		1200	19	N/A	8000	2700		7	6/25/2009
Topco Associates, LLC	Electrix	07945		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	12/1/2006
Topco Associates, LLC	Electrix	07945 (ZM)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/12/2010
Topco Associates, LLC	Electrix	07945 (ZH)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/12/2010
Topco Associates, LLC	Electrix	07945 (ZJ)		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	5/18/2010
Toostar International	Topstar	CFLT2GU24-14W	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.562	2	6/19/2012
Toostar International	Toostar	CFLT3MS15W	CFLT3MS15W	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		951	15.0	N/A	10000	2700	0.61	2	9/24/2012
Toostar International	Toostar	CFLT3MS15W		Bare-Mini-Spiral	E26	CFL		951	15	N/A	10000	2700	0.61	2	9/24/2012
Toostar International	Toostar	CFLT3MSB-26W	CFLT3MSB-26W	Bare-ssiral	E26/24 (Medium)	CFL		1600	26.0	N/A	10000	2700	0.55	2	7/21/2011

Topstar International	Topstar	CFLT3MSB-26W		Bare-Spiral	E26	CFL		1600	26	N/A	10000	2700	0.55	2	7/21/2011
T-Opto	T-Opto	T-20-W-8	T-20-W-8-110-2700-60-D	Non-standard	E26/24 (Medium)	LED		482	8.12	N/A	25000	2700	0.977	3	10/8/2012
Toshiba International Corporation	Toshiba	LDAB0827WE6US	8A19/27FZ-UP	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		530	7.38	N/A	25000	2700	0.894	5	4/12/2012
Toshiba International Corporation	Toshiba	LDAB0827WE6USD	8A19/27F-UP, 8A19/27F-URB	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	490	8.17	N/A	25000	2700	0.764	5	2/3/2012
Toshiba International Corporation	Toshiba	LDAB0840WE6US	8A19/40FZ-UP	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED		580	7.38	N/A	25000	4000	0.893	5	4/12/2012
Toshiba International Corporation	Toshiba	LDAB0840WE6USD	8A19/40F-UP	A - Arbitrary (standard incandescent shape)	E26/24 (Medium)	LED	Dimmable	530	8.14	N/A	25000	4000	0.764	5	2/3/2012
Toshiba International Corporation	Toshiba	LDCB0427CE2USD	4B11/27CC-UP	B-Bulged	E12 (Candelabra)	LED	Dimmable	180	3.362	N/A	25000	2700	0.648	5	6/26/2012
Toshiba International Corporation	Toshiba	LDCB0427FE2USD	4B11/27CF-UP	B-Bulged	E12 (Candelabra)	LED	Dimmable	197	3.379	N/A	25000	2700	0.646	5	6/26/2012
Toshiba International Corporation	Toshiba	LDRA0727MU5USD	7MR16/827NFL25	MR - Multifaceted reflector	GU5.3	LED	Dimmable	280	6.7	N/A	25000	2700	0.746	5	1/21/2012
Toshiba International Corporation	Toshiba	LDRA0727NU5USD	6MR16/827SP8	MR - Multifaceted reflector	GU5.3	LED	Dimmable	274	6.2	N/A	25000	2700	0.7354	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRA0730MU5USD	7MR16/830NFL25	MR - Multifaceted reflector	GU5.3	LED	Dimmable	302	6.7	N/A	25000	3000	0.735	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRA0730NU5USD	6MR16/830SP8	MR - Multifaceted reflector	GU5.3	LED	Dimmable	276	6.2	N/A	25000	3000	0.724	5	11/29/2011
Toshiba International Corporation	Toshiba	LDRA0730WU5USD	7MR16/830FL35	MR - Multifaceted reflector	GU5.3	LED	Dimmable	304	6.7	N/A	25000	3000	0.73	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRA0740NU5USD	6MR16/840SP8	MR - Multifaceted reflector	GU5.3	LED	Dimmable	286	6.2	N/A	25000	4000	0.732	5	11/29/2011
Toshiba International Corporation	Toshiba	LDRB0927ME6USD	9P20/827NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	367	9.0	N/A	25000	2700	0.817	5	1/5/2012
Toshiba International Corporation	Toshiba	LDRB0927NE6USD	9P20/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	394	8.6	N/A	25000	2700	0.8029	5	11/29/2011
Toshiba International Corporation	Toshiba	LDRB0930ME6USD	9P20/830NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	385	9.0	N/A	25000	3000	0.815	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB0930NE6USD	9P20/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	382	8.6	N/A	25000	3000	0.8044	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1627ME6USD	16P30S/827NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	755	16.1819	N/A	25000	2700	0.7562	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1627NE6USD	16P30S/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	668	15.6	N/A	25000	2700	0.7717	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB1627NE6USDL	16P30L/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	660	15.6	N/A	25000	2700	0.7723	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB1627WE6USD	16P30S/827FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	760	16.3	N/A	25000	2700	0.758	5	2/23/2012
Toshiba International Corporation	Toshiba	LDRB1627WE6USDL	16P30L/827FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	748	16.3	N/A	25000	2700	0.756	5	2/14/2012
Toshiba International Corporation	Toshiba	LDRB1630ME6USD	16P30S/830NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	757	16.3	N/A	25000	3000	0.7666	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1630ME6USDL	16P30L/830NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	777	16.3	N/A	25000	3000	0.7552	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1630NE6USD	16P30S/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	691	15.6	N/A	25000	3000	0.7705	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB1630NE6USDL	16P30L/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	681	15.6	N/A	25000	3000	0.777	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1630WE6USD	16P30S/830FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	781	16.3	N/A	25000	3000	0.7672	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1630WE6USDL	16P30L/830FL32	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	766	16.3	N/A	25000	3000	0.7576	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB1640ME6USD	16P30S/840NFL23	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	790	16.3	N/A	25000	4000	0.759	5	3/9/2012
Toshiba International Corporation	Toshiba	LDRB1640NE6USD	16P30S/840SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	717	15.6	N/A	25000	4000	0.7728	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB1640NE6USDL	16P30L/840SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	712	15.6	N/A	25000	4000	0.7705	5	11/21/2011
Toshiba International Corporation	Toshiba	LDRB2027ME6USD	20P38/827NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	949	20.3	N/A	25000	2700	0.738	5	1/5/2012
Toshiba International Corporation	Toshiba	LDRB2027ME6USD2	20P38/27LNF-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1202	20.3	N/A	25000	2700	0.748	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2027NE6USD	19P38/827SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	847	19.2	N/A	25000	2700	0.7463	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB2027WE6USD	20P38/827FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	965	20.3	N/A	25000	2700	0.741	5	1/5/2012
Toshiba International Corporation	Toshiba	LDRB2027WE6USD2	20P38/27FL-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1202	20.3	N/A	25000	2700	0.745	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2030ME6USD	20P38/830NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	931	20.3	N/A	25000	3000	0.7454	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB2030ME6USD2	20P38/30LNF-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1235	20.3	N/A	25000	3000	0.751	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2030NE6USD	19P38/830SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	880	19.2	N/A	25000	3000	0.757	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB2030WE6USD	20P38/830FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	945	20.3	N/A	25000	3000	0.7476	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB2030WE6USD2	20P38/30LFL-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1243	20.3	N/A	25000	3000	0.747	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2035ME6USD	20P38/835NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	987	20.3	N/A	25000	3500	0.76	5	1/11/2012
Toshiba International Corporation	Toshiba	LDRB2035ME6USD2	20P38/35LNF-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1208	20.3	N/A	25000	3500	0.745	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2035NE6USD	19P38/835SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	893	19.2	N/A	25000	3500	0.7568	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB2035WE6USD	20P38/835FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1013	20.3	N/A	25000	3500	0.76	5	1/11/2012
Toshiba International Corporation	Toshiba	LDRB2035WE6USD2	20P38/35LFL-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1237	20.3	N/A	25000	3500	0.744	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2040ME6USD	20P38/840NFL25	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	985	20.3	N/A	25000	4000	0.76	5	1/11/2012
Toshiba International Corporation	Toshiba	LDRB2040ME6USD2	20P38/40LNF-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1293	20.3	N/A	25000	4000	0.741	5	3/2/2012
Toshiba International Corporation	Toshiba	LDRB2040NE6USD	19P38/840SP8	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	876	19.2	N/A	25000	4000	0.7553	5	11/18/2011
Toshiba International Corporation	Toshiba	LDRB2040WE6USD	20P38/840FL35	PAR - Parabolic Aluminum Reflector	E26/24 (medium)	LED	Dimmable	1027	20.3	N/A	25000	4000	0.76	5	1/11/2012
Toshiba International Corporation	Toshiba	LDRB2040WE6USD2	20P38/40LFL-UP	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1306	20.3	N/A	25000	4000	0.742	5	3/2/2012
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/MINISPIRAL/BL/2/BUYERS(	29131	Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13.0	N/A	8000	2700		6	7/10/2007
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/MINISPIRAL/BL/BC/ZJ /290	29088	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	6/28/2010
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/827/RP6 (29404)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	4/1/2009
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP2/BUYERSCHOI	29406	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	6/29/2009
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP2/BUYERSCHOI	29406	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/6/2010
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP2/BUYERSCHOI	29406	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	7/7/2011
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP6/BUYERSCHOI	29404	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	4/16/2010
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP6/BUYERSCHOI	29404	Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	8000	2700		7	7/7/2011
Transport & Distribution, Inc.	Buyer's Choice	CF13EL/SPIRAL/RP6/BUYERSCHOI	29404	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		7	1/26/2010
Transport & Distribution, Inc.	Buyer's Choice	CF16EL/BR30/RP/BUYERSCHOICE/	29678	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	6/15/2011
Transport & Distribution, Inc.	Buyer's Choice	CF16EL/BR30/RP/BUYERSCHOICE/	29955	Covered reflector	E26/24 (Medium)	CFL		750	16	N/A	8000	2700		7	6/15/2011
Transport & Distribution, Inc.	Buyer's Choice	CF23EL/MINISPIRAL/BC/2700K/BL/T	29607	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		7	6/2/2007
Transport & Distribution, Inc.	Buyer's Choice	CF23EL/SPIRAL/RP3/BUYERSCHOI	29570	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		9	8/10/2009
Transport & Distribution, Inc.	Buyer's Choice	CF23EL/SPIRAL/RP4/BUYERSCHOI	29403	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		5	6/25/2009
Transport & Distribution, Inc.	Buyer's Choice	CF33EL/3WAY/RP/BUYERSCHOICE	29915	Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	12/22/33	10000	2700		9	3/31/2010
Transport & Distribution, Inc.	Buyer's Choice	CF9EL/G25/RP/3PK/BUYERSCHOIC	29679	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	10/22/2009
Transport & Distribution, Inc.	Buyer's Choice	CF9EL/G25/RP/BUYERSCHOICE (2(	29960	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	10/22/2009
Transport & Distribution, Inc.	Buyer's Choice	CF9EL/G25/RP/BUYERSCHOICE/ZJ	29960	Covered globe	E26/24 (Medium)	CFL		495	9	N/A	8000	2700		7	7/30/2010
Transport & Distribution, Inc.	Premier Value	CF13EL/MINISPIRAL/827/PREMIER(	09263	Bare-ssiral	E26/24 (Medium)	CFL		875	13	N/A	8000	2700		7	8/26/2010
True Value Company	Westpointe	71051	71051	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	10000	2700	0.549	3	7/13/2012
True Value Company	Westpointe	71051		Bare-Mini Spiral	E26	CFL		1600	21.86	N/A	10000	2700	0.55	3	7/13/2012
True Value Company	Westpointe	71052	71052	Covered reflector	Medium E26/24 (medium)	CFL	Dimmable	700	15.0	N/A	8000	2700	0.627	3	7/13/2012
True Value Company	Westpointe	71052		Covered Reflector	E26	CFL		700	15.18	N/A	8000	2700	0.63	3	7/13/2012
True Value Company	Westpointe	784247		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		9	10/11/2007
True Value Company	Westpointe	784274		Covered reflector	E26/24 (Medium)	CFL		610	15	N/A	10000	2700		5	10/11/2007
True Value Company	Westpointe	784282		Covered A-line	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		9	10/12/2007
True Value Company	Westpointe	784296		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784304		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784373		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	12/20/26	10000	2700		9	10/12/2007
True Value Company	Westpointe	784387		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		9	10/12/2007
True Value Company	Westpointe	784415		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	10/2/2007

True Value Company	Westpointe	784423		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	4100		2	7/31/2008
True Value Company	Westpointe	784456		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	2700		9	10/12/2007
True Value Company	Westpointe	784486		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784494		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	6000	2700		5	10/11/2007
True Value Company	Westpointe	784506		Covered reflector	E26/24 (Medium)	CFL		1050	23	N/A	10000	2700		9	10/12/2007
True Value Company	Westpointe	784514		Covered reflector	E26/24 (Medium)	CFL		1040	23	N/A	10000	2700		9	10/12/2007
True Value Company	Westpointe	784522		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784536		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784544		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784555		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2600	N/A	15/26/40	10000	2700		9	10/12/2007
True Value Company	Westpointe	784563	784627, 784415, 784563	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	9/27/2007
True Value Company	Westpointe	784577		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	4100		2	7/31/2008
True Value Company	Westpointe	784593		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	8000	4100		2	7/31/2008
True Value Company	Westpointe	784605		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784613		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784627	784627. 784415. 784563	Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100		9	9/27/2007
True Value Company	Westpointe	784643	784643, 784676, 784522, 784486	Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	9/27/2007
True Value Company	Westpointe	784654		Covered reflector	E26/24 (Medium)	CFL		1050	23	N/A	10000	2700		9	10/12/2007
True Value Company	Westpointe	784662		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	6000	2700		9	10/15/2007
True Value Company	Westpointe	784676		Bare-spiral	E26/24 (Medium)	CFL		830	13	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	784684		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	10/2/2007
True Value Company	Westpointe	W9MGL-IS	117432, 784247	Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		2	4/26/2012
True Value Company	Westpointe	WP13MSL24	784233	Bare-spiral	GU24	CFL		900	13.0	N/A	10000	2700	0.615	3	5/18/2012
True Value Company	Westpointe	WP13MSL24		Bare-Mini Spiral	GU24	CFL		900	13.83	N/A	10000	2700	0.62	3	5/18/2012
True Value Company	Westpointe	WP13MSLT2	784643; 784296	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		11	8/4/2009
True Value Company	Westpointe	WP13MSLT2-41	117430; 117435	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100		11	4/5/2010
True Value Company	Westpointe	WP13MSLT2E	784296	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	4/19/2012
True Value Company	Westpointe	WP13MSLT2E	784296, 784643	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		2	5/29/2012
True Value Company	Westpointe	WP13MSLT2E2	784643; 784296	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	#ERROR	0.5	2	11/30/2012
True Value Company	Westpointe	WP13MSLT2E-65	784415, 784627	Bare-spiral	E26/24 (Medium)	CFL		860	13	N/A	12000	6500		2	4/19/2012
True Value Company	Westpointe	WP14MRL/S	784353	Covered reflector	E26/24 (Medium)	CFL		500	14	N/A	10000	2700		9	12/31/2010
True Value Company	Westpointe	WP14SDIM	117441	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	14	N/A	8000	2700		7	3/2/2010
True Value Company	Westpointe	WP15FP3/S	117437	Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	3000		7	12/30/2010
True Value Company	Westpointe	WP15SR3DIM	784274	Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	16	N/A	8000	2700		7	3/5/2010
True Value Company	Westpointe	WP18MSLT2	784316, 784613	Bare-spiral	E26/24 (Medium)	CFL		1250	18	N/A	12000	2700		11	12/22/2009
True Value Company	Westpointe	WP18MSLT2E	784316	Bare-spiral	E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.56	3	8/8/2012
True Value Company	Westpointe	WP18MSLT2E	784613	Bare-spiral	E26/24 (medium)	CFL		1250	18.0	N/A	12000	2700	0.56	3	8/8/2012
True Value Company	Westpointe	WP18MSLT2E		Bare-Mini Spiral	E26	CFL		1250	18.15	N/A	12000	2700	0.56	3	8/8/2012
True Value Company	Westpointe	WP18MSLT2E-65	784423;784593	Bare-spiral	Medium E26/24	CFL		1200	18.0	N/A	12000	6500	0.563	2	4/19/2012
True Value Company	Westpointe	WP18MSLT2E-65		Bare-Mini Spiral	E26	CFL		1200	18.45	N/A	12000	6500	0.56	2	4/19/2012
True Value Company	Westpointe	WP19SFP3DIM	117445	Covered reflector	E26/24 (Medium)	CFL	Dimmable	780	19	N/A	8000	2700		7	3/5/2010
True Value Company	Westpointe	WP20SFP38DIM	117446	Covered reflector	E26/24 (Medium)	CFL	Dimmable	900	20	N/A	8000	2700		7	3/5/2010
True Value Company	Westpointe	WP23MSL24	117440	Bare-spiral	GU24	CFL		1600	23.0	N/A	10000	2700	0.568	3	5/18/2012
True Value Company	Westpointe	WP23MSL24		Bare-Mini Spiral	GU24	CFL		1600	23.76	N/A	10000	2700	0.57	3	5/18/2012
True Value Company	Westpointe	WP23MSLT2	784304, 784605	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	12/8/2009
True Value Company	Westpointe	WP23MSLT2-65	784635; 784464	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500		11	4/5/2010
True Value Company	Westpointe	WP23MSLT2E	784304, 784605	Bare-spiral	Medium E26/24	CFL		1600	23.0	N/A	12000	2700	0.557	2	4/19/2012
True Value Company	Westpointe	WP23MSLT2E		Bare-Mini Soiral	E26	CFL		1600	23.84	N/A	12000	2700	0.56	2	4/19/2012
True Value Company	Westpointe	WP23MSLT2E-65	784464;784635	Bare-spiral	Medium E26/24	CFL		1500	23.0	N/A	12000	6500	0.553	2	4/19/2012
True Value Company	Westpointe	WP23MSLT2E-65	WP23MSLT2E-65	Bare-soiral	Medium E26/24	CFL		1500	23.0	N/A	12000	6500	0.553	2	4/19/2012
True Value Company	Westpointe	WP23MSLT2E-65		Bare-Mini Spiral	E26	CFL		1500	22.71	N/A	12000	6500	0.55	2	4/19/2012
True Value Company	Westpointe	WP24SDIM	784254	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1490	24	N/A	8000	2700		7	3/5/2010
True Value Company	Westpointe	WP42MSL	784365	Bare-spiral	E26/24 (Medium)	CFL		2800	42	N/A	10000	2700		9	12/8/2009
True Value Company	Westpointe	WP9MGL/S		Covered globe	E26/24 (Medium)	CFL		500	9	N/A	8000	2700		7	12/22/2009
True Value Company	Westpointe	WP9MSLT2E	117429, 784456	Bare-spiral	E26/24 (Medium)	CFL		540	9	N/A	12000	2700		2	5/10/2012
Truly Green Solutions LLC	Truly Green Solutions	115103	115103	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	9/25/2012
Turolight Inc.	EDGE	EDGE-T2/13W/27		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	5/7/2012
Turolight Inc.	EDGE	TL-EDGE11		Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		1	12/5/2008
Turolight Inc.	Genesis	GEOM15		Bare-spiral	E26/24 (Medium)	CFL		980	15	N/A	10000	2700		1	9/28/2005
Turolight Inc.	Genesis	GEOM20		Bare-spiral	E26/24 (Medium)	CFL		1230	20	N/A	10000	2700		1	9/28/2005
Turolight Inc.	Turolight	EDGE-PAR38/S/23W/27	EDGE-PAR38/S/23W/27	Covered reflector	Medium E26/24 (medium)	CFL		1250	23.0	N/A	10000	2700	0.585	3	8/2/2012
Turolight Inc.	Turolight	EDGE-PAR38/S/23W/27		Covered Reflector	E26	CFL		1250	24.03	N/A	10000	2700	0.58	3	8/2/2012
Turolight Inc.	Turolight	EDGE-T2/10W/27		Bare-soiral	E26/24 (Medium)	CFL		660	10	N/A	10000	2700		2	7/9/2012
Turolight Inc.	Turolight	EDGE-T2/13W/27		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700		2	7/9/2012
Turolight Inc.	Turolight	EDGE-T2/23W/27		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	1000	2700		2	7/9/2012
Turolight Inc.	Turolight	TL-EDGE14-2700K		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE14-3000K		Bare-soiral	E26/24 (Medium)	CFL		875	14	N/A	10000	3000		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE14-3500K		Bare-spiral	E26/24 (Medium)	CFL		885	14	N/A	10000	3500		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE14-4100K		Bare-soiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE14-5000K		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE23-2700K		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE23-3000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE23-3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE23-4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		1	9/1/2010
Turolight Inc.	Turolight	TL-EDGE23-5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		1	9/1/2010
Turolight Inc.	Turolight	VIV-A19/12W/27/D	VIV-A19/12W/27/D	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	4/10/2012
Turolight Inc.	Turolight	VIV-A19/8W/30/D	VIV-A19/8W/30/D	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	40000	3000	0.737	3	3/29/2012
Turolight Inc.	Turolight	VIV-B10/3W/30/C	VIV-B10/3W/30/C	C - Candle	E12 (Candelabra)	LED		120	3.0	N/A	40000	3000	0.545	3	4/20/2012
Turolight Inc.	Turolight	VIV-G16/3W/30/F	VIV-G16/3W/30/F	G - Globe	E12 (Candelabra)	LED		120	3.0	N/A	40000	3000	0.551	3	4/20/2012
Turolight Inc.	Turolight	VIV-MR16/4W/30/FL25/GU10/D	VIV-MR16/4W/30/FL25/GU10/D	Non-standard	GU10	LED	Dimmable	227	3.82	N/A	25000	3000	0.908	3	10/30/2012
Turolight Inc.	Turolight	VIV-MR16/5W/27/FL25/GU5.3	VIV-MR16/5W/27/FL25/GU5.3	MR - Multifaceted reflector	GU5.3	LED		300	5.0	N/A	25000	2700	0.662	3	10/18/2012
Turolight Inc.	Turolight	VIV-PAR20/6W/30/FL/D	VIV-PAR20/6W/30/FL/D	R - Reflector	E26/24 (Medium)	LED	Dimmable	250	6.0	N/A	40000	3000	0.703	3	2/8/2012
Turolight Inc.	Turolight	VIV-PAR30/10W/30/FL/LNID	VIV-PAR30/10W/30/FL/LNID	R - Reflector	E26/24 (Medium)	LED	Dimmable	450	10.0	N/A	40000	3000	0.716	3	2/8/2012
Turolight Inc.	Turolight	VIV-PAR38/17W/30/FL35/D	VIV-PAR38/17W/30/FL35/D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	980	17.0	N/A	40000	3000	0.8	3	9/4/2012
Turolight Inc.	Turolight	VIV-PAR38/17W/30/FL/D	VIV-PAR38/17W/30/FL/D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.729	3	4/9/2012
Turolight Inc.	Turolight	VIV-PAR38/17W/30/WFL/D	VIV-PAR38/17W/30/WFL/D	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.897	3	4/9/2012
TW Lichtino	TW Lichtino	TW15BR30/DIM/830	TW15BR30/DIM/830	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	10/16/2012
TW Lighting	TW Lighting	TW15PAR30/DIM/830/FL40	TW15PAR30/DIM/830/FL40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	800	15.0	N/A	40000	3000	0.905	3	7/16/2012
TW Lighting	TW Lighting	TW20PAR38/DIM/830/FL40	TW20PAR38/DIM/830/FL40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1200	20.0	N/A	40000	3000	0.939	3	7/16/2012
TW Lichtino	TW Lichtino	TW5MR16-5W12V-27K2S	TW5MR16-5W12V-27K2S	MR - Multifaceted reflector	GU5.3	LED		309	5.6	N/A	25000	2700	0.662	5	10/11/2012
TW Lighting	TW Lighting	TW5MR16-5W12V-27K40	TW5MR16-5W12V-27K40	MR - Multifaceted reflector	GU5.3	LED		309	5.6	N/A	25000	2700	0.662	5	10/11/2012
TW Lighting	TW Lighting	TW7PAR20/DIM/830/FL40	TW7PAR20/DIM/830/FL40	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	7/16/2012
U Lichtino America	ULA	SDF-23W	SDF23W1P-R40DIM; SDF23W2P-R40DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1080	23	N/A	8000	2700	0.971	2	1/24/2011
U Lighting America	ULA	SDR-20W	SDR20W2P-R30DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	970	20	N/A	8000	2700	0.965	2	1/24/2011
U Lichtino America	ULA	SDR-23W	SDR23W2P-R30DIM	Covered reflector	E26/24 (Medium)	CFL	Dimmable	1150	23	N/A	8000	2700		2	9/26/2007
U Lighting America	ULA	SDS-13W	SDS13W-2P	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	800	13	N/A	8000	2700	0.974	2	12/31/2010

U Lighting America	ULA	SFU23W-4P		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/8/2010
U Lighting America	ULA	SPS-15W	SPS-15W2P	Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700	0.973	2	12/3/2009
U Lighting America	ULA	STS-15W	STS15W-1P, STS15W-4P	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	15	N/A	8000	2700		5	5/18/2007
U Lighting America	ULA	STS-23W2P		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	7/24/2009
U Lighting America	U Lighting	SDS-23W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	3/10/2006
U Lichting Group Co., Ltd	ULA	SUA-15W	SUA15W2P-A19; SUA15W4P-A19; SUA15W3P-A19	Covered A-line	E26/24 (Medium)	CFL		807	15	N/A	8000	2700	0.973	2	4/8/2010
U Lighting Group Co., Ltd	ULG	UA190727BDC400	UA190727BDC400	Non-standard	E26/24 (Medium)	LED	Dimmable	505	7.01	N/A	25000	3000	0.858	3	10/4/2012
U Lighting Group Co., Ltd	ULG	UA191027BDC400	UA191027BDC400	Non-standard	E26/24 (Medium)	LED	Dimmable	913	10.8	N/A	25000	3000	0.961	3	10/4/2012
U Lighting Group Co., Ltd	ULG	UP381727BDC500	UA381727BDC500	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	856	15.65	N/A	25000	2700	0.939	3	9/18/2012
U Lighting Group Co., Ltd	ULG	UR200727BDC400	UR200727BDC400	R - Reflector	E26/24 (Medium)	LED	Dimmable	539	7.13	N/A	25000	3000	0.863	3	10/4/2012
U Lighting Group Co., Ltd	ULG	UR301327BDC400	UR301327BDC400	R - Reflector	E26/24 (Medium)	LED	Dimmable	1022	12.97	N/A	25000	3000	0.895	3	10/4/2012
Uninex	K-LITE	KL19142	KL8834, KL1993, KL8834B, KL1993B	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		5	1/13/2010
Uninex	K-LITE	KL19142-41	KL8834-4, KL1993-41B	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	4100		5	3/31/2011
Uninex	K-LITE	KL1915		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	19	N/A	10000	2700		5	10/30/2006
Uninex	K-LITE	KL1919	KL1992, KL8833, KL8838B, KL8833B, KL1992B	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.53	2	12/31/2007
Uninex	K-LITE	KL1923		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700		5	10/30/2006
Uninex	K-LITE	KL19232-35		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	10/7/2009
Uninex	K-LITE	KL19232-50	KL1991-50B	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	10/7/2009
Uninex	K-LITE	KL1923T2		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	1/9/2009
Uninex	K-LITE	KL1931	KL1931B	Bare-ssiral	E26/24 (Medium)	CFL		2100	32	N/A	10000	2700		2	2/28/2012
Uninex	K-LITE	KL1991-27	KL1991-27	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	9/22/2011
Uninex	K-LITE	KL1991-27		Bare-Ssiral	E26	CFL		1600	23	N/A	10000	2700	0.58	2	9/22/2011
Uninex	K-LITE	KL1991-50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		9	7/5/2011
Uninex	K-LITE	KL1991B	KL1991B	Bare-ssiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	2700	0.58	2	9/22/2011
Uninex	K-LITE	KL8800	KL8800B; KL88003; KL88002	Bare-spiral	E26/24 (Medium)	CFL	Three Way	1700	N/A	11/20/26	10000	3500	0.56	5	6/29/2009
Uninex	K-LITE	KL8802	KL8802B	Covered reflector	E26/24 (Medium)	CFL		730	15	N/A	8000	2700		5	10/25/2010
Uninex	K-LITE	KL8806		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1100	15	N/A	8000	2700		2	1/27/2009
Uninex	K-LITE	KL8807		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1600	23	N/A	8000	2700		2	1/27/2009
Uninex	K-LITE	KL8811		Covered reflector	E26/24 (Medium)	CFL	Dimmable	750	15	N/A	8000	2700		2	1/27/2009
Uninex	K-LITE	KL8820	KL8832, KL8833, KL8834, KL8834-41, KL8835, KL8835B, KL8834B	Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	10/8/2009
Uninex	K-LITE	KL8821	KL8821B	Covered globe	E26/24 (Medium)	CFL		475	9	N/A	8000	2700		2	2/28/2012
Uninex	K-LITE	KL8829		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1650	23	N/A	10000	2700		2	10/7/2009
Uninex	K-LITE	KL8830		Covered reflector	E26/24 (Medium)	CFL	Dimmable	700	15	N/A	8000	2700		2	10/7/2009
Uninex	K-LITE	KL8831		Covered reflector	E26/24 (Medium)	CFL		1000	20	N/A	8000	2700		2	10/8/2009
Uninex	K-LITE	KL8832		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		7	5/25/2011
Uninex	K-LITE	KL8832-27B	KL8832-27B	Covered no reflector	Medium E26	CFL		839	14.37	N/A	8000	2700	0.569	2	10/4/2012
Uninex	K-LITE	KL8832-27B		Other	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	10/4/2012
Uninex	K-LITE	KL8832-50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		7	7/6/2011
Uninex	K-LITE	KL8833-27B	KL8833-27B	Covered no reflector	Medium E26	CFL		839	14.37	N/A	8000	2700	0.569	2	10/4/2012
Uninex	K-LITE	KL8833-27B		Other	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	10/4/2012
Uninex	K-LITE	KL8834-27B	KL8834-27B	Covered no reflector	Medium E26	CFL		839	14.37	N/A	8000	2700	0.569	2	10/4/2012
Uninex	K-LITE	KL8834-27B		Other	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	10/4/2012
Uninex	K-LITE	KL8835-27B	KL8835-27B	Covered no reflector	Medium E26	CFL		839	14.37	N/A	8000	2700	0.569	2	10/4/2012
Uninex	K-LITE	KL8835-27B		Other	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	10/4/2012
Uninex	K-LITE	KL8836	KL8838B, KL8836B	Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700		2	2/17/2012
Uninex	K-LITE	KL8837	KL8837B	Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		2	2/27/2012
VChoice Inc.	VChoice	VC-R40-23-27-1		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		5	9/17/2010
VChoice Inc.	VChoice	VC-SP-09-27-1		Bare-ssiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-11/20/26-27-1		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1620	N/A	11/20/26	10000	2700		7	9/13/2010
VChoice Inc.	VChoice	VC-SP-13-27-1	VC-SP-13-27-4	Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700		8	9/9/2010
VChoice Inc.	VChoice	VC-SP-13-50-1		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	5000		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-14-27-1	VC-SP-14-27-4	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700		8	9/9/2010
VChoice Inc.	VChoice	VC-SP-14-50-1		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-18-27-1		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700		8	9/9/2010
VChoice Inc.	VChoice	VC-SP-18-50-1		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-19-27-1		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	12000	2700		8	9/9/2010
VChoice Inc.	VChoice	VC-SP-19-50-1		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-23-27-6		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-23-50-1		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		7	9/9/2010
VChoice Inc.	VChoice	VC-SP-42-27-1		Bare-spiral	E26/24 (Medium)	CFL		2600	42	N/A	10000	2700		7	9/9/2010
Verbatim Americas	Verbatim	MI16ES-L310-C27-B25	97841	Multifaceted reflector	GU5.3	LED	Dimmable	296	6.0	N/A	25000	2700	0.8	3	7/30/2012
Verbatim Americas	Verbatim	P20ES-L450-C27-B25	97843	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	452	9.0	N/A	25000	2700	0.8	5	7/31/2012
Verbatim Americas	Verbatim	P20ES-L500-C30-B25	97844	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	477	9.0	N/A	25000	3000	0.8	5	12/12/2011
Verbatim Americas	Verbatim	P30ES-LN-L740-C27-B25	97845	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	723	14.0	N/A	25000	2700	0.8	5	12/19/2011
Verbatim Americas	Verbatim	P30ES-LN-L800-C30-B25	97846	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	789	14.0	N/A	25000	3000	0.8	5	12/12/2011
Verbatim Americas	Verbatim	P38ES-L1000-C30-B25	97848	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	988	17.0	N/A	25000	3000	0.8	5	12/12/2011
Verbatim Americas	Verbatim	P38ES-L920-C27-B25	97847	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	928	17.0	N/A	25000	2700	0.8	5	12/19/2011
Verilux, Inc.	Verilux	CFS13VLX		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500	0.52	2	5/28/2010
Verilux, Inc.	Verilux	CFS18VLX		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	6500	0.52	2	5/28/2010
Verilux, Inc.	Verilux	CFS23VLX		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.52	2	5/28/2010
VIVA GREENLIGHTING CO LTD.	VIVA	4SD SB23		Bare-spiral	E26/24 (Medium)	CFL		1686	23	N/A	12000	2700	0.573	2	7/24/2009
VIVA GREENLIGHTING CO LTD.	VIVA	4SD SBG16		Covered globe	E26/24 (Medium)	CFL		860	16	N/A	10000	2700	0.561	2	8/31/2010
VIVA GREENLIGHTING CO LTD.	VIVA	A19S-9W		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	3000		2	6/19/2006
VIVA GREENLIGHTING CO LTD.	VIVA	JR13		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	13	N/A	10000	2700	0.602	2	2/11/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JR19		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700	0.55	2	7/14/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JR23		Bare-ssiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.58	2	7/14/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JR32		Bare-spiral	E26/24 (Medium)	CFL		1900	32	N/A	12000	3000	0.55	2	7/14/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JR32-2700K		Bare-spiral	E26/24 (Medium)	CFL		2400	32	N/A	10000	2700	0.558	2	9/7/2010
VIVA GREENLIGHTING CO LTD.	VIVA	JR9		Bare-spiral	E26/24 (Medium)	CFL		640	9	N/A	12000	2700	0.56	2	7/14/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP13 2700K	N/A	Bare-spiral	GU24	CFL		846	12.9	N/A	10000	2700	0.585	2	5/21/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP13 3000K	N/A	Bare-spiral	GU24	CFL		846	12.9	N/A	10000	3000	0.585	2	2/12/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP18 2700K	N/A	Bare-spiral	GU24	CFL		1253	18.8	N/A	10000	2700	0.548	2	5/21/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP18 3000K	N/A	Bare-ssiral	GU24	CFL		1253	18.8	N/A	10000	3000	0.548	2	2/12/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP23 2700K	N/A	Bare-spiral	GU24	CFL		1540	22.6	N/A	10000	2700	0.567	2	5/21/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP23 3000K	N/A	Bare-spiral	GU24	CFL		1540	22.6	N/A	10000	3000	0.567	2	2/12/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP9 2700K	N/A	Bare-spiral	GU24	CFL		590	9.3	N/A	10000	2700	0.56	2	5/21/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRP9 3000K	N/A	Bare-ssiral	GU24	CFL		599	9.3	N/A	10000	3000	0.56	2	1/30/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRS23		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	10000	2700	0.58	2	4/24/2009

VIVA GREENLIGHTING CO LTD.	VIVA	JRT32		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2400	N/A	12/21/32	12000	2700	0.56	2	12/29/2008
VIVA GREENLIGHTING CO LTD.	VIVA	JRT32-3500K		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2280	N/A	12/21/32	10000	3500	0.567	2	8/31/2010
VIVA GREENLIGHTING CO LTD.	VIVA	JRT32-6500K		Bare-ssiral	E26/24 (Medium)	CFL	Three Way	2120	N/A	12/21/32	10000	6500	0.562	2	9/7/2010
VIVA GREENLIGHTING CO LTD.	VIVA	MA14W		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	10000	3000		2	1/20/2004
VIVA GREENLIGHTING CO LTD.	VIVA	MA14W/830		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	12000	3000		2	8/17/2005
VIVA GREENLIGHTING CO LTD.	VIVA	MG11-3500K		Covered globe	E26/24 (Medium)	CFL		450	11	N/A	8000	3500		2	1/21/2005
VIVA GREENLIGHTING CO LTD.	VIVA	MS23-3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	5/14/2004
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA11 2700K	N/A	Bare-spiral	GU24	CFL		620	10.6	N/A	10000	2700	0.59	2	6/5/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA14 2700K	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	2700	0.55	2	9/4/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA14 3000K	N/A	Bare-ssiral	GU24	CFL		790	13.6	N/A	10000	3000	0.55	2	6/6/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFA14 4100K	N/A	Bare-spiral	GU24	CFL		790	13.6	N/A	10000	4100	0.55	2	9/4/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS11.50, PBCFS1150 3000K	N/A	Bare-spiral	GU24	CFL		620	9.6	N/A	10000	3000	0.6	2	5/21/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 2700K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	2700	0.53	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 3000K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	3000	0.53	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 3500K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	3500	0.53	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS13XX 4100K	N/A	Bare-spiral	GU24	CFL		901	12.77	N/A	10000	4100	0.53	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS18XX 2700K	N/A	Bare-ssiral	GU24	CFL		1355	20.2	N/A	10000	2700	0.55	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS18XX 3000K	N/A	Bare-spiral	GU24	CFL		1355	20.2	N/A	10000	3000	0.55	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS26XX 2700K	N/A	Bare-spiral	GU24	CFL		1760	24.9	N/A	10000	2700	0.52	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PBCFS26XX 3000K	N/A	Bare-spiral	GU24	CFL		1760	24.9	N/A	10000	3000	0.52	2	6/10/2008
VIVA GREENLIGHTING CO LTD.	VIVA	PG15/830		Covered globe	E26/24 (Medium)	CFL		780	15	N/A	10000	3000		2	6/19/2006
VIVA GREENLIGHTING CO LTD.	VIVA	R30S-15		Covered reflector	E26/24 (Medium)	CFL		813	15	N/A	10000	2700	0.574	2	3/10/2009
VIVA GREENLIGHTING CO LTD.	VIVA	R30S-16		Covered reflector	E26/24 (Medium)	CFL		780	16	N/A	12000	3000	0.553	2	3/28/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SA11		Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700		2	10/2/2007
VIVA GREENLIGHTING CO LTD.	VIVA	SA14		Covered A-line	E26/24 (Medium)	CFL		850	14	N/A	10000	2700	0.553	2	3/3/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SA15		Covered A-line	E26/24 (Medium)	CFL		850	15	N/A	10000	2700	0.555	2	2/25/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SA9		Covered A-line	E26/24 (Medium)	CFL		550	9	N/A	10000	3000	0.57	2	8/19/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SA9/827		Covered A-line	E26/24 (Medium)	CFL		510	9	N/A	10000	2700	0.55	2	5/8/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SB20		Covered-post	E26/24 (Medium)	CFL		1180	20	N/A	10000	2700	0.555	2	2/25/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SBA16D		Covered A-line	E26/24 (Medium)	CFL	Dimmable	900	16	N/A	10000	3000	0.5	2	2/11/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SBR16D		Covered reflector	E26/24 (Medium)	CFL		780	16	N/A	12000	3000	0.553	2	5/1/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SBS1350-3000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000	0.61	2	8/21/2007
VIVA GREENLIGHTING CO LTD.	VIVA	SBS18D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1200	18	N/A	10000	2700	0.615	2	2/11/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SG14		Covered globe	E26/24 (Medium)	CFL		890	14	N/A	10000	3000	0.57	2	8/19/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SG14/827		Covered globe	E26/24 (Medium)	CFL		870	14	N/A	10000	2700	0.556	2	3/6/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SG15		Covered globe	E26/24 (Medium)	CFL		870	15	N/A	10000	2700	0.555	2	2/25/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SG9		Covered globe	E26/24 (Medium)	CFL		590	9	N/A	10000	3000	0.57	2	8/19/2008
VIVA GREENLIGHTING CO LTD.	VIVA	SG9/827		Covered globe	E26/24 (Medium)	CFL		590	9	N/A	10000	2700	0.55	2	5/8/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SP11/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		680	11	N/A	10000	2700		2	3/15/2005
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3000		2	1/26/2005
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S/827		Bare-Mini-Spiral	E26/24 (Medium)	CFL		892	13	N/A	10000	2700	0.59	2	8/7/2009
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S/835		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		2	1/26/2007
VIVA GREENLIGHTING CO LTD.	VIVA	SP13S/835		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500		2	10/2/2007
VIVA GREENLIGHTING CO LTD.	VIVA	SP19S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000		2	3/7/2005
VIVA GREENLIGHTING CO LTD.	VIVA	SP19S/830		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000		2	6/19/2006
VIVA GREENLIGHTING CO LTD.	VIVA	SP19S/835		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500		2	2/23/2005
VIVA GREENLIGHTING CO LTD.	VIVA	SP23S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700	0.579	2	1/25/2010
VIVA GREENLIGHTING CO LTD.	VIVA	SP23S/835		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	6/22/2005
VIVA GREENLIGHTING CO LTD.	VIVA	SP9S		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		540	9	N/A	10000	3000		2	2/7/2007
Vivalux Co., Ltd	NA	ESP-T2 20W	N/A	Bare-spiral	Medium E26/24 (medium)	CFL		1230	17.6	N/A	12000	2700	0.567	2	8/13/2012
Vivalux Co., Ltd	NA	ESP-T2 23W	N/A	Bare-spiral	Medium E26/24 (medium)	CFL		1501	21.4	N/A	12000	2700	0.579	2	8/13/2012
Voltech International inc	TECHNILIGHT	TLBA19D120SO14BEW	TLBA19D120SO14BEW	Non-standard	E26/24 (Medium)	LED	Dimmable	480	8.0	N/A	25000	3000	0.765	5	6/19/2012
WakeItemFood Corp/ShopRite	ShopRite	26469 (CF13EL/SPIRAL/827/SHOPRITE)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		9	3/11/2009
WakeItemFood Corp/ShopRite	ShopRite	26470 (CF19EL/SPIRAL/827/SHOPRITE)		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700		9	3/11/2009
WakeItemFood Corp/ShopRite	ShopRite	26471 (CF23EL/SPIRAL/827/SHOPRITE)		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		9	3/11/2009
Walgreen Co.	Living Solutions	162017	ESL18TM/4/WGLS	Bare-ssiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	#ERROR	0.577	2	10/5/2012
Walgreen Co.	Living Solutions	162018		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR	0.548	2	10/5/2012
Walgreen Co.	Living Solutions	177975		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	#ERROR	0.577	2	10/5/2012
Walgreen Co.	Living Solutions	177976	ESL18TM/WGLS	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	#ERROR	0.577	2	10/5/2012
Walgreen Co.	Living Solutions	177977	ESL23TM/WGLS	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	#ERROR	0.548	2	10/5/2012
Walgreen Co.	Living Solutions	416543	ESL13T4/WGLS (H)	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/23/2012
Walgreen Co.	Living Solutions	416912	BPESL23TM/WGLS	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	3/20/2012
Walgreen Co.	Living Solutions	416913	BPESL18TM/WGLS	Bare-spiral	E26/24 (Medium)	CFL		1170	18	N/A	10000	2700		2	3/20/2012
Walgreen Co.	Living Solutions	416914	BPESL13T/WGLS	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	3/20/2012
Walmart Stores, Inc.	Great Value	FLE20HT3/2/SW/10K	11259	Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	9/20/2010
Walmart Stores, Inc.	Great Value	GVA092	GVA092	Covered A-line	E26/24 (medium)	CFL		450	9.0	N/A	8000	2700	0.6	7	4/12/2012
Walmart Stores, Inc.	Great Value	GVA142		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/13/2012
Walmart Stores, Inc.	Great Value	GVA192	GVA192	Covered A-line	E26/24 (medium)	CFL		1200	19.0	N/A	8000	2700	0.617	7	4/24/2012
Walmart Stores, Inc.	Great Value	GVD093	GVD093	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	2700	0.61	7	4/24/2012
Walmart Stores, Inc.	Great Value	GVD093DL	GVD093DL	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	5000	0.61	7	4/30/2012
Walmart Stores, Inc.	Great Value	GVD093DL	GVD093DL	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	5000	0.61	7	5/9/2012
Walmart Stores, Inc.	Great Value	GVD09C3	GVD09C3	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	2700	0.61	7	4/24/2012
Walmart Stores, Inc.	Great Value	GVD09C3DL	GVD09C3DL	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	5000	0.61	7	4/30/2012
Walmart Stores, Inc.	Great Value	GVD09C3DL	GVD09C3DL	Covered-Candle	E12 (Candelabra)	CFL		425	9.0	N/A	8000	5000	0.61	7	5/9/2012
Walmart Stores. Inc.	Great Value	GVG092	69109	Covered globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	2700	0.61	7	4/30/2012
Walmart Stores, Inc.	Great Value	GVG092	69109	Covered globe	E26/24 (medium)	CFL		525	9.0	N/A	8000	2700	0.61	7	5/9/2012
Walmart Stores. Inc.	Great Value	GVG092DL		Covered globe	E26/24 (Medium)	CFL		525	9	N/A	8000	5000		7	4/17/2012
Walmart Stores, Inc.	Great Value	GVG142		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		2	4/17/2012
Walmart Stores. Inc.	Great Value	GVG142DL		Covered globe	E26/24 (Medium)	CFL		800	14	N/A	80000	5000		2	4/17/2012
Walmart Stores, Inc.	Great Value	GVR3142	GVR3142	Covered reflector	E26/24 (medium)	CFL		650	14.0	N/A	8000	2700	0.63	7	5/9/2012

Walmart Stores, Inc.	Great Value	GVR3142DL	GVR3142DL	Covered reflector	E26/24 (medium)	CFL		600	14.0	N/A	8000	5000	0.63	7	4/13/2012
Walmart Stores, Inc.	Great Value	GVS094		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	4/3/2012
Walmart Stores, Inc.	Great Value	GVS094DL	GVS094DL	Bare-spiral	E26/24 (medium)	CFL		450	9.0	N/A	10000	5000	0.604	3	4/13/2012
Walmart Stores, Inc.	Great Value	GVS14	GVS144, GVS1412	Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	2700		2	4/11/2012
Walmart Stores, Inc.	Great Value	GVS14DL	GVS144DL	Bare-spiral	E26/24 (Medium)	CFL		800	14	N/A	10000	5000		2	4/13/2012
Walmart Stores, Inc.	Great Value	GVS194		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	2700		2	4/13/2012
Walmart Stores, Inc.	Great Value	GVS194DL		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	5000		19	4/13/2012
Walmart Stores, Inc.	Great Value	GVS234	GVS2312	Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	4/13/2012
Walmart Stores, Inc.	Great Value	GVS234DL		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	4/13/2012
WANGLO ENTERPRISES (CANADA) LTD.	NIKKO	T2 SSS-13W		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700		2	10/6/2010
WANGLO ENTERPRISES (CANADA) LTD.	NIKKO	T2 SSS-15W		Bare-spiral	E26/24 (Medium)	CFL		908	15	N/A	10000	2700		2	10/6/2010
Wegmans Food Markets, Inc	Wegmans	WGS0132	WGS0134	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	2/24/2009
Wegmans Food Markets. Inc	Wegmans	WGS0232	WGS0234	Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	2/24/2009
Western Family Foods, Inc.	Western Family	12733-A-FEIT/BPESL30/100T/WF		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1600	N/A	13/20/25	8000	2700		2	6/17/2008
Western Family Foods, Inc.	Western Family	12734-A-FEIT/BPESL15R30TMM/WF		Covered reflector	E26/24 (Medium)	CFL		630	15	N/A	8000	2700		2	6/17/2008
Western Family Foods, Inc.	Western Family	12734-B-FEIT	ESL15BR30T	Covered reflector	E26/E24 (Medium)	CFL		750	15.0	N/A	8000	2700	0.53	2	4/14/2011
Western Family Foods, Inc.	Western Family	12734-B-FEIT		Covered Reflector	E26	CFL		750	15	N/A	8000	2700	0.53	2	4/14/2011
Western Family Foods, Inc.	Western Family	12735-A-FEIT/BPESL13T/D/WF		Bare-Mini-Spiral	E12 (Candelabra)	CFL		800	13	N/A	8000	6500		2	6/17/2008
Western Family Foods, Inc.	Western Family	12735-A-FEIT/BPESL13T/D/WF		Bare-Mini-Sstiral	E26/24 (Medium)	CFL		800	13	N/A	8000	6500		2	6/17/2008
Western Family Foods, Inc.	Western Family	12737-A-FEIT/ESL13T/4/WF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	6/17/2008
Western Family Foods, Inc.	Western Family	12738-A-FEIT/ESL23TM/4/WF		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	6/17/2008
Western Family Foods, Inc.	Western Family	BPESL13T/WF		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	2700		2	3/12/2004
Western Family Foods, Inc.	Western Family	BPESL23TM/D/WF		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	6500		2	10/2/2007
Western Family Foods, Inc.	Western Family	BPESL23TM/WF		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	2700		2	3/12/2004
Westinghouse Lighting Corporation	LUMAPRO	2CUW3	N/A	Bare-spiral	GU24	CFL		884	12.1	N/A	10000	4100	0.58	2	2/28/2012
Westinohouse Lichtino Corooration	LUMAPRO	2CUW4	N/A	Bare-ssiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	2/28/2012
Westinghouse Lighting Corporation	Westinghouse	2CUW2	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	12/3/2009
Westinghouse Lighting Corporation	Westinghouse	36308	N/A	Bare-spiral	GU24	CFL		1083	18.21	N/A	10000	2700	0.61	2	3/30/2009
Westinghouse Lighting Corporation	Westinghouse	36310	N/A	Bare-spiral	GU24	CFL		1930	25.91	N/A	10000	2700	0.552	2	3/30/2009
Westinghouse Lichtino Corooration	Westinohouse	36609	26/MINITWIST/27	Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700	0.52	2	10/10/2005
Westinghouse Lighting Corporation	Westinghouse	36660	36660	Bare-spiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100		2	7/1/2011
Westinghouse Lighting Corporation	Westinghouse	36670		Bare-Mini-Spiral	E26/24 (Medium)	CFL		270	5	N/A	10000	2700		2	6/9/2009
Westinghouse Lighting Corporation	Westinghouse	36694		Covered reflector	E26/24 (Medium)	CFL		725	15	N/A	8000	4100		2	12/22/2010
Westinghouse Lighting Corporation	Westinghouse	36695		Covered reflector	E26/24 (Medium)	CFL		690	15	N/A	8000	5000		2	12/22/2010
Westinghouse Lighting Corporation	Westinghouse	36697		Covered reflector	E26/24 (Medium)	CFL		1165	23	N/A	8000	4100	0.5	2	4/22/2010
Westinghouse Lighting Corporation	Westinghouse	36714		Covered reflector	E26/24 (Medium)	CFL		500	11	N/A	8000	3000		2	3/11/2010
Westinohouse Lichtino Corooration	Westinohouse	37900		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.57	2	6/22/2011
Westinghouse Lighting Corporation	Westinghouse	37901		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700		7	9/30/2009
Westinghouse Lighting Corporation	Westinghouse	37934		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/3/2009
Westinghouse Lighting Corporation	Westinghouse	37937		Bare-spiral	E26/24 (Medium)	CFL		500	9	N/A	10000	2700		2	8/3/2009
Westinghouse Lighting Corporation	Westinghouse	37941		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		2	9/23/2010
Westinghouse Lighting Corporation	Westinghouse	37942		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3500		2	9/23/2010
Westinghouse Lighting Corporation	Westinghouse	37943		Bare-spiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500	0.582	2	2/18/2010
Westinohouse Lichtino Corooration	Westinohouse	37944		Bare-ssiral	E26/24 (Medium)	CFL		840	13	N/A	10000	6500	0.52	2	2/18/2010
Westinghouse Lighting Corporation	Westinghouse	37945		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/3/2009
Westinghouse Lighting Corporation	Westinghouse	37946		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	7/17/2009
Westinghouse Lighting Corporation	Westinghouse	37947		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/3/2009
Westinohouse Lichtino Corooration	Westinohouse	37948		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	8/3/2009
Westinghouse Lighting Corporation	Westinghouse	37949		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	7/17/2009
Westinghouse Lighting Corporation	Westinghouse	37950		Bare-spiral	E26/24 (Medium)	CFL		1100	18	N/A	10000	2700		2	8/3/2009
Westinohouse Lichtino Corooration	Westinohouse	37951		Bare-ssiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		2	11/22/2010
Westinghouse Lighting Corporation	Westinghouse	37952		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3500		2	11/22/2010
Westinghouse Lighting Corporation	Westinghouse	37953		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	6500		2	6/7/2010
Westinghouse Lighting Corporation	Westinghouse	37954		Bare-spiral	E26/24 (Medium)	CFL		1260	18	N/A	10000	6500		2	6/7/2010
Westinohouse Lichtino Corooration	Westinohouse	37958		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	10/6/2010
Westinghouse Lighting Corporation	Westinghouse	37959		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500		2	10/6/2010
Westinghouse Lighting Corporation	Westinghouse	37960		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.572	2	2/18/2010
Westinghouse Lighting Corporation	Westinghouse	37961		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.572	2	2/18/2010
Westinghouse Lighting Corporation	Westinghouse	37962		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1800	N/A	12/19/28	10000	2700		2	8/4/2009
Westinghouse Lighting Corporation	Westinghouse	37970		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	2700		2	7/24/2009
Westinghouse Lighting Corporation	Westinghouse	37971		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	8000	2700		2	9/10/2009
Westinohouse Lichtino Corooration	Westinohouse	37979		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	2700		2	9/10/2009
Westinghouse Lighting Corporation	Westinghouse	37985		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3000	0.538	2	2/18/2010
Westinghouse Lighting Corporation	Westinghouse	37986		Covered reflector	E26/24 (Medium)	CFL		1200	23	N/A	8000	3000	0.565	2	2/18/2010
Westinghouse Lighting Corporation	Westinghouse	37987		Covered reflector	E26/24 (Medium)	CFL		320	9	N/A	8000	3000	0.574	2	2/18/2010
Westinghouse Lighting Corporation	Westinghouse	37990	N/A	Bare-spiral	GU24	CFL		794	12.28	N/A	10000	2700	0.574	2	6/30/2010
Westinghouse Lighting Corporation	Westinghouse	37994	N/A	Bare-spiral	GU24	CFL		1756	23.86	N/A	10000	2700	0.591	2	6/9/2010
Westinghouse Lighting Corporation	Westinghouse	38001		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	2/16/2011
Westinohouse Lichtino Corooration	Westinohouse	38002		Covered globe	E26/24 (Medium)	CFL		820	15	N/A	10000	2700		2	9/10/2009
Westinghouse Lighting Corporation	Westinghouse	38003		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	8000	3500		2	9/15/2009
Westinghouse Lighting Corporation	Westinghouse	38007	38008	Covered globe	E26/24 (Medium)	CFL		450	9	N/A	8000	2700		2	6/3/2011
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8795	S8795	Non-standard	E26/24 (Medium)	LED	Dimmable	566	7.4	N/A	25000	2700	0.976	3	10/26/2012
Wooree Lichtino Holdings Co. Ltd.	KolourOne	S8796	S8796	Non-standard	E26/24 (Medium)	LED	Dimmable	614	7.4	N/A	25000	3500	0.976	3	10/26/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8845	S8845	MR - Multifaceted reflector	GU5.3	LED		463	6.89	N/A	25000	2700	0	3	11/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8846	S8846	MR - Multifaceted reflector	GU5.3	LED		463	6.98	N/A	25000	3500	0	3	11/12/2012
Wooree Lichtino Holdings Co. Ltd.	KolourOne	S8848	S8848	Non-standard	E26/24 (Medium)	LED	Dimmable	908	13.1	N/A	25000	2700	0.97	3	9/20/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8921	S8921	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	454	6.93	N/A	25000	2700	0.99	3	10/19/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8922	S8922	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	471	6.91	N/A	25000	3500	0.989	3	10/19/2012

Wooree Lighting Holdings Co. Ltd.	KolourOne	S8927	S8927	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	455	6.55	N/A	25000	2700	0.988	3	10/19/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8928	S8928	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	481	6.77	N/A	25000	3500	0.989	3	10/19/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8934	S8934	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	945	14.1	N/A	25000	2700	0.994	3	10/17/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8935	S8935	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	990	13.95	N/A	25000	3500	0.993	3	10/17/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8941	S8941	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	982	13.7	N/A	25000	2700	0.995	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8942	S8942	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	964	13.6	N/A	25000	3500	0.995	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8947	S8947	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	963	14.27	N/A	25000	2700	0.994	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8948	S8948	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	965	13.65	N/A	25000	3500	0.995	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8971	S8971	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	966	13.7	N/A	25000	2700	0.994	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8972	S8972	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	966	13.6	N/A	25000	3500	0.995	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8977	S8977	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1270	16.6	N/A	25000	2700	0.995	3	10/19/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8978	S8978	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1299	16.72	N/A	25000	3500	0.994	3	10/19/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8984	S8984	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1156	16.5	N/A	25000	2700	0.995	3	10/12/2012
Wooree Lighting Holdings Co. Ltd.	KolourOne	S8985	S8985	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	1280	16.5	N/A	25000	3500	0.99	3	10/12/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS09W/10/11-T2SA	DS09W/10/11-T2SA	Bare-spiral	E26/24 (medium)	CFL		550	9.0	N/A	8000	2700	0.532	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	DS09W/10/11-T2SA	DS09W/10/11-T2SA	Bare-spiral	Medium E26	CFL		586	8.6	N/A	12000	2700	0.532	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS09W/10/11-T2SA		Bare-Soiral	E26	CFL		550	9.0000	N/A	8000	2700	0.53	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	DS09W/10/11-T2SA		Bare-Spiral	E26	CFL		586	8.6	N/A	12000	2700	0.53	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS13/14/15-T2SA	DS13/14/15-T2SA	Bare-spiral	E26/24 (medium)	CFL		800	13.0	N/A	8000	2700	0.54	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	DS13/14/15-T2SA	DS13/14/15-T2SA	Bare-spiral	Medium E26	CFL		795	11.9	N/A	12000	2700	0.54	2	9/24/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS13/14/15-T2SA		Bare-Spiral	E26	CFL		795	11.9	N/A	12000	2700	0.54	2	9/24/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS13/15-T3FSA	DS13/15-T3FSA	Bare-spiral	GU24	CFL		819	11.96	N/A	12000	2700	0.551	2	9/25/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS13/15-T3FSA		Bare-Spiral	GU24	CFL		819	11.96	N/A	12000	2700	0.55	2	9/25/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS18/20-T2SB	DS18/20-T2SB	Bare-soiral	E26/24 (medium)	CFL		1100	18.0	N/A	8000	2700	0.561	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	DS18/20-T2SB	DS18/20-T2SB	Bare-spiral	Medium E26	CFL		1141	17.41	N/A	12000	2700	0.561	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS18/20-T2SB		Bare-Spiral	E26	CFL		1140	17.41	N/A	12000	2700	0.56	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS18/20-T3FSA	DS18/20-T3FSA	Bare-spiral	GU24	CFL		1169	16.58	N/A	12000	2700	0.552	3	9/25/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS18/20-T3FSA		Bare-Soiral	GU24	CFL		1169	16.58	N/A	12000	2700	0.55	3	9/25/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS23/26-T4FSA	DS23/26-T4FSA	Bare-spiral	GU24	CFL		1819	25.03	N/A	12000	2700	0.574	3	9/25/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	DS23/26-T4FSA		Bare-Spiral	GU24	CFL		1819	25.03	N/A	12000	2700	0.57	3	9/25/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-13W	T3-SP-13W	Bare-soiral	E26/24 (medium)	CFL		900	13.0	N/A	8000	2700	0.546	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-13W	T3-SP-13W	Bare-spiral	Medium E26	CFL		893	12.63	N/A	12000	2700	0.546	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-13W		Bare-Spiral	E26	CFL		893	12.63	N/A	12000	2700	0.55	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-20W	T3-SP-20W	Bare-spiral	E26/24 (medium)	CFL		1300	20.0	N/A	8000	2700	0.542	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-20W	T3-SP-20W	Bare-soiral	Medium E26	CFL		1320	19.09	N/A	12000	2700	0.542	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-20W		Bare-Spiral	E26	CFL		1320	19.09	N/A	12000	2700	0.54	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-23W	T3-SP-23W	Bare-spiral	E26/24 (medium)	CFL		1500	23.0	N/A	8000	2700	0.572	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-23W	T3-SP-23W	Bare-spiral	Medium E26	CFL		1518	21.88	N/A	12000	2700	0.572	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-23W		Bare-Spiral	E26	CFL		1518	21.88	N/A	12000	2700	0.57	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-9W	T3-SP-9W	Bare-spiral	E26/24 (medium)	CFL		500	9.0	N/A	8000	2700	0.524	2	9/29/2011
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-9W	T3-SP-9W	Bare-spiral	Medium E26	CFL		498	8.1	N/A	12000	2700	0.524	2	9/20/2012
Xiamen Dekkon Technology Co., Ltd.	DEK	T3-SP-9W		Bare-Soiral	E26	CFL		498	8.1	N/A	12000	2700	0.52	2	9/20/2012
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLLEDGL-11A(Dm)	HLLEDGL-11A(Dm)	Non-standard	E26/24 (Medium)	LED	Dimmable	711	10.16	N/A	25000	3000	0.749	3	10/17/2012
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLLEDPAR30-9.5B(Dm)	HLLEDPAR30-9.5B(Dm)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	961	15.03	N/A	25000	3000	0.778	3	10/17/2012
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLLEDPAR38-13.8C(Dm)	HLLEDPAR38-13.8C(Dm)	PAR-Parabolic Aluminum	E26	LED	Dimmable	1118	18.3	N/A	25000	3000	0.731	3	9/4/2012
Xiamen Hi-Light Lighting Co. Ltd.	Hi-Light	HLLEDRE63-8A(Dm)	HLLEDRE63-8A(Dm)	Non-standard	E26/24 (Medium)	LED	Dimmable	567	8.7	N/A	25000	3000	0.753	3	10/17/2012
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-G25A-9W		Covered globe	E26/24 (Medium)	CFL		470	9	N/A	8000	2700	0.56	2	3/12/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-G25A-9W/27	FE-G25A-9W/27	Covered no reflector	Medium E26/24	CFL		540	9.385	N/A	8000	2700	0.585	2	10/11/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-G25A-9W/27		Other	E26	CFL		540	9.385	N/A	8000	2700	0.58	2	10/11/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-14W/27		Covered A-line	E26/24 (Medium)	CFL		800	14	N/A	8000	2700	0.568	2	1/19/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-14W/2700K	FE-GU-14W/2700K	Covered no reflector	Medium E26	CFL		839	14.37	N/A	8000	2700	0.569	2	7/20/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-14W/2700K		Other	E26	CFL		839	14.37	N/A	8000	2700	0.57	2	7/20/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-18W		Covered A-line	E26/24 (Medium)	CFL		1100	18	N/A	8000	2700	0.586	2	1/12/2011
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-GU-18W/27	FE-GU-18W/27	Covered A-line	E26/24 (Medium)	CFL		1150	18.0	N/A	8000	2700	0.572	2	10/16/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-7W/27		Covered A-line	E26/24 (Medium)	CFL		380	7	N/A	8000	2700	0.58	2	1/26/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-GU-9W/50		Covered A-line	E26/24 (Medium)	CFL		450	9	N/A	8000	5000	0.566	2	1/20/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-13W	FE-IIS-13W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13.0	N/A	12000	2700		2	7/31/2005
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IIS-13W/50		Bare-soiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.552	2	10/23/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-15W/27	FE-IIS-15W/27	Bare-Mini-Spiral	E26/24 (Medium)	CFL		951	15.0	N/A	10000	2700	0.61	2	9/10/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-15W/27		Bare-Mini Spiral	E26	CFL		951	15	N/A	10000	2700	0.61	2	9/11/2012
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IIS-18W		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1200	18	N/A	12000	2700	0.54	2	3/6/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-18W/50		Bare-spiral	E26/24 (Medium)	CFL		1300	18	N/A	10000	5000	0.549	2	10/23/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W	FE-IIS-23W/WT, FE-IIS-23W/WS, FE-IIS-23W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700		2	7/31/2005
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W/27		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	15000	2700	0.56	2	12/29/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IIS-23W/27K	FE-IIS-23W/27K	Bare-Mini-Soiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.59	2	9/14/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W/27K		Bare-Mini Spiral	E26	CFL		1600	23	N/A	12000	2700	0.59	2	9/14/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-23W/50		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.561	2	10/23/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-26W/27		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	12000	2700	0.55	2	1/12/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-30W		Bare-spiral	E26/24 (Medium)	CFL		2100	30	N/A	10000	2700	0.547	2	10/20/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IIS-9W		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	12000	2700	0.58	2	3/6/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-11W	FE-IISB-11W/WV, FE-IISB-11W/WS	Bare-Mini-Spiral	E26/24 (Medium)	CFL		740	11	N/A	10000	2700		2	4/18/2007
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-13W	FE-IISB-13W/WV	Bare-Mini-Soiral	E26/24 (Medium)	CFL		950	13	N/A	15000	2700	0.56	2	11/4/2008
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-13W/30		Bare-spiral	E26/24 (Medium)	CFL		870	13	N/A	10000	3000	0.584	2	10/23/2009

Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/27		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	12000	2700	0.592	2	1/6/2010
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/27K	FE-IISB-14W/27K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14.0	N/A	12000	2700	0.6	2	9/12/2012
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-14W/27K		Bare-Mini Soiral	E26	CFL		900	14	N/A	12000	2700	0.6	2	9/13/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/30		Bare-Mini-Spiral	E26/24 (Medium)	CFL		875	14	N/A	12000	3000	0.595	2	10/15/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/35		Bare-Mini-Spiral	E26/24 (Medium)	CFL		885	14	N/A	12000	3500	0.594	2	10/15/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-14W/41		Bare-Mini-Soiral	E26/24 (Medium)	CFL		830	14	N/A	10000	4100	0.59	2	3/12/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	14	N/A	10000	5000		2	6/18/2008
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-14W/65		Bare-spiral	E26/24 (Medium)	CFL		900	14	N/A	10000	6500	0.596	2	1/19/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-18W/30		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	3000	0.565	2	10/23/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-19W		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1250	19	N/A	15000	2700	0.53	2	10/5/2007
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/27K	FE-IISB-19W/27K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	19.0	N/A	12000	2700	0.591	2	9/5/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/27K		Bare-Mini Spiral	E26	CFL		1250	19	N/A	12000	2700	0.59	2	9/7/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/30		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3000	0.56	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/30		Bare-spiral	E26/24 (Medium)	CFL		1275	19	N/A	12000	3000	0.558	2	10/15/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/35		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	3500	0.56	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-19W/41		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	4100	0.56	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-19W/50		Bare-soiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	5000	0.56	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/27		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.542	2	1/4/2010
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/27K	FE-IISB-23W/27K	Bare-spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	12000	2700	0.58	2	9/9/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/27K		Bare-Spiral	E26	CFL		1600	23	N/A	12000	2700	0.58	2	8/2/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/30		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	3000	0.557	2	10/15/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/35		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.56	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/41		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-23W/50		Bare-soiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/50K	FE-IISB-23W/50K	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23.0	N/A	10000	5000	0.603	2	9/20/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/50K		Bare-Mini Spiral	E26	CFL		1600	23	N/A	10000	5000	0.6	2	9/20/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-23W/65		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	6500	0.574	2	1/19/2011
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-26W		Bare-Mini-Soiral	E26/24 (Medium)	CFL		1700	26	N/A	15000	2700		2	10/5/2007
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-26W/41		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	4100	0.5	2	7/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W	FE-IISB-9W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	2/6/2007
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-9W/30		Bare-soiral	E26/24 (Medium)	CFL		470	9	N/A	12000	3000	0.575	2	10/23/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		490	9	N/A	10000	3500	0.578	2	10/26/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/41		Bare-Mini-Spiral	E26/24 (Medium)	CFL		470	9	N/A	10000	4100	0.58	2	3/12/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISB-9W/50		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	5000		2	6/18/2008
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-IISB-9W/65		Bare-soiral	E26/24 (Medium)	CFL		500	9	N/A	12000	6500	0.569	2	1/20/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-13W/27	N/A	Bare-spiral	GU24	CFL		929	13.54	N/A	10000	2700	0.55345	2	9/29/2010
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-14W	N/A	Bare-spiral	GU24	CFL		949	14.0	N/A	10000	2700	0.562	2	2/9/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-19W	N/A	Bare-spiral	GU24	CFL		1266	19.0	N/A	10000	2700	0.53	2	2/9/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-23W	N/A	Bare-spiral	GU24	CFL		1606	23.0	N/A	10000	2700	0.514	2	2/9/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-26W/27	N/A	Bare-spiral	GU24	CFL		1728	24.7	N/A	12000	2700	0.52	2	9/28/2010
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-IISG-9W	N/A	Bare-spiral	GU24	CFL		570	9.15	N/A	10000	2700	0.585	2	2/9/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-ISD-15W		Bare-soiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	2700	0.55	2	6/9/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISD-20W		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1200	20	N/A	10000	2700	0.54	2	6/9/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISL-42W/27		Bare-spiral	E26/24 (Medium)	CFL		2650	42	N/A	12000	2700	0.557	2	1/13/2011
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISM-26W/27		Bare-spiral	E26/24 (Medium)	CFL	Three Wav	1700	N/A	11/20/26	10000	2700	0.56	2	10/20/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-ISM-30W		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2200	N/A	12/23/30	10000	2700	0.523	2	10/26/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R30-15W/27		Covered reflector	E26/24 (Medium)	CFL		700	15.0	N/A	8000	2700	0.541	2	1/11/2010
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R30-15W/27K		Covered reflector	E26/24 (Medium)	CFL		750	15	N/A	8000	2700	0.537	2	1/20/2011
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-R38-20W		Covered reflector	E26/24 (Medium)	CFL		960	20	N/A	8000	2700	0.535	2	1/11/2010
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-20W/2700K	FE-R38-20W/2700K	Covered reflector	Medium E26	CFL		964	19.1	N/A	8000	2700	0.528	2	7/18/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-20W/2700K		Covered Reflector	E26	CFL		964	19.1	N/A	8000	2700	0.53	2	7/18/2012
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R38-20W/41		Covered reflector	E26/24 (Medium)	CFL		900	20.0	N/A	8000	4100		2	6/8/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-R38-23W		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700	0.535	2	10/20/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R40-20W/41		Covered reflector	E26/24 (Medium)	CFL		900	20.0	N/A	8000	4100	0.54	2	6/8/2009
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-R40-23W		Covered reflector	E26/24 (Medium)	CFL		1250	23	N/A	8000	2700	0.532	2	10/20/2009
Xiamen Longstar Lighting Company, Ltd.	Lonostar	FE-US-13W	FE-US-13W/WV	Bare-Mini-Soiral	E26/24 (Medium)	CFL		940	13	N/A	10000	2700		2	3/20/2007
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-US-15WA		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		2	3/20/2007
Xiamen Longstar Lighting Company, Ltd.	Longstar	FE-US-20W	FE-US-20W/WV	Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	8/31/2007
Xiamen Topstar Lighting Co., Ltd.	NA	GLSA15-T2O-H	64158, 63503, 63505, 66551	Covered A-line	Medium E26/24 (medium)	CFL		800	15.0	N/A	8000	2700	0.6	4	7/19/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLCA3U15B		Bare-Triple Tube	E26/24 (Medium)	CFL		850	15.0	N/A	8000	2700	0.512	2	3/12/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLCA3U20B		Bare-Triple Tube	E26/24 (Medium)	CFL		1240	20	N/A	8000	2700	0.556	2	6/11/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLCA4U27		Bare-quadruple tube	E26/24 (Medium)	CFL		1705	27	N/A	8000	2700		2	5/26/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA05-T3O		Covered A-line	E26/24 (Medium)	CFL		215	5	N/A	10000	2700	0.553	2	1/21/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA09-T2Q		Covered globe	E26/24 (Medium)	CFL		450	9	N/A	10000	2700	0.557	2	1/19/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2O		Covered A-line	E26/24 (Medium)	CFL		505	11	N/A	10000	2700		2	1/26/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2Q 6500K		Covered A-line	E26/24 (Medium)	CFL		460	10	N/A	10000	6500	0.566	2	4/13/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA10-T2O 6500K E12		Covered A-line	E12 (Candelabra)	CFL		460	10	N/A	10000	6500	0.566	2	5/7/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLDA10-T2O E12		Covered A-line	E26/24 (Medium)	CFL		505	10	N/A	10000	2700	0.568	2	1/21/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA11-T3Q		Covered A-line	E26/24 (Medium)	CFL		450	11	N/A	10000	2700		2	3/19/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLDA13-T2O		Covered A-line	E26/24 (Medium)	CFL		600	13	N/A	10000	2700	0.55	9	9/3/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA15B1-T3Q		Covered A-line	E26/24 (Medium)	CFL		810	15.0	N/A	10000	2700	0.523	2	3/4/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLDA15B-T3O		Covered A-line	E26/24 (Medium)	CFL		880	15	N/A	8000	2700	0.575	2	1/20/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLDA15C-T3Q		Covered A-line	E26/24 (Medium)	CFL		825	15	N/A	10000	2700		2	10/18/2006
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLDA20-T3O		Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	10000	2700		2	10/16/2006
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA09-T3P		Covered-Candle	E26/24 (Medium)	CFL		400	9	N/A	8000	2700	0.554	2	5/7/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLFA09-T3P E12		Covered-Candle	E12 (Candelabra)	CFL		400	9	N/A	8000	2700	0.554	2	5/7/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05B		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	8000	2700	0.547	2	1/28/2010

Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05B E12		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	8000	2700	0.547	2	4/9/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05-E12		Covered-Candle	E12 (Candelabra)	CFL		200	5	N/A	6000	2700	0.531	2	1/19/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U05-E26		Covered-Candle	E26/24 (Medium)	CFL		200	5	N/A	6000	2700		2	6/16/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U07-E12		Covered-Candle	E12 (Candelabra)	CFL		370	7	N/A	6000	2700	0.565	2	1/20/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U07-E26		Covered-Candle	E26/24 (Medium)	CFL		370	7.0	N/A	6000	2700		2	8/26/2003
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09B		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	10000	2700	0.545	2	6/10/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLFA2U09B E12		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	10000	2700	0.545	2	6/10/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLFA2U09-E12		Covered-Candle	E12 (Candelabra)	CFL		430	9	N/A	6000	2700	0.545	2	12/11/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLFA2U09-E12		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	6000	2700	0.545	2	12/11/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLFA2U09-E26		Covered-Candle	E26/24 (Medium)	CFL		430	9	N/A	6000	2700		2	6/16/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLGA10-T2Q		Covered globe	E26/24 (Medium)	CFL		500	10	N/A	10000	2700	0.561	2	9/3/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLGA10-T2O 6500K		Covered globe	E26/24 (Medium)	CFL		450	10	N/A	10000	6500	0.56	2	1/15/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLGA11-T3Q		Covered globe	E26/24 (Medium)	CFL		450	11	N/A	10000	2700		2	3/4/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLGA15B-T3O		Covered globe	E26/24 (Medium)	CFL		740	15	N/A	10000	2700	0.52	2	3/4/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLGA15C-T3Q		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700		2	10/17/2006
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLGA20-T3O		Covered globe	E26/24 (Medium)	CFL		1050	20	N/A	6000	2700	0.568	2	1/19/2011
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLHA10-T2Q		Covered bullet	E26/24 (Medium)	CFL		500	11	N/A	10000	2700		2	10/17/2006
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLHA20-T3O		Covered bullet	E26/24 (Medium)	CFL		1050	20	N/A	6000	2700		2	6/16/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLHA26-T3Q		Covered bullet	E26/24 (Medium)	CFL		1350	26	N/A	10000	2700		2	10/18/2006
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLHA3U11-POST		Covered-post	E26/24 (Medium)	CFL		500	11	N/A	6000	2700	0.589	2	12/22/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLJA3U11-R20		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	8000	2700		2	12/29/2004
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA08-T2		Bare-spiral	E26/24 (Medium)	CFL		450	8	N/A	12000	2700	0.557	2	1/19/2011
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA08-T2 4000K		Bare-spiral	E26/24 (Medium)	CFL		450	8	N/A	12000	4100	0.573	2	1/14/2011
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA08-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		430	8	N/A	12000	6500	0.56	2	1/18/2011
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	8000	2700		2	5/1/2002
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.562	2	8/18/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	3500	0.587	2	10/27/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	3500		2	10/2/2008
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	8000	4100	0.58	2	8/14/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 4000K 10K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.501	2	10/22/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	8000	6500		2	12/12/2006
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 6500K 10K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	6500	0.561	2	10/22/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 A		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.578	2	5/26/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	3500	0.587	2	6/15/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 A 4000K		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.597	2	5/20/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA09-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		520	9	N/A	10000	6500	0.578	2	5/26/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10B-T2		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		580	10	N/A	8000	2700		5	1/3/2008
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10B-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		580	10	N/A	8000	4100		5	1/14/2008
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10B-T2 6500K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		550	10	N/A	8000	6500		5	1/14/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10C-T2	BLQA10C-T2	Bare-spiral	Medium E26/24 (medium)	CFL		650	10.0	N/A	12000	2700	0.598	2	8/27/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10C-T2		Bare-Spiral	E26	CFL		650	10.12	N/A	12000	2700	0.6	2	8/27/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10C-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		500	10	N/A	12000	2700		2	3/17/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10C-T3 A	BLQA10C-T3 A	Bare-spiral	Medium E26/24 (medium)	CFL		500	10.0	N/A	15000	2700	0.557	2	8/29/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10C-T3 A		Bare-Ssiral	E26	CFL		500	8.72	N/A	15000	2700	0.56	2	8/29/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10D-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		530	10	N/A	8000	2700	0.551	2	10/27/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10D-T3 4000K		Bare-ssiral	E26/24 (Medium)	CFL		530	10	N/A	8000	4100		5	9/9/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10D-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		500	10	N/A	8000	6500		5	9/9/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10E-T3		Bare-spiral	E26/24 (Medium)	CFL		530	10	N/A	12000	2700	0.56	2	9/4/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10E-T3 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		530	10	N/A	12000	4100	0.57	2	7/24/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10E-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		500	10	N/A	12000	6500	0.546	11	9/2/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10G-T3	BLQA10G-T3	Bare-spiral	Medium E26/24 (medium)	CFL		500	9.0	N/A	10000	2700	0.584	2	6/21/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10G-T3		Bare-Spiral	E26	CFL		500	9	N/A	10000	2700	0.58	2	6/21/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10G-T3 4100K	BLQA10G-T3 4100K	Bare-ssiral	Medium E26	CFL		500	9.0	N/A	10000	4100	0.586	2	6/26/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10G-T3 4100K		Bare-Spiral	E26	CFL		500	9	N/A	10000	4100	0.59	2	6/26/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10G-T3 6500K	BLQA10G-T3 6500K	Bare-ssiral	Medium E26	CFL		500	9.0	N/A	10000	6500	0.586	2	6/26/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10G-T3 6500K		Bare-Spiral	E26	CFL		500	9	N/A	10000	6500	0.59	2	6/26/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10-T2		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		580	10	N/A	12000	2700		2	9/4/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10-T2 4100K		Bare-spiral	E26/24 (Medium)	CFL		580	10	N/A	12000	4100	0.564	11	9/4/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10-T2 6500K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500	0.56	2	7/27/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA10-T3		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	2700	0.575	2	10/1/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10-T3 4000K		Bare-ssiral	E26/24 (Medium)	CFL		550	10	N/A	12000	4100	0.571	2	10/12/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA10-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	10	N/A	12000	6500	0.573	2	10/1/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA11B-R20		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700	0.565	2	1/21/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA11B-R20 6500K		Covered reflector	E26/24 (Medium)	CFL		380	11	N/A	10000	6500	0.564	2	1/15/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA11-R20		Covered reflector	E26/24 (Medium)	CFL		400	11	N/A	10000	2700		2	4/16/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA12-T2P		Bare-spiral	E26/24 (Medium)	CFL		750	12	N/A	12000	2700	0.605	2	1/13/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA12-T2P 4000K		Bare-spiral	E26/24 (Medium)	CFL		700	12	N/A	12000	4100	0.608	2	1/19/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA12-T2P 6500K		Bare-spiral	E26/24 (Medium)	CFL		700	12	N/A	12000	6500	0.601	2	1/19/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	2700		5	1/3/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 2700K E12		Bare-spiral	E26/24 (Medium)	CFL		820	13	N/A	8000	2700	0.602	2	6/10/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	8000	4100		5	1/15/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	8000	6500		5	1/10/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13B-T2 E12		Bare-Mini-Spiral	E12 (Candelabra)	CFL		870	13	N/A	8000	2700		2	7/13/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13C-T3		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700	0.577	2	10/1/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13C-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		790	13	N/A	12000	4100	0.582	2	10/12/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13C-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		760	13	N/A	12000	6500	0.579	2	10/1/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13D-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	2700	0.5	5	10/27/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13D-T3 4000K		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	8000	4100		2	9/9/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13D-T3 5000K		Bare-spiral	E26/24 (Medium)	CFL		855	13	N/A	8000	5000	0.601	5	9/3/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13D-T3 6500K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		855	13	N/A	8000	6500		5	1/15/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13E-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.603	2	10/27/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13E-T3 4000K		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	12000	4100	0.6	2	9/9/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13E-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		855	13	N/A	12000	6500	0.608	11	9/2/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13G1-T3	BLQA13G1-T3	Bare-spiral	Medium E26/24 (medium)	CFL		825	13.0	N/A	10000	2700	0.606	2	7/26/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13G1-T3		Bare-Spiral	E26	CFL		825	13	N/A	10000	2700	0.61	2	7/26/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13G1-T3 4100K	BLQA13G1-T3 4100K	Bare-spiral	Medium E26	CFL		800	13.0	N/A	10000	4100	0.614	2	7/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13G1-T3 6500K	BLQA13G1-T3 6500K	Bare-spiral	Medium E26	CFL		750	13.0	N/A	10000	6500	0.615	2	7/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		870	13	N/A	12000	2700		2	10/17/2006
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T2 4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		850	13	N/A	12000	4100	0.58	2	9/21/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	6500	0.55	2	7/24/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3		Bare-spiral	E26/24 (Medium)	CFL		825	13.0	N/A	8000	2700	0.58	2	4/14/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.562	2	8/18/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13-T3 3500K		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500	0.586	2	10/23/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	8000	3500		2	10/2/2008
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13-T3 4000K		Bare-ssiral	E26/24 (Medium)	CFL		800	13	N/A	8000	4100	0.587	7	9/3/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.567	2	8/18/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLQA13-T3 6500K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		750	13	N/A	8000	6500		2	8/18/2006
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 6500K 10K		Bare-spiral	E26/24 (Medium)	CFL		760	13	N/A	10000	6500	0.56	2	8/17/2009

Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA13-T3 A		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.58	2	5/26/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	3500	0.586	2	6/15/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA13-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	4100	0.587	2	5/20/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA13-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		760	13	N/A	10000	6500	0.583	2	5/26/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA14-POST		Covered-post	E26/24 (Medium)	CFL		750	14	N/A	10000	2700		2	9/5/2006
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2	BLQA14-T2	Bare-spiral	Medium E26/24	CFL		950	14.0	N/A	12000	2700	0.584	2	10/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA14-T2		Bare-Spiral	E26	CFL		950	14	N/A	12000	2700	0.58	2	10/18/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA14-T2 4100K	BLOA14-T2 4100K	Bare-ssiral	Medium E26/24	CFL		950	14.0	N/A	12000	4100	0.579	2	10/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2 4100K		Bare-Spiral	E26	CFL		950	14	N/A	12000	4100	0.58	2	10/18/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA14-T2 6500K	BLOA14-T2 6500K	Bare-ssiral	Medium E26/24	CFL		900	14.0	N/A	12000	6500	0.572	2	10/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2 6500K		Bare-Spiral	E26	CFL		900	14	N/A	12000	6500	0.57	2	10/18/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA14-T2P		Bare-ssiral	E26/24 (Medium)	CFL		850	14	N/A	12000	2700	0.579	2	1/14/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA14-T2P 4000K		Bare-spiral	E26/24 (Medium)	CFL		850	14	N/A	12000	4100	0.582	2	1/18/2011
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA14-T2P 6500K		Bare-ssiral	E26/24 (Medium)	CFL		800	14	N/A	12000	6500	0.582	2	1/14/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-R30		Covered reflector	E26/24 (Medium)	CFL		750	15.0	N/A	10000	2700		2	2/6/2005
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA15B-R30 6500K		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	10000	6500	0.525	2	1/19/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-T2		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	2700		5	1/7/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15B-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	4100		5	1/15/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15B-T2 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	15	N/A	8000	6500		5	1/15/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15C1-T3		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	2700	0.581	2	10/1/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C1-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	4100	0.585	2	10/12/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15C1-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		855	15	N/A	12000	6500	0.582	2	10/5/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C-T3		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	12000	2700		2	3/17/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15C-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	12000	4100	0.5	2	9/9/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15C-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	12000	6500	0.523	2	9/23/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15C-T3 A		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	15000	2700	0.516	2	1/14/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15D-T3		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	8000	2700	0.57	2	9/9/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15D-T3 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1000	15	N/A	8000	4100	0.57	2	7/27/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15D-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	8000	6500	0.57	2	7/28/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15E-T3		Bare-spiral	E26/24 (Medium)	CFL		920	15	N/A	8000	2700	0.567	2	1/28/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15F-T3	BLQA15F-T3	Bare-spiral	Medium E26	CFL		950	14.0	N/A	10000	2700	0.568	2	7/20/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15F-T3		Bare-Spiral	E26	CFL		950	14	N/A	10000	2700	0.57	2	7/20/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA15F-T3 4100K	BLOA15F-T3 4100K	Bare-ssiral	Medium E26	CFL		950	14.0	N/A	10000	4100	0.579	2	7/20/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15F-T3 4100K		Bare-Spiral	E26	CFL		950	14	N/A	10000	4100	0.58	2	7/20/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA15F-T3 6500K	BLOA15F-T3 6500K	Bare-ssiral	Medium E26	CFL		900	14.0	N/A	10000	6500	0.569	2	7/20/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15F-T3 6500K		Bare-Spiral	E26	CFL		900	14	N/A	10000	6500	0.57	2	7/20/2012
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA15-POST		Covered-post	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.564	2	9/3/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-R30		Covered reflector	E26/24 (Medium)	CFL		720	15.0	N/A	8000	2700		4	1/29/2004
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA15-R30 3500K		Covered reflector	E26/24 (Medium)	CFL		700	15	N/A	8000	3500	0.56	2	9/30/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-R30 6500K		Covered reflector	E26/24 (Medium)	CFL		650	15	N/A	8000	6500	0.57	2	9/30/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA15-T2		Bare-ssiral	E26/24 (Medium)	CFL		935	14	N/A	12000	2700		2	3/25/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T2 4100K		Bare-spiral	E26/24 (Medium)	CFL		935	14	N/A	12000	4100	0.532	2	5/5/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15-T3		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	8000	2700	0.57	2	4/15/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.56	2	8/14/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	8000	4100	0.56	2	8/14/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.56	2	8/14/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	14	N/A	8000	6500		2	9/30/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 6500K 10K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	6500	0.565	2	9/30/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA15-T3 A		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	10000	2700	0.567	2	5/26/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA15-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		950	14	N/A	10000	4100	0.568	2	5/20/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20B-T2		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	8000	2700	0.57	2	7/29/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20B-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	8000	6500	0.56	2	8/14/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20C1-T3		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700	0.558	2	10/5/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C1-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	4100	0.564	2	10/12/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20C1-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	6500	0.563	2	10/5/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C-T3		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.542	2	3/3/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20C-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	6500	0.546	2	3/3/2010
Xiamen Topstar Lighting Co., Ltd.	Toostar	BLOA20C-T3/6500K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1200	20	N/A	12000	2700		2	6/28/2005
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20C-T3 A		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	15000	2700	0.542	2	1/14/2011
Xiamen Topstar Lighting Co., Ltd.	Toostar	BLOA20D-T3		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.55	2	7/17/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20D-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	12000	4100	0.552	11	9/4/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA20D-T3 6500K		Bare-ssiral	E26/24 (Medium)	CFL		1235	20	N/A	12000	6500	0.55	2	9/22/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20E-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	2700		2	3/11/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20E-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	4100	0.56	2	9/9/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20E-T3 5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	5000		2	5/24/2009
Xiamen Topstar Lighting Co., Ltd.	Toostar	BLOA20E-T3 6500K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	6500		5	1/15/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20F-T3		Bare-spiral	E26/24 (Medium)	CFL		1260	20	N/A	8000	2700	0.56	2	1/28/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T2		Bare-spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	2700	0.547	11	9/2/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T2 4000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1250	20	N/A	12000	4100	0.548	2	10/27/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1190	20	N/A	12000	6500	0.524	11	9/2/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3		Bare-spiral	E26/24 (Medium)	CFL		1300	20.0	N/A	8000	2700		2	8/18/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T3 10K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.555	2	8/18/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	3500	0.588	2	10/23/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	3500		2	10/2/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	8000	4100	0.55	2	8/17/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T3 4000K 10K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	4100	0.557	2	8/18/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	8000	6500	0.55	2	8/17/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T3 6500K 10k		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	10000	6500	0.555	2	8/18/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 A		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.551	2	5/24/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T3 A 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	3500	0.568	2	6/15/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA20-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	4100	0.549	2	5/20/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA20-T3 A 6500K		Bare-spiral	E26/24 (Medium)	CFL		1235	20	N/A	10000	6500	0.554	2	5/24/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA23C1-T3		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700		2	3/3/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23C1-T3 A	BLQA23C1-T3 A	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	15000	2700	0.561	2	8/27/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA23C1-T3 A		Bare-Spiral	E26	CFL		1600	23	N/A	15000	2700	0.56	2	8/27/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23C3-T3	BLQA23C3-T3	Bare-spiral	E26/24 (medium)	CFL		1676	23.0	N/A	10000	2700	0.581	2	3/8/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA23C3-T3	BLQA23C3-T3	Bare-spiral	Medium E26	CFL		1600	23.0	N/A	10000	2700	0.581	2	10/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23C3-T3		Bare-Spiral	E26	CFL		1600	23	N/A	10000	2700	0.58	2	10/18/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA23C-T3		Bare-Spiral	E26	CFL		1676	23.0000	N/A	10000	2700	0.58	2	3/8/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23C-T3	BLQA23C-T3	Bare-spiral	E26/24 (medium)	CFL		1620	26.0	N/A	10000	2700	0.573	2	10/3/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA23C-T3		Bare-Spiral	E26	CFL		1620	26.0000	N/A	10000	2700	0.57	2	10/3/2011
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23D-T3		Bare-spiral	E26/24 (Medium)	CFL		1650	23	N/A	12000	2700	0.56	2	9/22/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA23D-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		1640	23	N/A	12000	4100	0.56	2	9/21/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23-PAR38		Covered reflector	E26/24 (Medium)	CFL		1140	24	N/A	10000	2700		2	5/7/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA23-PAR38 3000K	BLQA23-PAR38 3000K	Covered reflector	E26/24 (medium)	CFL		1160	24.0	N/A	10000	3000	0.581	2	3/9/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA23-PAR38 3000K		Covered Reflector	E26	CFL		1160	24.0000	N/A	10000	3000	0.58	2	3/9/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLOA26B-PAR38		Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		2	12/31/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA26B-PAR38 3500K		Covered reflector	E26/24 (Medium)	CFL		1250	26	N/A	10000	3500	0.563	2	6/11/2010
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA26B-PAR38 6500K		Covered reflector	E26/24 (Medium)	CFL		1200	26	N/A	10000	6500	0.566	2	8/18/2009
Xiamen Toostar Lighting Co., Ltd.	Toostar	BLOA26B-R40		Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	10000	2700		2	12/29/2004

Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-T2		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	2700	0.6	2	7/29/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26B-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	26	N/A	8000	6500	0.599	2	8/18/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26C1-T3		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	12000	2700		2	3/17/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA26C1-T3 A	BLQA26C1-T3 A	Bare-sciral	Medium E26/24 (medium)	CFL		1700	26.0	N/A	15000	2700	0.573	2	8/27/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26C2-T3		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	12000	2700	0.601	2	10/21/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA26C2-T3 4000K		Bare-sciral	E26/24 (Medium)	CFL		1690	26	N/A	12000	4100	0.598	2	12/7/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA26C2-T3 6500K		Bare-sciral	E26/24 (Medium)	CFL		1610	26	N/A	12000	6500	0.599	2	12/7/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26D-T3		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	2700	0.57	2	9/21/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26D-T3 4100K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	12000	4100	0.58	2	9/21/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26D-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1660	26	N/A	12000	6500	0.58	2	9/22/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26E-T3		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	2700		5	11/16/2007
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26E-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	4100	0.58	2	9/9/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26E-T3 6500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1660	26	N/A	8000	6500		5	1/15/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26F-T3		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	8000	2700	0.57	2	3/12/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-PAR38		Covered reflector	E26/24 (Medium)	CFL		1300	26	N/A	8000	2700		2	2/4/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T2		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	12000	2700	0.58	2	9/23/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T2 6500K		Bare-spiral	E26/24 (Medium)	CFL		1625	26	N/A	12000	6500	0.58	2	9/22/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3		Bare-spiral	E26/24 (Medium)	CFL		1750	26.0	N/A	8000	2700		2	12/29/2004
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 10K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700		2	7/1/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 3500K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	3500	0.581	2	10/23/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3-3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	3500		2	10/2/2008
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	8000	4100	0.58	2	8/17/2009
Xiamen Topstar Lighting Co., Ltd.	Toostar	BLQA26-T3 4000K 10K		Bare-sciral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100	0.57	2	9/21/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	8000	6500		2	8/1/2006
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA26-T3 6500K 10K		Bare-sciral	E26/24 (Medium)	CFL		1650	26	N/A	10000	6500	0.581	2	8/18/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 A		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	2700	0.575	2	5/24/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA26-T3 A 3500K		Bare-sciral	E26/24 (Medium)	CFL		1750	26	N/A	10000	3500	0.581	2	6/15/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA26-T3 A 4000K		Bare-spiral	E26/24 (Medium)	CFL		1750	26	N/A	10000	4100	0.576	2	5/20/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA26-T3 A 6500K		Bare-sciral	E26/24 (Medium)	CFL		1610	26	N/A	10000	6500	0.578	2	5/24/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32		Bare-spiral	E26/24 (Medium)	CFL		2100	32	N/A	8000	2700		2	3/12/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQA32C		Bare-sciral	E26/24 (Medium)	CFL		2200	32	N/A	12000	2700	0.558	2	3/1/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32-T3		Bare-spiral	E26/24 (Medium)	CFL		2250	32	N/A	12000	2700	0.57	2	9/21/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA32-T3 6500K		Bare-spiral	E26/24 (Medium)	CFL		2140	32	N/A	12000	6500	0.552	11	9/2/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA42		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	12000	2700	0.55	2	3/4/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA42 4000K		Bare-spiral	E26/24 (Medium)	CFL		2700	42	N/A	12000	4100	0.537	11	9/2/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA42 6500K		Bare-spiral	E26/24 (Medium)	CFL		2550	42	N/A	12000	6500	0.528	2	5/7/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA45-T5		Bare-spiral	E26/24 (Medium)	CFL		3020	45	N/A	8000	2700	0.58	2	6/15/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA52-T5		Bare-spiral	E26/24 (Medium)	CFL		3550	52	N/A	8000	2700	0.592	2	7/16/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQA55-T5		Bare-spiral	E26/24 (Medium)	CFL		3860	55	N/A	8000	2700	0.595	2	5/5/2010
Xiamen Toostar Liohtino Co., Ltd.	Toostar	BLQJA10-GU24	N/A	Bare-sciral	GU24	CFL		569	9.533	N/A	10000	2700	0.564	2	11/12/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA15B-GU24	N/A	Bare-spiral	GU24	CFL		1024	14.06	N/A	10000	2700	0.561	2	11/12/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA15-GU24	N/A	Bare-spiral	GU24	CFL		1007	14.2	N/A	10000	2700	0.526	2	11/12/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA20-GU24	N/A	Bare-spiral	GU24	CFL		1296	18.72	N/A	10000	2700	0.581	2	11/12/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLQJA26-GU24	N/A	Bare-spiral	GU24	CFL		1801	25	N/A	10000	2700	0.589	2	11/12/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA14-T3	BLTA14-T3	Bare-spiral	Medium E26	CFL	Dimmable	900	14.0	N/A	10000	2700	0.734	2	5/3/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA14-T3		Bare-Spiral	E26	CFL		900	14	N/A	10000	2700	0.73	2	5/3/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA15B-R30		Covered reflector	E26/24 (Medium)	CFL	Dimmable	720	15	N/A	8000	2700		2	9/24/2004
Xiamen Topstar Lighting Co., Ltd.	Toostar	BLTA15-T3		Bare-sciral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	12000	2700		2	10/16/2005
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA15-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	15	N/A	10000	4100	0.677	2	5/7/2010
Xiamen Topstar Lighting Co., Ltd.	Toostar	BLTA26B-R40	BLTA26B-R40	Covered-reflector	Medium E26	CFL	Dimmable	1300	26.0	N/A	8000	2700	0.7501	2	5/23/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26B-R40		Covered Reflector	E26	CFL		1300	26	N/A	8000	2700	0.75	2	5/23/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26B-T3	BLTA26B-T3	Bare-spiral	Medium E26/24 (medium)	CFL	Dimmable	1635	26.0	N/A	10000	2700	0.766	2	6/14/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26B-T3		Bare-Spiral	E26	CFL		1635	26	N/A	10000	2700	0.77	2	6/14/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26-PAR38	BLTA26-PAR38	Covered-reflector	Medium E26	CFL	Dimmable	1300	26.0	N/A	8000	2700	0.7326	2	5/21/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26-PAR38		Covered Reflector	E26	CFL		1300	26	N/A	8000	2700	0.73	2	5/21/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26-T3		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1700	26	N/A	12000	2700		2	10/16/2006
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLTA26-T3 4000K		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	1700	26	N/A	10000	4100	0.653	2	5/7/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLW426-T3O		Bare-spiral	E26/24 (Medium)	CFL	Three Way	1750	N/A	13/19/26	10000	2700	0.5	2	8/14/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLW432B-T3Q		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2165	N/A	16/25/32	10000	2700	0.505	2	8/3/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLW432-T3O		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	2700	0.548	2	3/4/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	BLW432-T3Q 4000K		Bare-spiral	E26/24 (Medium)	CFL	Three Way	2150	N/A	16/25/32	8000	4100	0.551	2	10/8/2010
Xiamen Topstar Lighting Co., Ltd.	Topstar	GLSA09-T2O		Covered A-line	E26/24 (Medium)	CFL		475	9	N/A	8000	2700		2	3/3/2009
Xiamen Toostar Liohtino Co., Ltd.	Toostar	GLSA20-T3O		Covered A-line	E26/24 (Medium)	CFL		1100	20	N/A	8000	2700		2	4/24/2009
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W 2S 2700K	TSL81B103-4.5W 2S 2700K	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	2700	0.637	3	5/25/2012
Xiamen Toostar Liohtino Co., Ltd.	Toostar	TSL81B103-4.5W 2S 3000K	TSL81B103-4.5W 2S 3000K	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	3000	0.637	3	5/25/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W 25Â°2700K	TSL81B103-4.5W 25Â°2700K	MR - Multifaceted reflector	GU5.3	LED		255	4.17	N/A	25000	2700	0.637	3	2/24/2012
Xiamen Toostar Liohtino Co., Ltd.	Toostar	TSL81B103-4.5W 25Â° 3000K	TSL81B103-4.5W 25Â° 3000K	MR - Multifaceted reflector	GU5.3	LED		237	4.22	N/A	25000	3000	0.637	3	2/24/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W 35 2700K	TSL81B103-4.5W 35 2700K	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	2700	0.68	3	5/25/2012
Xiamen Toostar Liohtino Co., Ltd.	Toostar	TSL81B103-4.5W 35 3000K	TSL81B103-4.5W 35 3000K	MR - Multifaceted reflector	GU5.3	LED		240	4.0	N/A	25000	3000	0.684	3	5/25/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W 35Â°2700K	TSL81B103-4.5W 35Â° 2700K	MR - Multifaceted reflector	GU5.3	LED		250	4.39	N/A	25000	2700	0.68	3	2/24/2012
Xiamen Toostar Liohtino Co., Ltd.	Toostar	TSL81B103-4.5W 35Â°3000K	TSL81B103-4.5W 35Â° 3000K	MR - Multifaceted reflector	GU5.3	LED		269	4.39	N/A	25000	3000	0.684	3	2/24/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W-E 15 2700K	TSL81B103-4.5W-E 15 2700K	MR - Multifaceted reflector	GU5.3	LED		210	4.0	N/A	25000	2700	0.649	3	5/25/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W-E 15 3000K	TSL81B103-4.5W-E 15 3000K	MR - Multifaceted reflector	GU5.3	LED		210	4.0	N/A	25000	3000	0.645	3	5/25/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W-E 15Â°2700K	TSL81B103-4.5W-E 15Â°2700K	MR - Multifaceted reflector	GU5.3	LED		218	4.07	N/A	25000	2700	0.649	3	2/24/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL81B103-4.5W-E 15Â°3000K	TSL81B103-4.5W-E 15Â°3000K	MR - Multifaceted reflector	GU5.3	LED		228	4.09	N/A	25000	3000	0.645	3	2/24/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL89D101-20 3000K 25Â°	TSL89D101-20 3000K 25Â°	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1129	19.3	N/A	25000	3000	0.99	3	1/12/2012
Xiamen Topstar Lighting Co., Ltd.	Topstar	TSL89D101-20 3000K 40Â°	TSL89D101-20 3000K 40Â°	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		1093	19.3	N/A	25000	3000	0.99	3	1/12/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE151A-GU24 19S 2700K	N/A	Bare-spiral	GU24	CFL		1297	18.5	N/A	10000	2700	0.54	2	2/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE151A-GU24 19S 4100K	N/A	Bare-spiral	GU24	CFL		1265	18.1	N/A	10000	4100	0.54	2	2/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE151A-GU24 23S 2700K	N/A	Bare-spiral	GU24	CFL		1580	21.4	N/A	10000	2700	0.56	2	1/8/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE153B-GU24 13S	N/A	Bare-spiral	GU24	CFL		939	13.2	N/A	10000	2700	0.59	2	6/22/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE172-GU24 13S	N/A	Bare-spiral	GU24	CFL		899	12.3	N/A	10000	4100	0.55	2	7/26/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE275 14W-CA	FE275 14W-CA	Bare-sciral	Medium E26/24	CFL		800	14.0	N/A	10000	2700	0.642	2	4/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	FE275 14W-CA		Covered-Candle	E26	CFL		800	14.06	N/A	10000	2700	0.64	2	4/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS05 13W	N/A	Bare-spiral	GU24	CFL		818	12.4	N/A	10000	2700	0.53	2	2/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS05 20W	N/A	Bare-sciral	GU24	CFL		1150	18.0	N/A	10000	2700	0.53	2	2/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS05 23W	N/A	Bare-spiral	GU24	CFL		1627	23.2	N/A	10000	2700	0.57	2	2/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS12 23W 5000K	YKS12 23W 5000K	Bare-spiral	Medium E26/24 (medium)	CFL		1600	23.0	N/A	10000	5000	0.574	3	8/22/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS12 23W 5000K		Bare-Spiral	E26	CFL		1600	22.38	N/A	10000	5000	0.57	3	8/22/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS14 10W 2700K	YKS14 10W 2700K	Bare-sciral	E12 (Candelabra)	CFL		600	10.0	N/A	10000	2700	0.578	2	8/27/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS14 10W 2700K		Bare-Spiral	E12	CFL		600	10.3	N/A	10000	2700	0.58	2	8/27/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS14 13W 2700K	YKS14 13W 2700K	Bare-spiral	E12 (Candelabra)	CFL		800	13.0	N/A	10000	2700	0.608	2	8/30/2012

Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS14 13W 2700K		Bare-Spiral	E12	CFL		800	13.69	N/A	10000	2700	0.61	2	8/30/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS15 19W	YKS15 19W	Bare-spiral	Medium E26/24	CFL		1250	19.0	N/A	10000	2700	0.544	2	4/24/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS15 19W		Bare-Mini Soiral	E26	CFL		1250	16.91	N/A	10000	2700	0.54	2	4/24/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS17 23W-PAR38	YKS17 23W-PAR38	Covered reflector	Medium E26/24 (medium)	CFL		1250	23.0	N/A	10000	2700	0.585	3	8/2/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS17 23W-PAR38		Covered Reflector	E26	CFL		1250	24.03	N/A	10000	2700	0.58	3	8/2/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS17 23W-R40	YKS17 23W-R40	Covered reflector	Medium E26/24 (medium)	CFL		1250	23.0	N/A	10000	2700	0.58	3	8/3/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS17 23W-R40		Covered Reflector	E26	CFL		1250	22.81	N/A	10000	2700	0.58	3	8/3/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS18 7W 2700K	YKS18 7W 2700K	Covered-Candle	E12 (Candelabra)	CFL		350	7.0	N/A	10000	2700	0.58	2	2/13/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS18 7W 2700K		Covered-Candle	E12	CFL		350	7.21	N/A	10000	2700	0.58	2	2/13/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS18 9W 2700K	YKS18 9W 2700K	Covered-Candle	E26/24 (medium)	CFL		450	9.0	N/A	10000	2700	0.573	2	8/24/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS18 9W 2700K		Covered-Candle	E26	CFL		450	9.5	N/A	10000	2700	0.57	2	8/24/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS21 10W 6500K	YKS21 10W 6500K	Bare-spiral	Medium E26/24	CFL		630	10.0	N/A	10000	6500	0.596	2	4/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKS21 10W 6500K		Bare-Mini Spiral	E26	CFL		630	10.02	N/A	10000	6500	0.6	2	4/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKA60B1-8W-D	YKA60B1-8W-D	Non-standard	E26/24 (Medium)	LED	Dimmable	450	8.0	N/A	40000	3000	0.737	3	2/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKA60G1-12W-D	YKA60G1-12W-D	Non-standard	E26/24 (Medium)	LED	Dimmable	800	12.0	N/A	25000	2700	0.878	3	3/20/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKA60G1-7.5W-D	YKA60G1-7.5W-D	Non-standard	E26/24 (Medium)	LED	Dimmable	450	7.5	N/A	25000	2700	0.784	3	3/20/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKLCE03A-Clear	YKLCE03A-Clear	C - Candle	E12 (Candelabra)	LED		120	2.65	N/A	40000	3000	0.545	3	9/28/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKLGE03A-Frost	YKLGE03A-Frost	G - Globe	E12 (Candelabra)	LED		119	2.74	N/A	40000	3000	0.551	3	9/27/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKMR16C1-4W	YKMR16C1-4W	MR - Multifaceted reflector	GU5.3	LED		169	3.78	N/A	40000	3000	1	3	12/15/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W	YKPAR38B1-17W	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED		775	15.78	N/A	40000	3000	0.886	3	12/1/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W(40D)	PAR38B1-17W(40D)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	17.0	N/A	40000	3000	0.743	3	1/10/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W-D	YKPAR38B1-17W-D	PAR - Parabolic Aluminum Reflector	E26/E24 (Medium)	LED	Dimmable	745	16.21	N/A	40000	3000	0.729	3	12/20/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W-D(40D)	PAR38B1-17W-D(40D)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.897	3	1/10/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W-D/V2\	YKPAR38B1-17W-D/V2\	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	980	17.0	N/A	40000	3000	0.8	3	7/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKPAR38B1-17W(V2)	YKPAR38B1-17W(V2)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		980	17.0	N/A	40000	3000	0.867	3	8/2/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR20B1-6W-D	YKR20B1-6W-D	R - Reflector	E26/E24 (Medium)	LED	Dimmable	250	5.13	N/A	40000	3000	0.703	3	10/20/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W	YKR30B2-10W	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.888	3	12/20/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W(35D\	YKR30B2-10W(35D\	R - Reflector	E26/E24 (Medium)	LED		471	9.6	N/A	40000	3000	0.888	3	12/20/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W-D	YKR30B2-10W-D	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.716	3	12/20/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W-D(35D)	YKR30B2-10W-D(35D)	R - Reflector	E26/E24 (Medium)	LED	Dimmable	463	10.06	N/A	40000	3000	0.716	3	12/20/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W-D/V2\	YKR30B2-10W-D/V2\	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	600	10.0	N/A	40000	3000	0.719	3	7/18/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	Yankon	YKR30B2-10W(V2)	YKR30B2-10W(V2)	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		600	10.0	N/A	40000	3000	0.913	3	7/23/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE117 10W 2700K		Covered globe	E26/24 (Medium)	CFL		500	10	N/A	10000	2700	0.566	2	1/6/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE117 15W		Covered globe	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.582	2	12/22/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE151-S-27W 2700K		Bare-soiral	E26/24 (Medium\	CFL		2000	27	N/A	10000	2700	0.588	2	10/14/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE231 11S 2700K		Covered A-line	E26/24 (Medium)	CFL		600	11	N/A	10000	2700	0.538	2	9/30/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE242 3823 2700K		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.56	2	9/16/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	FE27S 13S 2700K		Covered A-line	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.547	2	9/30/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 11W 2700K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	2700	0.537	2	12/7/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 11W 3000K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	3000		2	12/10/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 11W 3500K		Bare-spiral	E26/24 (Medium)	CFL		730	11	N/A	10000	3500	0.533	2	11/23/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK101 15W 2700K		Bare-soiral	E26/24 (Medium\	CFL		900	15	N/A	10000	2700	0.62	2	12/21/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	2700	0.551	2	10/22/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 3000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	3000	0.55	2	10/22/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	3500	0.549	2	10/22/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	12000	6500	0.596	2	10/22/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 7W 2700K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700	0.587	2	12/21/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK172 7W 3000K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	3000	0.583	2	12/10/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501 10W		Bare-soiral	E26/24 (Medium\	CFL		660	10	N/A	10000	2700	0.578	2	12/31/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501 13W		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	10000	2700	0.6	2	12/31/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501A 10W		Bare-spiral	E26/24 (Medium)	CFL		660	10	N/A	15000	2700	0.578	2	3/16/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK501A 13W		Bare-spiral	E26/24 (Medium)	CFL		850	13	N/A	15000	2700	0.6	2	4/1/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502 20W		Bare-soiral	E26/24 (Medium\	CFL		1300	20	N/A	10000	2700	0.566	2	1/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502 23W		Bare-spiral	E26/24 (Medium)	CFL		1620	23	N/A	10000	2700	0.582	2	1/15/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502A 20W		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	15000	2700	0.566	2	5/7/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK502A 23W		Bare-soiral	E26/24 (Medium\	CFL		1620	23	N/A	15000	2700	0.582	2	5/7/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK506 15W		Covered reflector	E26/24 (Medium)	CFL		800	15	N/A	10000	2700	0.58	2	9/16/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK506 16W		Bare-spiral	E26/24 (Medium)	CFL		820	16	N/A	10000	2700	0.584	2	2/13/2012
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK507 23W		Covered reflector	E26/24 (Medium)	CFL		1300	23	N/A	10000	2700	0.59	2	9/16/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK508 32W-T		Bare-soiral	E26/24 (Medium\	CFL	Three Way	2150	N/A	13/23/32	12000	2700	0.563	2	5/7/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK509 13W-D		Bare-spiral	E26/24 (Medium)	CFL	Dimmable	900	13	N/A	12000	2700	0.674	2	5/7/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK509 23W-D		Bare-spiral	E26/24 (Medium)	CFL		1605	23	N/A	12000	2700	0.717	2	4/1/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK510 11W		Covered A-line	E12 (Candelabra)	CFL		600	11	N/A	10000	2700	0.538	2	9/30/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK510 13W		Covered A-line	E12 (Candelabra)	CFL		800	13	N/A	10000	2700	0.547	2	9/30/2009
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK511 13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.612	2	9/20/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK511 13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	5000	0.613	2	12/13/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 19W 2700K		Bare-soiral	E26/24 (Medium\	CFL		1250	19	N/A	10000	2700	0.548	2	6/29/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 19W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	5000	0.55	2	11/23/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 19W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1210	19	N/A	10000	6500	0.549	2	11/23/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.564	2	6/29/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.574	2	1/6/2011
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	6500	0.565	2	11/23/2010

Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK512 27W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1800	27	N/A	10000	2700	0.585	2	9/7/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK515 23W		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.566	2	11/23/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK521 10W		Bare-ssiral	E26/24 (Medium)	CFL		660	10	N/A	10000	2700	0.578	2	9/1/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK521 13W		Bare-spiral	E26/24 (Medium)	CFL		825	13	N/A	10000	2700	0.604	2	9/2/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK522 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1250	19	N/A	10000	2700	0.56	2	9/2/2010
Xiamen Yankon Energetic Lighting Co., Ltd.	YANKON	YK522 23W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.581	2	9/7/2010
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	EAS05-20	EAS05-20	Bare-spiral	Medium E26/24	CFL		1149	17.5	N/A	10000	2700	0.576	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	EAS05-20		Bare-Spiral	E26	CFL		1149	17.5	N/A	10000	2700	0.58	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	EAS06-23	EAS06-23	Bare-spiral	Medium E26/24	CFL		1336	20.2	N/A	10000	2700	0.576	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	EAS06-23		Bare-Ssiral	E26	CFL		1336	20.2	N/A	10000	2700	0.58	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	ESS06-13	ESS06-13	Bare-spiral	Medium E26/24	CFL		829	11.9	N/A	10000	2700	0.575	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	ESS06-13		Bare-Spiral	E26	CFL		829	11.9	N/A	10000	2700	0.57	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	ESS07-23	ESS07-23	Bare-spiral	Medium E26/24	CFL		1496	21.8	N/A	10000	2700	0.588	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	Shiney	ESS07-23		Bare-Spiral	E26	CFL		1496	21.8	N/A	10000	2700	0.59	2	10/18/2012
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	EAS05-20		Bare-spiral	E26/24 (Medium)	CFL		1148	20	N/A	10000	2700	0.576	2	12/5/2008
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	EAS06-23		Bare-spiral	E26/24 (Medium)	CFL		1335	23	N/A	10000	2700	0.576	2	12/5/2008
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	ESS06-13		Bare-ssiral	E26/24 (Medium)	CFL		829	13	N/A	10000	2700	0.575	2	12/5/2008
Yangzhou Xilin Equipment of Light Source Producing Co., Ltd.	XiLin Lighting	ESS07-23		Bare-spiral	E26/24 (Medium)	CFL		1496	23	N/A	10000	2700	0.588	2	12/5/2008
Yantai Haolibest Lighting Co., Ltd.	RED100	A21	A21	Covered A-line	E26/E24 (Medium)	CFL		1200	19.28	N/A	10000	2700	0.559	2	10/24/2011
Yantai Haolibest Lighting Co., Ltd.	RED100	A21		Covered A-line	E26	CFL		1200	19.28	N/A	10000	2700	0.56	2	10/24/2011
Yantai Haolibest Lighting Co., Ltd.	RED100	G30	G30	Covered globe	E26/E24 (Medium)	CFL		1200	19.99	N/A	10000	2700	0.56	2	10/24/2011
Yantai Haolibest Lighting Co., Ltd.	RED100	G30		Covered Globe	E26	CFL		1200	19.99	N/A	10000	2700	0.56	2	10/24/2011
Yantai Haolibest Lighting Co., Ltd.	RED100	R40	R40	Covered reflector	E26/E24 (Medium)	CFL		1200	23.0	N/A	10000	2700	0.571	2	10/18/2011
Yantai Haolibest Lishtino Co., Ltd.	RED100	R40		Covered Reflector	E26	CFL		1200	23	N/A	10000	2700	0.57	2	10/18/2011
Yantai Haolibest Lighting Co., Ltd.	RED100	Twist	Twist	Bare-spiral	E26/E24 (Medium)	CFL		1600	21.77	N/A	10000	2700	0.585	2	10/24/2011
Yantai Haolibest Lighting Co., Ltd.	RED100	Twist		Bare-Spiral	E26	CFL		1600	21.77	N/A	10000	2700	0.58	2	10/24/2011
YFS International Coro.	YFS	ER15L/BR30D	ER15L/BR30D	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	9/12/2012
YFS International Corp.	YFS	MR/JDR16/3L	MR/JDR16/3L	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.641	3	10/3/2012
YuePu Electric Co., of NingBo	Yuepu	YP-13W 2700K	YP-13W 2700K	Bare-spiral	Medium E26/24 (medium)	CFL		800	13.0	N/A	10000	2700	0.558	3	7/16/2012
YuePu Electric Co., of NingBo	Yuepu	YP-13W 2700K		Bare-Mini Spiral	E26	CFL		800	12.33	N/A	10000	2700	0.56	3	7/16/2012
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-13	N/A	Bare-spiral	GU24	CFL		915	12.92	N/A	10000	2700	0.548	2	1/4/2011
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-18	N/A	Bare-spiral	GU24	CFL		1258	17.5	N/A	10000	2700	0.54	2	1/4/2011
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-26	N/A	Bare-spiral	GU24	CFL		1708	23.9	N/A	10000	2700	0.54	2	1/4/2011
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-H13	N/A	Bare-spiral	GU24	CFL		827	13.3	N/A	10000	2700	0.56	2	1/4/2011
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-H18	N/A	Bare-spiral	GU24	CFL		1144	17.5	N/A	10000	2700	0.54	2	1/4/2011
YuePu Electric Co., of NingBo	Yuepu	YP-GU24-H26	N/A	Bare-spiral	GU24	CFL		1730	25.0	N/A	10000	2700	0.55	2	1/4/2011
Z Energy Solutions LLC.	Z Energy	ZE-BR30-120-3000K	ZE-BR30-120-3000K	Non-standard	E26/24 (Medium)	LED	Dimmable	865	15.0	N/A	40000	3000	0.904	3	10/16/2012
Z Enerov Solutions LLC.	Z Enerov	ZE-J3.5-A55-3000K	ZE-J3.5-A55-3000K	Non-standard	E26/24 (Medium)	LED		300	3.5	N/A	25000	3000	0.539	3	9/12/2012
Z Energy Solutions LLC.	Z Energy	ZE-J7-A60-3000K	ZE-J7-A60-3000K	Non-standard	E26/24 (Medium)	LED		500	7.0	N/A	25000	3000	0.856	3	9/12/2012
Z Energy Solutions LLC.	Z Energy	ZE-P20-25-3000K	ZE-P20-25-3000K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	350	7.0	N/A	40000	3000	0.763	3	10/16/2012
Z Energy Solutions LLC.	Z Energy	ZE-P20-40-3000K	ZE-P20-40-3000K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	400	7.0	N/A	40000	3000	0.764	3	10/16/2012
Z Energy Solutions LLC.	Z Energy	ZE-P30-25-3000K	ZE-P30-25-3000K	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	750	15.0	N/A	40000	3000	0.907	3	10/16/2012
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS13W	JY004-SPS13W; 052-5120-0	Bare-Mini-Spiral	E12 (Candelabra)	CFL		850	13.0	N/A	10000	2700	0.595	1	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS13W	N/A	Bare-spiral	Medium E26	CFL		850	13.0	N/A	10000	2700	0.595	1	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS23W	JY005-SPS23W;052-5121-8	Bare-Mini-Spiral	E12 (Candelabra)	CFL		1500	23.0	N/A	10000	2700	0.56	1	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS23W	N/A	Bare-spiral	Medium E26	CFL		1500	23.0	N/A	10000	2700	0.56	1	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS9W	JY003-SPS9W;052-5128-4	Bare-Mini-Spiral	E12 (Candelabra)	CFL		600	9.0	N/A	10000	2700	0.555	1	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	BLUE	SPS9W	N/A	Bare-spiral	Medium E26	CFL		600	9.0	N/A	10000	2700	0.555	1	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	blueplanet	SP23S	052-5121-8; 052-5510-28□	Bare-spiral	E26/24 (medium)	CFL		1600	21.64	N/A	10000	2700	0.56	2	3/5/2012
Zhejiang Joinan Lighting Co.,Ltd	blueplanet	SP23S		Bare-Spiral	E26	CFL		1600	21.6400	N/A	10000	2700	0.56	2	3/5/2012
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-23W (E26)	JY001-SP23W	Bare-Mini-Spiral	E12 (Candelabra)	CFL		1600	23.0	N/A	10000	2700	0.56	2	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-23W (E26)	N/A	Bare-spiral	Medium E26	CFL		1600	23.0	N/A	10000	2700	0.55	2	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-26W (E26)	JY002-SP26W	Bare-Mini-Spiral	E12 (Candelabra)	CFL		1650	26.0	N/A	10000	2700	0.59	2	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	LEALSUN	SP121-26W (E26)	N/A	Bare-spiral	Medium E26	CFL		1650	26.0	N/A	10000	2700	0.58	2	7/25/2011
Zhejiang Joinan Lighting Co.,Ltd	Midea	MDESLMSP11W-E26		Bare-Spiral	E26	CFL		826	11.1300	N/A	10000	2700	0.59	2	3/6/2012
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-5W 2700K		Bare-spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-5W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700	0.561	2	2/4/2009
Zhe Jiano NVC Lamp Co., Ltd.	NVC	ESC-9W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESC-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.549	2	2/4/2009
Zhe Jiano NVC Lamp Co., Ltd.	NVC	ESD-5W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESD-5W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		250	5	N/A	10000	2700	0.56	2	2/4/2009
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESD-9W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESD-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.551	2	2/4/2009
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESE-13W		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.595	2	11/19/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESE-23W		Bare-spiral	E26/24 (Medium)	CFL		1612	23	N/A	10000	2700	0.562	2	11/22/2010
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESH-13W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	8/5/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.5	2	8/5/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-13W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.584	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W 2700K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.592	2	1/15/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		2	10/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.591	2	1/15/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W 5000K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-15W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000	0.591	2	1/15/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.57	2	9/17/2009
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESH-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.572	2	2/4/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	10/25/2010
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESH-20W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.573	2	2/4/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	10/26/2010
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESH-23W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.563	2	7/31/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	10/26/2010
Zhe Jiano NVC Lamo Co., Ltd.	NVC	ESH-23W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.5	2	8/5/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	10/26/2010

Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-23W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	8/5/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		592	9	N/A	10000	2700		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	7/31/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		571	9	N/A	10000	4100		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.5	2	8/5/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		556	9	N/A	10000	5000		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESH-9W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.5	2	8/5/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.5	2	3/21/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 3500K		Bare-ssiral	E26/24 (Medium)	CFL		902	13	N/A	10000	3500	0.585	2	12/21/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100		2	11/2/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W-4100K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	2700	0.551	2	3/21/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W-5000K		Bare-Mini-Ssiral	E26/24 (Medium)	CFL		800	13	N/A	10000	5000	0.551	2	3/31/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	6500	0.585	2	12/20/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	2700	0.5	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.5	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W 5000K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000		2	10/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-15W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000	0.5	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-18W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1218	18	N/A	10000	2700	0.582	2	10/22/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-18W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1218	18	N/A	10000	3500	0.568	2	12/20/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-18W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1218	18	N/A	10000	6500	0.563	2	12/20/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1218	20	N/A	10000	2700		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	2700	0.536	2	3/26/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.536	2	3/31/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000		2	11/2/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-20W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.583	2	3/31/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700		2	11/2/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.549	2	3/31/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 3500K		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.559	2	12/20/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	11/2/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100		2	5/27/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000		2	11/2/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	5000	0.5	2	5/27/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1550	23	N/A	10000	6500	0.563	2	12/22/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700		2	11/9/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	2700	0.5	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W 4100K		Bare-ssiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100		2	11/9/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	4100	0.5	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	5000		2	11/10/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-26W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		1650	26	N/A	10000	5000	0.5	2	8/4/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W-2700K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700	0.546	2	3/13/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 3500K		Bare-spiral	E26/24 (Medium)	CFL		567	9	N/A	10000	3500	0.542	2	12/21/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W-4100K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	4100	0.568	2	3/13/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000		2	11/1/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W-5000K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	5000	0.561	2	2/25/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESP-9W 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.549	2	12/20/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.573	9	8/12/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-13W 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500	0.574	9	8/12/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-13W 6500K		Bare-spiral	E26/24 (Medium)	CFL		810	13	N/A	10000	6500	0.573	2	9/9/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-15W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1000	15	N/A	10000	2700	0.558	2	9/9/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	2700	0.576	2	9/9/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	20	N/A	10000	3500	0.575	2	9/9/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.573	9	8/12/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.578	9	8/12/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-20W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	6500	0.574	9	8/12/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-23W 2700K		Bare-ssiral	E26/24 (Medium)	CFL		1700	23	N/A	10000	2700	0.566	2	9/9/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-23W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3500	0.56	9	8/12/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-23W 6500K		Bare-spiral	E26/24 (Medium)	CFL		1520	23	N/A	10000	6500	0.557	2	9/9/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-26W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1700	26	N/A	10000	2700		9	7/13/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	2700		9	7/13/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-9W 3500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	3500	0.544	9	7/13/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESS-9W 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.545	9	7/13/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-13W/2700K	N/A	Bare-spiral	GU24	CFL		931	13.421	N/A	10000	2700	0.582	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-13W 4100K	N/A	Bare-spiral	GU24	CFL		959	14.0	N/A	10000	4100	0.59	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-13W/5000K	N/A	Bare-spiral	GU24	CFL		916	13.296	N/A	10000	5000	0.582	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-15W/2700K	N/A	Bare-spiral	GU24	CFL		981	14.027	N/A	10000	2700	0.588	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-15W 4100K	N/A	Bare-spiral	GU24	CFL		984	14.2	N/A	10000	4100	0.59	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-15W/5000K	N/A	Bare-spiral	GU24	CFL		911	13.999	N/A	10000	5000	0.588	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-18W-2700K	N/A	Bare-spiral	GU24	CFL		1345	18.0	N/A	10000	2700	0.57	2	7/20/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-18W 4100K	N/A	Bare-spiral	GU24	CFL		1246	19.1	N/A	10000	4100	0.58	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-18W-5000K	N/A	Bare-spiral	GU24	CFL		1245	18.1	N/A	10000	5000	0.58	2	7/20/2009
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-20W/2700K	N/A	Bare-spiral	GU24	CFL		1345	17.99	N/A	10000	2700	0.575	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-20W 4100K	N/A	Bare-spiral	GU24	CFL		1246	19.1	N/A	10000	4100	0.58	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-20W/5000K	N/A	Bare-spiral	GU24	CFL		1245	18.09	N/A	10000	5000	0.576	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-23W/2700K	N/A	Bare-spiral	GU24	CFL		1634	21.44	N/A	10000	2700	0.557	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-23W 4100K	N/A	Bare-spiral	GU24	CFL		1668	23.3	N/A	10000	4100	0.56	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-23W/5000K	N/A	Bare-ssiral	GU24	CFL		1615	21.269	N/A	10000	5000	0.557	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-26W/2700K	N/A	Bare-spiral	GU24	CFL		1733	22.586	N/A	10000	2700	0.567	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-26W 4100K	N/A	Bare-spiral	GU24	CFL		1742	25.5	N/A	10000	4100	0.57	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-26W/5000K	N/A	Bare-spiral	GU24	CFL		1634	23.167	N/A	10000	5000	0.568	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-9W/2700K	N/A	Bare-spiral	GU24	CFL		680	9.68	N/A	10000	2700	0.55	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-9W/4100K	N/A	Bare-spiral	GU24	CFL		638	10.2	N/A	10000	4100	0.55	2	1/4/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESU-9W/5000K	N/A	Bare-ssiral	GU24	CFL		648	9.77	N/A	10000	5000	0.553	2	10/1/2008
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700	0.581	2	9/10/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 3500K		Bare-ssiral	E26/24 (Medium)	CFL		900	13	N/A	10000	3500	0.582	2	7/20/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 4100K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.561	2	8/18/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-13W 5000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	5000	0.557	2	1/12/2011
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-15W 4100K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	4100	0.561	2	8/27/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-15W 5000K		Bare-spiral	E26/24 (Medium)	CFL		950	15	N/A	10000	5000	0.557	2	8/27/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-18W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	4100	0.571	2	8/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-18W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	18	N/A	10000	5000	0.571	2	8/27/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-20W 3500K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	3500	0.57	2	7/21/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-20W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	4100	0.571	2	8/18/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-20W 5000K		Bare-spiral	E26/24 (Medium)	CFL		1200	20	N/A	10000	5000	0.571	2	8/26/2010

Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-23W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.565	2	8/25/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-23W 4100K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	4100	0.56	2	8/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 2700K		Bare-spiral	E26/24 (Medium)	CFL		578	9	N/A	10000	2700	0.553	2	7/21/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 4100K		Bare-spiral	E26/24 (Medium)	CFL		556	9	N/A	10000	4100	0.554	2	8/26/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 5000K		Bare-spiral	E26/24 (Medium)	CFL		567	9	N/A	10000	5000	0.552	2	7/21/2010
Zhe Jiang NVC Lamp Co., Ltd.	NVC	ESX-9W 6500K		Bare-spiral	E26/24 (Medium)	CFL		550	9	N/A	10000	6500	0.554	2	7/20/2010
Zhejiang Yankon Group Co., Ltd	Yankon	FE151A 19S 5000K		Bare-spiral	E26/24 (Medium)	CFL		1150	19	N/A	12000	5000	0.537	11	1/10/2011
Zhejiang Yankon Group Co., Ltd	Yankon	FE151A 23S 6500K		Bare-spiral	E26/24 (Medium)	CFL		1450	23	N/A	12000	6500	0.558	11	1/10/2011
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-19		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	3000		2	12/30/2004
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-19 3500K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	8000	3500		2	9/15/2005
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-23		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	3000		2	12/21/2004
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-23 3500K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3500		2	9/15/2005
Zhejiang Yankon Group Co., Ltd	Yankon	FE151-S-27		Bare-spiral	E26/24 (Medium)	CFL		1900	23	N/A	10000	3000		2	12/30/2004
Zhejiang Yankon Group Co., Ltd	Yankon	FE153-13S	E153-13SW-VB10	Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	2700		2	9/15/2005
Zhejiang Yankon Group Co., Ltd	Yankon	FE153-13S 3500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		5	9/15/2005
Zhejiang Yankon Group Co., Ltd	Yankon	FE162 40S		Bare-ssiral	E26/24 (Medium)	CFL		2600	40	N/A	8000	2700		5	6/12/2006
Zhejiang Yankon Group Co., Ltd	Yankon	FE172 13S 3500K		Bare-Mini-Spiral	E26/24 (Medium)	CFL		900	13	N/A	8000	3500		5	6/9/2006
Zhejiang Yankon Group Co., Ltd	Yankon	FE172A 7S 2700K		Bare-spiral	E26/24 (Medium)	CFL		375	7	N/A	12000	2700	0.54	11	1/11/2011
Zhejiang Yankon Group Co., Ltd	Yankon	FE213 13S 6500K		Bare-spiral	E26/24 (Medium)	CFL		700	13	N/A	12000	6500	0.536	11	1/10/2011
Zhejiang Yankon Group Co., Ltd	Yankon	FE84-S 13W		Bare-spiral	E26/24 (Medium)	CFL		800	13.0	N/A	10000	2700		7	9/28/2001
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 2700K		Bare-spiral	E26/24 (Medium)	CFL		800	11	N/A	12000	2700	0.523	7	7/2/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 3000K		Bare-spiral	E26/24 (Medium)	CFL		769	11	N/A	10000	3000		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 3500K		Bare-spiral	E26/24 (Medium)	CFL		700	11	N/A	10000	3500	0.52	7	9/3/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 4100K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	4100	0.519	7	8/24/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 5000K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	5000	0.518	7	9/2/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 11S 6500K		Bare-spiral	E26/24 (Medium)	CFL		720	11	N/A	10000	6500	0.52	7	8/24/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE101B 15S 2700K		Bare-spiral	E26/24 (Medium)	CFL		900	15	N/A	10000	2700		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE127 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1200	19	N/A	10000	2700	0.523	7	9/2/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	3000	0.525	7	12/17/2007
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S 2700K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	12000	2700	0.539	7	7/2/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S 4100K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	4100	0.537	7	8/24/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 19S 6500K		Bare-spiral	E26/24 (Medium)	CFL		1240	19	N/A	12000	6500		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 23S 2700K		Bare-ssiral	E26/24 (Medium)	CFL		1600	23	N/A	12000	2700	0.561	7	7/2/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE151A 23S 4100K		Bare-spiral	E26/24 (Medium)	CFL		1497	23	N/A	10000	4100	0.561	7	9/3/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 13S 3000K		Bare-ssiral	E26/24 (Medium)	CFL		850	13	N/A	10000	3000		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 13S 6500K		Bare-spiral	E26/24 (Medium)	CFL		800	13	N/A	10000	6500		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 7S 2700K		Bare-ssiral	E26/24 (Medium)	CFL		450	7	N/A	10000	2700		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE153B 7S 3000K		Bare-spiral	E26/24 (Medium)	CFL		450	7	N/A	10000	3000		7	7/15/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13S 3000K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	3000	0.54	7	7/31/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13s 4100k		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	10000	4100	0.552	7	8/20/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13S 5000K		Bare-spiral	E26/24 (Medium)	CFL		818	13	N/A	10000	5000	0.546	7	9/3/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE172A 13S 6500K		Bare-spiral	E26/24 (Medium)	CFL		900	13	N/A	12000	6500	0.54	7	7/31/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE212 23S		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	8000	3000	0.55	7	12/12/2007
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE213 13S		Bare-Mini-Spiral	E26/24 (Medium)	CFL		800	13	N/A	12000	2700		7	6/25/2008
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE213 13W 3000K		Bare-spiral	E26/24 (Medium)	CFL		750	13	N/A	10000	3000		7	9/3/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE247 19W 2700K		Bare-spiral	E26/24 (Medium)	CFL		1180	19	N/A	10000	2700	0.531	9	10/5/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE247 19W 3000K		Bare-spiral	E26/24 (Medium)	CFL		1300	19	N/A	10000	3000	0.537	7	8/24/2009
Zhejiang Yankon Group Co., Ltd	Yankon Energetic	FE247 23S 2700K		Bare-spiral	E26/24 (Medium)	CFL		1600	23	N/A	10000	2700	0.567	9	10/5/2009
Zytech LEDS Company Limited	Zytech	ZYLEDF-NDA3.5 E26	ZYLEDF-NDA3.5 E26	Non-standard	E26/24 (Medium)	LED		300	3.5	N/A	25000	3000	0.539	3	4/20/2012
Zytech LEDS Company Limited	Zytech	ZYLEDF-NDA7 E26	ZYLEDF-NDA7 E26	Non-standard	E26/24 (Medium)	LED		500	7.0	N/A	25000	3000	0.851	3	4/20/2012
Zytech LEDS Company Limited	Zytech	ZYLEDF-P38-12W	ZYLEDF-P38-12W	PAR-Parabolic Aluminum	E26	LED		801	12.0	N/A	25000	3000	0.9	3	6/21/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-CE-3W	ZYLEDG-CE-3W	C - Candle	E12 (Candelabra)	LED		120	3.0	N/A	40000	3000	0.545	3	3/2/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-DP20-6W	ZYLEDG-DP20-6W	R - Reflector	E26/24 (Medium)	LED	Dimmable	250	5.13	N/A	40000	3000	0.703	3	3/5/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-DP30-10W	ZYLEDG-DP30-10W	R - Reflector	E26/24 (Medium)	LED	Dimmable	450	10.06	N/A	40000	3000	0.716	3	3/5/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-DP38-17W	ZYLEDDG-DP38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	765	17.0	N/A	40000	3000	0.729	3	3/2/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-GE-3W	ZYLEDG-GE-3W	G - Globe	E12 (Candelabra)	LED		120	2.74	N/A	40000	3000	0.551	3	3/5/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-M16E-4W	ZYLEDG-M16E-4W	MR - Multifaceted reflector	GU5.3	LED		160	4.0	N/A	40000	3000	1	3	3/15/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-P30-10W	ZYLEDG-P30-10W	R - Reflector	E26/24 (Medium)	LED		450	9.6	N/A	40000	3000	0.888	3	3/5/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDG-P38-17W	ZYLEDG-P38-17W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED		765	15.78	N/A	40000	3000	0.886	3	3/5/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDW-DP202-5.5W	ZYLEDW-DP202-5.5W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	270	5.5	N/A	25000	3000	0.712	3	3/2/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDW-DP302-9W	ZYLEDW-DP302-9W	PAR - Parabolic Aluminum Reflector	E26/24 (Medium)	LED	Dimmable	480	9.0	N/A	40000	3000	0.725	3	3/2/2012
Zytech LEDS Company Limited	Zytech LED	ZYLEDW-M16-3.5W	ZYLEDW-M16-3.5W	MR - Multifaceted reflector	GU5.3	LED		170	3.5	N/A	40000	3000	0.641	3	3/5/2012

Definitions for Column Headers

Performance Characteristic	Definitions
Brand and Model Number	How a particular lamp is identified. Retailers identify products they stock using the brand and model number. Some products may also be identified with a name or SKU, which is different from the brand or model number. Model numbers often contain wildcard characters, such as *, #, and X, that are placeholders for non-energy attributes, such as color.
Retail Product Number	In addition to model numbers manufacturers and retailers often use a retail number to identify products or packaging configurations. It is commonly a five (5) or six (6) digit number located on the front of the packaging or near the UPC code. This information provides the item number used by specific retailers or provides additional product numbers of multi-packs of the original qualified product (e.g. - AM09 (4-pack)).
Bulb Type	The lamp shape: bare-spiral, globe, bulged reflector (BR), elliptical reflector (ER), etc.
Base Type	Base type of the lamp: Screw base (E26, E17, etc.), bayonet bases, multiple pin bases (GU24, GU10).
Technology	The technology of the lamp: compact fluorescent light bulbs (CFL) and light emitting diode (LED).
Special Features	Most fixtures are designed to operate on an on/off switch. However, some fixtures have been designed with features to perform in specialized applications, such as with dimmers, three-way, or photo cell controls. Special features and compatibility with controls should be clearly marked on the product packaging, cut sheet or web site for the product.
Light Output (lumens)	A lumen is a unit of measure of the luminous flux or quantity of light emitted by a source or light bulb.
Wattage/Three-way wattage	The electric power a light bulb needs to operate is designated by watts (W).
Bulb Life	Bulb life is a rating of the estimated time (shown here in hours) a light bulb will last based on continuous testing at a laboratory. For example, to gain a 10,000-hour rating, 50% of the test samples must continue to operate to 10,000 hours or more.
Color Temperature (kelvin)	A description of the "color" of a light source measured by the Kelvin (K) scale. CFLs are available in a range of color temperatures. Lower Kelvin temperatures (2700-3000K) mean the light has a warmer (red-yellow) color, while higher Kelvin temperatures (4100-6500K) mean the light has a cooler (bluer) color.

Color Rendering Index (CRI)	Measure of the degree of color shift objects undergo when illuminated by the light source as compared with the color of those same objects when illuminated by a reference source of comparable color temperature.
Power Factor	The ratio of real power that flows to the lamp versus the amount of power actually consumed. A lamp with a lower power factor will draw more current than a lamp with a higher power factor for the same amount of useful power transferred.
Warranty	The number of years the lamp is covered under the warranty.
Date Qualified	The date the fixture was qualified as ENERGY STAR.

Key Efficiency Criteria

Performance Characteristic	Specification CFLs	Specification Integrated LED Lamps
Efficacy **(Total lumen output divided by input wattage)**	Bare lamp: Lamp power < 10W: 50 lm/watt 10W ≤ Lamp power < 15: 55 lm/watt Lamp power ≥ 15W: 65 lm/watt	Bare lamp: Lamp power < 10: 50 lm/watt 10 ≤ Lamp power : 55 lm/watt Decorative lamp: 50 lm/watt Directional: 40 lm/watt-45 lm/watt
Minimum Rated Life	Medium screw-base Covered, Globe and Outdoor reflector CFLs: ≥ 6,000 hours Bare medium screw-base CFLs and GU24-base covered, dimmable, and reflector Lamps: ≥ 8,000 hours GU24 Bare Lamps: ≥ 10,000 hours	Decorative: ≥70% Lumen Maintenance at 15,000 hours All others: ≥70% Lumen Maintenance at 25,000 hours
Correlated Color Temperature	Lamps must have one of the following designated correlated color temperatures (CCT): 2700K, 3000K, 3500K, 4100K, 5000K, or 6500K.	Lamps must have one of the following designated correlated color temperatures (CCT): 2700K, 3000K, 3500K, or 4000K.
Warranty	Warranty or limited warranty statement must cover at least a minimum of 24 months, or 2 years, from date of purchase based on no less than 3 hours per day of use.	A warranty must be provided for lamps, covering material repair or replacement for a minimum of three (3) years from the date of purchase.
Power Factor	≥ 0.5	For lamp power ≤ 5W and for low voltage lamps, no minimum power factor is required. For lamp power >5W, power factor must be ≥0.70 Note: Power factor must be measured at rated voltage.
CRI	An Average of the 10 samples tested must be greater than 80, and no more than 3 individual samples can have a CRI less than 77.	Minimum CRI (Ra) of 80.