

Section 5: Storm Water Development Standards Plan

The Port of Stockton has State-mandated requirements for the management of storm water runoff from new development and redevelopment. These requirements are described in the Port’s **Storm Water Development Standards Plan (DSP)** and include storm water pollution mitigation measures that are required to be incorporated into the design of development or redevelopment projects. They are called post-construction control measures, because they are the features of your project which will be left in place (after the silt fence and straw wattle have been removed) to reduce the quantity of storm water runoff and to improve the quality of the runoff that does occur.

“**Significant Redevelopment**” is defined as the creation or addition of at least **5,000 sq. ft.** of impervious surfaces on an already developed site. It includes, but is not limited to: expansion of a building footprint; replacement of a structure; replacement of an impervious surface; and land-disturbing activities related to structural or impervious surfaces.


Is my proposed project a new development or significant redevelopment of at least 5,000 sq. ft of impervious surface on a developed site?

Yes Call the Port's Environmental Department for a copy of the DSP. No

The Port has three different drainage zones. Each zone has additional development standards to protect water quality and to manage storm water. These zone-specific standards must be met in addition to the minimum standards for all sites at the Port.

Where is my project located?

- West Complex
- East Complex North of A Street
- East Complex South of A Street



Authorization

Project Owner/Operator or Authorized Agent	Port Representative
Company	Title
Date	Date

Questions? Call the Port of Stockton Environmental Dept.

(209) 946-0246